

# The latex-lab-mathpkg code\*

L<sup>A</sup>T<sub>E</sub>X Project

November 1, 2023

Abstract

## Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>The Implementation</b>	<b>1</b>
	2.1 File declaration . . . . .	1
	2.2 Tagpdf support . . . . .	1
	2.3 Wrapper files for testphase key . . . . .	2
	<b>Index</b>	<b>2</b>

## 1 Introduction

This file implements adaptations to various math packages needed for the tagging project.

## 2 The Implementation

1 `<@=math>`

2 `<*kernel>`

### 2.1 File declaration

3 `\ProvidesFile{latex-lab-mathpkg.ltx}`

4 `[2023-01-05 v0.1a mathpkg adaptations]`

### 2.2 Tagpdf support

To make the code independent from tagging being loaded and active we load the tagpdf-base package:

5 `\RequirePackage{tagpdf-base}`

---

\*

```

6 \AddToHook{package/breqn/after}{
7   \RegisterMathEnvironment{dmath}
8   \RegisterMathEnvironment{dgroup*}
9   \AddToHook{env/dmath/begin}{\tagpdfparaOff}
10  \AddToHook{env/dgroup*/begin}{\tagpdfparaOff}
11 }

Force loading of amsmath before cases.
12 \AddToHook {package/cases/before}{\RequirePackage{amsmath}}
13 \AddToHook{package/cases/after}{
14   \RegisterMathEnvironment{subnumcases}
15 }
16 </kernel>

```

## 2.3 Wrapper files for testphase key

# Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

<b>A</b>		<b>R</b>	
<code>\AddToHook</code>	..... <u>6</u> , <u>9</u> , <u>10</u> , <u>12</u> , <u>13</u>	<code>\RegisterMathEnvironment</code>	..... <u>7</u> , <u>8</u> , <u>14</u>
		<code>\RequirePackage</code>	..... <u>5</u> , <u>12</u>
<b>P</b>		<b>T</b>	
<code>\ProvidesFile</code>	..... <u>3</u>	<code>\tagpdfparaOff</code>	..... <u>9</u> , <u>10</u>