



ConTEXT

přikazy

CS

ConTeXt

příkazy

cs / český
15. května 2017

`\AfterPar {...}`

* BEFEHL

`\Alphabeticnumerals {...}`

* NUMMER

`\AMSTEX`

`\AmSTeX`

`\And`

`\abjadnaivenumerals {...}`

* NUMMER

`\abjadnodotnumerals {...}`

* NUMMER

`\abjadnumerals {...}`

* NUMMER

`\activatespacehandler {...}`

* zap vyp ano fixne

`\acute {...}`

* CHARACTER

`\adaptcollector [...1] [...,2...OPT,...]`

1 NAME

2 inherits: \setupcollector

`\adaptfontfeature [...1] [...,2...OPT,...]`

1 NAME

2 inherits: \definefontfeature

`\adaptpapersize [...,1...] [...,2...OPT,...]`

1 inherits: \nastavvelikostpaporu

2 inherits: \nastavvelikostpaporu

`\addfeature [...]`

* NAME

`\addfeature {...}`

* NAME

`\addtocmmalist {...} \2...`

1 TEXT

2 CSNAME

`\addtoJSreamble {...} {...}`

- 1 NAME
- 2 CONTENT

`\addvalue {...} {...}`

- 1 NAME
- 2 TEXT

`\aftersplitstring ... \at ... \to ...`

- 1 TEXT
- 2 TEXT
- 3 CSNAME

`\aftertestandsplitstring ... \at ... \to ...`

- 1 TEXT
- 2 TEXT
- 3 CSNAME

`\aktualnicislonadpisu`

`\aktualnidatum [...]*...]`
OPT

* rok mesic den vsedniden y yy Y m mm M d dd D w W mezera _ month:mnem m:mnem d:ord day:ord dd:ord D:ord TEXT
znacka day:+ day:++ d:+ d:++ dd:+ dd:++ D:+ D:++ month:jalali m:jalali jalali:to jalali:from

`\alignbottom`

`\aligned [...,1...] {...}`

- 1 vlevo nastred vpravo vrsek spodek radek l c r m t b g
- 2 CONTENT

`\alignedbox [...,1...] \...2 {...}`

- 1 vlevo nastred vpravo vrsek spodek radek l c r m t b g
- 2 CSNAME
- 3 CONTENT

`\alignedline {...1} {...2} {...3}`

- 1 vlevo vpravo nastred flushleft flushright center max uvnitr vnejsi innermargin outermargin inneredge outeredge
zpetnamezera cutspace lev yokraj prav yokraj levahrana pravahrana
- 2 vlevo vpravo nastred flushleft flushright center max uvnitr vnejsi innermargin outermargin inneredge outeredge
zpetnamezera cutspace lev yokraj prav yokraj levahrana pravahrana
- 3 CONTENT

`\alignmentcharacter`

`\allinputpaths`

`\alphabeticnumerals {...}`

- * NUMMER

`\alwayscitation [...1...2...] [...]`

1 odkaz = REFERENCE
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx
2 REFERENCE

`\alwayscitation [...1...] [...]`

1 implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
2 REFERENCE

`\alwayscitation [...1...2...] [...2...2...]`

1 odkaz = REFERENCE
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx
2 KEY = VALUE

`\alwayscite [...1...2...] [...]`

1 odkaz = REFERENCE
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx
2 REFERENCE

`\alwayscite [...1...] [...]`

1 implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
2 REFERENCE

`\alwayscite [...1...2...] [...2...2...]`

1 odkaz = REFERENCE
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx
2 KEY = VALUE

`\ampersand`

`\anchor [...1...] [...2...3...] [...3...3...] {...4...}`

1 NAME
2 inherits: \setuplayer
3 inherits: \setuplayerinherits: \nastavoramovani
4 CONTENT

<code>\antikva</code>
<code>\appendetoks ¹ \to ²...</code> 1 BEFEHL 2 CSNAME
<code>\appendgvalue ¹ {²...}</code> 1 NAME 2 BEFEHL
<code>\appendtocommalist ¹ {²...}</code> 1 TEXT 2 CSNAME
<code>\appendtoks ¹ \to ²...</code> 1 BEFEHL 2 CSNAME
<code>\appendtoksonce ¹ \to ²...</code> 1 BEFEHL 2 CSNAME
<code>\appendvalue ¹ {²...}</code> 1 NAME 2 BEFEHL
<code>\apply ¹ {²...}</code> 1 CONTENT 2 CONTENT
<code>\applyalternativestyle {[*]...}</code> * NAME
<code>\applyprocessor ¹ {²...}</code> 1 NAME 2 CONTENT
<code>\applytofirstcharacter ¹ {²...}</code> 1 CSNAME 2 TEXT
<code>\applytocharacters ¹ {²...}</code> 1 CSNAME 2 TEXT
<code>\applytosplitstringchar ¹ {²...}</code> 1 CSNAME 2 TEXT

`\applytosplitstringcharspaced \1... {2...}`

1 CSNAME

2 TEXT

`\applytosplitstringline \1... {2...}`

1 CSNAME

2 TEXT

`\applytosplitstringlinespaced \1... {2...}`

1 CSNAME

2 TEXT

`\applytosplitstringword \1... {2...}`

1 CSNAME

2 TEXT

`\applytosplitstringwordspaced \1... {2...}`

1 CSNAME

2 TEXT

`\applytowords \1... {2...}`

1 CSNAME

2 TEXT

`\arabicdecimals {...}`

* NUMMER

`\arabicexnumerals {...}`

* NUMMER

`\arabicnumerals {...}`

* NUMMER

`\arg {...}`

* CONTENT

`\asciistr {...}`

* CONTENT

`\aside [1...]OPT {2...}`

1 SPRACHE

2 CONTENT

`\assignalfadimension {...} \^2... {...} {...} {...} {...}`

- 1 male stredni velke zadny DIMENSION
- 2 CSNAME
- 3 DIMENSION
- 4 DIMENSION
- 5 DIMENSION

`\assigndimen \^1... {...}`

- 1 CSNAME
- 2 DIMENSION

`\assigndimension {...} \^2... {...} {...} {...} {...}`

- 1 [-+]male [-+]stredni [-+]velke zadny DIMENSION
- 2 CSNAME
- 3 DIMENSION
- 4 DIMENSION
- 5 DIMENSION

`\assignifempty \^1... {...}`

- 1 CSNAME
- 2 BEFEHL

`\assigntranslation [..., \^1...,...] \to \^2...`

- 1 SPRACHE = TEXT
- 2 CSNAME

`\assignvalue {...} \^2... {...} {...} {...} {...}`

- 1 male stredni velke TEXT
- 2 CSNAME
- 3 BEFEHL
- 4 BEFEHL
- 5 BEFEHL

`\assignwidth {...} \^2... {...} {...}`

- 1 prizpusobive siroky DIMENSION
- 2 CSNAME
- 3 TEXT
- 4 DIMENSION

`\assumelongusagecs \^1... {...}`

- 1 CSNAME
- 2 CONTENT

`\astype {...}`

- * CONTENT

`\attachment` [¹...] [_{OPT}...²...]

- 1 NAME
- 2 inherits: \setupattachment

`\ATTACHMENT` [¹...] [_{OPT}...²...]

- 1 NAME
- 2 inherits: \setupattachment

instances: attachment

`\autocap` {...}

- * TEXT

`\autodirhbox` ¹... {²...}

- 1 TEXT
- 2 CONTENT

`\autodirvbox` ¹... {²...}

- 1 TEXT
- 2 CONTENT

`\autodirvtop` ¹... {²...}

- 1 TEXT
- 2 CONTENT

`\autoinsertnextspace`

`\automathematics` {...}

- * CONTENT

`\autosetups` {...,*...}

- * NAME

`\autostarttext` ... `\autostoptext`

`\availablehsize`

`\averagecharwidth`

`\BeforePar` {...}

- * BEFEHL

`\Big` ...

- * CHARACTER

`\Bigg` ...

- * CHARACTER

`\Bigl ...`

* CHARACTER

`\Biggm ...`

* CHARACTER

`\Biggr ...`

* CHARACTER

`\Bigl ...`

* CHARACTER

`\Bigm ...`

* CHARACTER

`\Bigr ...`

* CHARACTER

`\backgroundimage {...} {...} {...} {...}`

1 NUMMER

2 DIMENSION

3 DIMENSION

4 BEFEHL

`\backgroundimagefill {...} {...} {...} {...}`

1 NUMMER

2 DIMENSION

3 DIMENSION

4 BEFEHL

`\backgroundline [...] {...}`

1 COLOR

2 CONTENT

`\bar {...}`

* CHARACTER

`\barevnaalista [...]*...]`

* COLOR

`\barva [...] {...}`

1 COLOR

2 CONTENT

`\BAR {...}`

* CONTENT

instances: nadtrzeno podtrzeno preskrtnuto understrike nadtrzeni podtrzeni preskrtnuti
understrikes underrandom underrandoms underdash underdashes underdot underdots nobar
hiddenbar

`\basegrid [...,.*,...]`

OPT
* nx = NUMMER
ny = NUMMER
dx = NUMMER
dy = NUMMER
faktor = NUMMER
meritko = NUMMER
xkrok = NUMMER
ykrok = NUMMER
offset = DIMENSION
xoffset = DIMENSION
yoffset = DIMENSION
zarovnani = nastred
jednotka = cm mm in pc pt bp
pismo = STYLE BEFEHL
barva = COLOR

`\baselinebottom`

`\baselineleftbox {...}`

* CONTENT

`\baselinemiddlebox {...}`

* CONTENT

`\baselinerightbox {...}`

* CONTENT

`\bbox {...}`

* CONTENT

`\beforesplitstring 1... \at 2... \to 3...`

1 TEXT
2 TEXT
3 CSNAME

`\beforetestandsplitstring 1... \at 2... \to 3...`

1 TEXT
2 TEXT
3 CSNAME

`\beginBLOCK [...,.*,...] ... \endBLOCK`

OPT
* + -

`\beginhbox ... \endhbox`

`\beginofshapebox ... \endofshapebox`

<code>\beginvbox ... \endvbox</code>
<code>\beginvtop ... \endvtop</code>
<code>\begstrut ... \endstrut</code>
<code>\bezserifu</code>
<code>\bigbodyfont</code>
<code>\bigg ...</code> * CHARACTER
<code>\bigger</code>
<code>\biggl ...</code> * CHARACTER
<code>\biggm ...</code> * CHARACTER
<code>\biggr ...</code> * CHARACTER
<code>\bigl ...</code> * CHARACTER
<code>\bigm ...</code> * CHARACTER
<code>\bigr ...</code> * CHARACTER
<code>\bigskip</code>
<code>\binom {...} {...}</code> 1 CONTENT 2 CONTENT
<code>\bitmapimage [..., ...¹..., ...] {...}</code> 1 barva = rgb cmyk seda sirka = DIMENSION vyska = DIMENSION x = NUMMER y = NUMMER 2 NUMMER
<code>\blap {...}</code> * CONTENT

`\bleed [...,1...OPT...] {...2}`

1 inherits: \setupbleeding

2 CONTENT

`\bleedheight`

`\bleedwidth`

`\blockligatures [...]`

* LISTE

`\blockquote [...1] {...2}`
OPT

1 SPRACHE

2 CONTENT

`\bodyfontenvironmentlist`

`\bodyfontsize`

`\boldface`

`\booleanmodevalue {...}`

* NAME

`\bottombox {...}`

* CONTENT

`\bottomleftbox {...}`

* CONTENT

`\bottomrightbox {...}`

* CONTENT

`\boxcursor`

`\boxmarker {...1} {...2}`

1 NAME

2 NUMMER

`\boxofsize \... ..2 ..OPT {...3}`

1 CSNAME

2 DIMENSION

3 CONTENT

`\boxreference [...,1...] \...2 {...3}`

1 REFERENCE

2 CSNAME

3 CONTENT

<p><code>\bpar ... \epar</code></p>
<p><code>\bpos {...}</code></p> <p>* NAME</p>
<p><code>\breve {...}</code></p> <p>* CHARACTER</p>
<p><code>\bTABLE [..., ...[*]..., ...] ... \eTABLE</code></p> <p><small>OPT</small></p> <p>* inherits: \setupTABLE</p>
<p><code>\bTABLEbody [..., ...[*]..., ...] ... \eTABLEbody</code></p> <p><small>OPT</small></p> <p>* inherits: \setupTABLE</p>
<p><code>\bTABLEfoot [..., ...[*]..., ...] ... \eTABLEfoot</code></p> <p><small>OPT</small></p> <p>* inherits: \setupTABLE</p>
<p><code>\bTABLEhead [..., ...[*]..., ...] ... \eTABLEhead</code></p> <p><small>OPT</small></p> <p>* inherits: \setupTABLE</p>
<p><code>\bTABLEnext [..., ...[*]..., ...] ... \eTABLEnext</code></p> <p><small>OPT</small></p> <p>* inherits: \setupTABLE</p>
<p><code>\bTC [..., ...[*]..., ...] ... \eTC</code></p> <p><small>OPT</small></p> <p>* inherits: \bTD</p>
<p><code>\bTD [..., ...[*]..., ...] ... \eTD</code></p> <p><small>OPT</small></p> <p>* nx = NUMBER ny = NUMBER nc = NUMBER nr = NUMBER n = NUMBER m = NUMBER akce = REFERENCE inherits: \setupTABLE</p>
<p><code>\bTDs [...] ... \eTDs</code></p> <p>* NAME</p>
<p><code>\bTH [..., ...[*]..., ...] ... \eTH</code></p> <p><small>OPT</small></p> <p>* inherits: \bTD</p>
<p><code>\bTN [..., ...[*]..., ...] ... \eTN</code></p> <p><small>OPT</small></p> <p>* inherits: \bTD</p>
<p><code>\bTR [..., ...[*]..., ...] ... \eTR</code></p> <p><small>OPT</small></p> <p>* inherits: \setupTABLE</p>
<p><code>\bTRs [...] ... \eTRs</code></p> <p>* NAME</p>

`\bTX [...*...] ... \eTX`

OPT

* inherits: \bTD

`\bTY [...*...] ... \eTY`

OPT

* inherits: \setupTABLE

`\bthiddencitation [...]`

* REFERENCE

`\btxabbreviatedjournal {...}`

* NAME

`\btxaddjournal [...1] [...2]`

1 NAME

2 NAME

`\btxalwayscitation [...1...] [...2]`

OPT

1 odkaz = REFERENCE
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx

2 REFERENCE

`\btxalwayscitation [...1] [...2]`

OPT

1 implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
2 REFERENCE

`\btxalwayscitation [...1...] [...2...]`

1 odkaz = REFERENCE
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx

2 KEY = VALUE

`\btxauthorfield {...}`

* initials firstnames vons surnames juniors

`\btxdetail {...}`

* address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language
mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok
yearfiled NAME

`\btxdirect {...}`

* address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language
mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok
yearfiled NAME

\btxdoif {...} {...}

- 1 address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME
- 2 TRUE

\btxdoifcombiinlistelse {...} {...} {...} {...}

- 1 NAME
- 2 NAME
- 3 TRUE
- 4 FALSE

\btxdoifelse {...} {...} {...}

- 1 address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME
- 2 TRUE
- 3 FALSE

\btxdoifelsecombiinlist {...} {...} {...} {...}

- 1 NAME
- 2 NAME
- 3 TRUE
- 4 FALSE

\btxdoifelsesameasprevious {...} {...} {...}

- 1 address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME
- 2 TRUE
- 3 FALSE

\btxdoifelsesameaspreviouschecked {...} {...} {...} {...}

- 1 vzdy dvoustranny
- 2 address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME
- 3 TRUE
- 4 FALSE

\btxdoifelseuservariable {...} {...} {...}

- 1 KEY
- 2 TRUE
- 3 FALSE

\btxdoifnot {...} {...}

- 1 address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME
- 2 TRUE

`\btxdfsameaspreviouselse {1..} {2..} {3..}`

- 1 address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME
- 2 TRUE
- 3 FALSE

`\btxdfsameaspreviouscheckedelse {1..} {2..} {3..} {4..}`

- 1 vzdy dvoustranny
- 2 address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME
- 3 TRUE
- 4 FALSE

`\btxdfuservariableelse {1..} {2..} {3..}`

- 1 KEY
- 2 TRUE
- 3 FALSE

`\btxdfexpandedjournal {*..}`

- * NAME

`\btxdfield {*..}`

- * address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME

`\btxdfieldname {*..}`

- * address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME

`\btxdfieldtype {*..}`

- * address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME

`\btxdfirstofrange {*..}`

- * volume pages

`\btxdflush {*..}`

- * address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME

`\btxdflushauthor [1..] {2..}`
OPT

- 1 num normalni normalshort inverted invertedshort
- 2 autor editor

`\btxdflushauthorinverted {*..}`

- * autor editor

`\btxflushauthorinvertedshort {...}`

* autor editor

`\btxflushauthorname {...}`

* autor editor

`\btxflushauthornormal {...}`

* autor editor

`\btxflushauthornormalshort {...}`

* autor editor

`\btxflushsuffix`

`\btxfoundname {...}`

* address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME

`\btxfoundtype {...}`

* address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME

`\btxhybridcite [...1...2...] [...2...]`

1 odkaz = REFERENCE
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx
2 REFERENCE

`\btxhybridcite [...1...] [...2...]`

1 implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
2 REFERENCE

`\btxhybridcite {...}`

* REFERENCE

`\btxhybridcite [...1...2...] [...2...1...]`

1 odkaz = REFERENCE
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx
2 KEY = VALUE

`\btclistcitation [...1...2...] [...]`

1 odkaz = REFERENCE
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx
2 REFERENCE

`\btclistcitation [...1] [...2]`

1 implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
2 REFERENCE

`\btclistcitation [...1...2...] [...2...2...]`

1 odkaz = REFERENCE
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx
2 KEY = VALUE

`\btloadjournalist [...]`

* FILE

`\btoneorrange {...1} {...2} {...3}`

1 volume pages
2 TRUE
3 FALSE

`\btxremapauthor [...1] [...2]`

1 TEXT
2 TEXT

`\btxsavejournalist [...]`

* FILE

`\btxsetup {...}`

* NAME

`\btxsingularorplural {...1} {...2} {...3}`

1 editor producer director
2 TRUE
3 FALSE

`\btxsingularplural {...1} {...2} {...3}`

1 editor producer director
2 TRUE
3 FALSE

`\btxttextcitation [.,.,.1.,.,.] [.2.]`

1 odkaz = REFERENCE
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx
2 REFERENCE

`\btxttextcitation [.1.] [.2.]`

1 implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
2 REFERENCE

`\btxttextcitation [.,.,.1.,.,.] [.,.,.2.,.,.]`

1 odkaz = REFERENCE
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx
2 KEY = VALUE

`\TOOLTIP [.,.,.1.,.,.] {.2.} {.3.}`

1 inherits: \setuptooltip
2 TEXT
3 TEXT

instances:

`\TOOLTIP [.1.] {.2.} {.3.}`

1 vlevo nastred vpravo
2 TEXT
3 TEXT

instances:

`\buildmathaccent {.1.} {.2.}`

1 CHARACTER
2 CHARACTER

`\buildtextaccent {.1.} {.2.}`

1 CHARACTER
2 CHARACTER

`\buildtextbottomcomma {.*.}`

* CHARACTER

`\buildtextbottomdot {.*.}`

* CHARACTER

`\buildtextcedilla {...}`

* CHARACTER

`\buildtextgrave {...}`

* CHARACTER

`\buildtextmacron {...}`

* CHARACTER

`\buildtextognek {...}`

* CHARACTER

`\Caps {...}`

* TEXT

`\Cisla {...}`

* NUMBER

`\CONTEXT`

`\ConTeXt`

`\Context`

`\ConvertConstantAfter \1... {\2...} {\3...}`

1 CSNAME

2 TEXT

3 TEXT

`\ConvertToConstant \1... {\2...} {\3...}`

1 CSNAME

2 TEXT

3 TEXT

`\camel {...}`

* TEXT

`\catcodetablename`

`\cbox 1... {\2...}`
OPT

1 TEXT

2 CONTENT

`\centeraligned {...}`

* CONTENT

`\centerbox 1... {2...}`
OPT

- 1 TEXT
- 2 CONTENT

`\centeredbox 1... {2...}`
OPT

- 1 TEXT
- 2 CONTENT

`\centeredlastline`

`\centerednextbox 1... {2...}`
OPT

- 1 TEXT
- 2 CONTENT

`\centerline {*...}`

- * CONTENT

`\cernalinka [...*...]`
OPT

- * inherits: \nastavcernelinky

`\cernelinky [...*...]`
OPT

- * inherits: \nastavcernelinky

`\cfraction 1... {2...} {3...}`
OPT

- 1 l c r ll lc lr cl cc cr rl rc rr
- 2 CONTENT
- 3 CONTENT

`\cislal {*...}`

- * NUMMER

`\cislodpisu [1...] [2...]`
OPT

- 1 ABSCHNITT
- 2 predchozi aktualni dalsi prvni posledni

`\cislodrovnice [...*...]`
OPT

- * REFERENCE

`\cislodstrany`

`\citace [1...] {2...}`
OPT

- 1 SPRACHE
- 2 CONTENT

```

\citation [...1...][...2...]
OPT
1 odkaz = REFERENCE
  alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
                authornum authoryear
  pred = BEFEHL
  po = BEFEHL
  vlevo = BEFEHL
  vpravo = BEFEHL
  inherits: \setupbtx
2 REFERENCE

```

```

\citation [...1][...2]
OPT
1 implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
2 REFERENCE

```

```

\citation {...}
* REFERENCE

```

```

\citation [...1...][...2...]
1 odkaz = REFERENCE
  alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
                authornum authoryear
  pred = BEFEHL
  po = BEFEHL
  vlevo = BEFEHL
  vpravo = BEFEHL
  inherits: \setupbtx
2 KEY = VALUE

```

```

\cite [...1...][...2...]
OPT
1 odkaz = REFERENCE
  alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
                authornum authoryear
  pred = BEFEHL
  po = BEFEHL
  vlevo = BEFEHL
  vpravo = BEFEHL
  inherits: \setupbtx
2 REFERENCE

```

```

\cite [...1][...2]
OPT
1 implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
2 REFERENCE

```

```

\cite {...}
* REFERENCE

```

```

\cite [...1...][...2...]
1 odkaz = REFERENCE
  alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
                authornum authoryear
  pred = BEFEHL
  po = BEFEHL
  vlevo = BEFEHL
  vpravo = BEFEHL
  inherits: \setupbtx
2 KEY = VALUE

```


`\colored [..] {...}`

- 1 COLOR
- 2 CONTENT

`\coloronly [..] {...}`

- 1 COLOR
- 2 CONTENT

`\columnbreak [...,*...]`

OPT

- * ano ne nastaveni lokalne sila prvni posledni NUMMER NAME

`\combinepages [..] [...,..2...]`

OPT

- 1 FILE
- 2 alternativa = a b c horizontalne vertikalne
n = NUMMER
nx = NUMMER
ny = NUMMER
start = NUMMER
stop = NUMMER
vzdalenost = DIMENSION
vrsek = BEFEHL
spodek = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
ramecek = zap vyp
pozadi = popredi barevne NAME
barvapozadi = COLOR

`\commalistelement`

`\commalistsentence [...,1...] [...,2...]`

OPT

- 1 TEXT
- 2 TEXT

`\commalistsize`

`\comparedimension {..} {...}`

- 1 DIMENSION
- 2 DIMENSION

`\comparedimensioneps {..} {...}`

- 1 DIMENSION
- 2 DIMENSION

`\completebt rendering [..] [...,..2...]`

OPT

OPT

- 1 NAME
- 2 inherits: \setupbt rendering

`\uplNyCOMBINEDLIST [...,..*...]`

OPT

- * inherits: \nastavseznam

instances:

`\completelist [..] [..,..2..,..OPT..]`

- 1 LISTE
- 2 inherits: \nastavseznam

`\completelistofFLOATS [..,..*..,..OPT..]`

- * inherits: \nastavseznam

`\completelistofpublications [..1..] [..,..2..,..OPT..]`

- 1 NAME
- 2 inherits: \setupbt rendering

`\completelistofsorts [..1..] [..,..2..,..OPT..]`

- 1 SINGULAR
- 2 inherits: \nastavtrideni

`\completelistofSORTS [..,..*..,..OPT..]`

- * inherits: \nastavtrideni

instances:

`\completelistofsynonyms [..1..] [..,..2..,..OPT..]`

- 1 SINGULAR
- 2 inherits: \nastavsynonyma

`\completelistofSYNONYMS [..,..*..,..OPT..]`

- * inherits: \nastavsynonyma

instances:

`\completepagenumber`

`\completeregister [..1..] [..,..2..,..OPT..]`

- 1 NAME
- 2 inherits: \nastavrejstrik

`\uplnyREGISTER [..,..*..,..OPT..]`

- * inherits: \nastavrejstrik

instances:

`\complexorsimple *`

- * CSNAME

`\complexorsimpleempty *`

- * CSNAME

`\complexorsimpleempty {.*}`

- * TEXT CSNAME

<pre>\complexorsimple {...} * TEXT CSNAME</pre>
<pre>\composedcollector {...} * NAME</pre>
<pre>\composedlayer {...} * NAME</pre>
<pre>\compresult</pre>
<pre>\constantdimen *.. * CSNAME</pre>
<pre>\constantdimenargument *.. * CSNAME</pre>
<pre>\constantemptyargument *.. * CSNAME</pre>
<pre>\constantnumber *.. * CSNAME</pre>
<pre>\constantnumberargument *.. * CSNAME</pre>
<pre>\contentreference [...¹,...] [...²...²...] {...³} OPT 1 REFERENCE 2 inherits: \nastavoramovani 3 CONTENT</pre>
<pre>\continuednumber {...} * NUMMER</pre>
<pre>\continueifinputfile {...} * FILE</pre>
<pre>\convertargument ¹... \to \².. 1 TEXT 2 CSNAME</pre>
<pre>\convertcommand \¹... \to \².. 1 CSNAME 2 CSNAME</pre>
<pre>\convertedcounter [...¹] [...²...²...] OPT 1 NAME 2 inherits: \setupcounter</pre>

`\counttokens 1... \to \2...`

- 1 TEXT
- 2 CSNAME

`\cramped {...}`

- * CONTENT

`\crampedclap {...}`

- * CONTENT

`\crampedllap {...}`

- * CONTENT

`\crampedrlap {...}`

- * CONTENT

`\crightarrow OPT1 {...} OPT2 {...}`

- 1 TEXT
- 2 TEXT

`\crightoverleftarrow OPT1 {...} OPT2 {...}`

- 1 TEXT
- 2 TEXT

`\ctop OPT1... 2 {...}`

- 1 TEXT
- 2 CONTENT

`\ctxcommand {...}`

- * BEFEHL

`\ctxdirectcommand {...}`

- * BEFEHL

`\ctxdirectlua {...}`

- * BEFEHL

`\ctxfunction {...}`

- * NAME

`\CTXFUNCTIONDEFINITION`

`\CTXFUNCTION`

`\ctxlatecommand {...}`

- * BEFEHL

<pre>\ctxlatelua {...} * BEFEHL</pre>
<pre>\ctxloadluafile {...} * FILE</pre>
<pre>\ctxlua {...} * BEFEHL</pre>
<pre>\ctxluabuffer [...] _{OPT} * BUFFER</pre>
<pre>\ctxluacode {...} * BEFEHL</pre>
<pre>\ctxreport {...} * BEFEHL</pre>
<pre>\ctxsprint {...} * BEFEHL</pre>
<pre>\currentassignmentlistkey</pre>
<pre>\currentassignmentlistvalue</pre>
<pre>\currentbtxuservariable {...} * KEY</pre>
<pre>\currentcommalistitem</pre>
<pre>\currentcomponent</pre>
<pre>\currentenvironment</pre>
<pre>\currentfeaturetest</pre>
<pre>\currentinterface</pre>
<pre>\currentPOPISEK [...,¹...] {...} _{OPT} _{OPT} 1 REFERENCE 2 TEXT</pre>
<pre>\currentlanguage</pre>
<pre>\currentlistentrydestinationattribute</pre>
<pre>\currentlistentrylimitedtext {...} * TEXT</pre>

<code>\currentlistentrynumber</code>
<code>\currentlistentrypagenumber</code>
<code>\currentlistentryreferenceattribute {...}</code> * cislo text cislostranky vse
<code>\currentlistentrytitle</code>
<code>\currentlistentrytitlerendered</code>
<code>\currentlistsymbol</code>
<code>\currentmainlanguage</code>
<code>\currentmessagetext</code>
<code>\currentmoduleparameter {...}</code> * KEY
<code>\currentoutputstream</code>
<code>\currentproduct</code>
<code>\currentproject</code>
<code>\currentregime</code>
<code>\currentregisterpageuserdata {...}</code> * KEY
<code>\currentresponses</code>
<code>\currenttime [...,*,...]</code> _{OPT} * h m TEXT
<code>\currentvalue</code>
<code>\currentxtablecolumn</code>
<code>\currentxtablerow</code>
<code>\d {...}</code> * CHARACTER
<code>\dalsipodstranka</code>

`\definebackground [.1.] [.2.] [.,.,.3.,.,.]`

- 1 NAME
- 2 NAME
- 3 inherits: \nastavpozadi

`\definebar [.1.] [.2.] [.,.,.3.,.,.]`

- 1 NAME
- 2 NAME
- 3 inherits: \setupbar

`\definebodyfontswitch [.1.] [.,.2,.,.]`

- 1 NAME
- 2 inherits: \nastavzakladnifont

`\definebreakpoint [.1.] [.2.] [.,.,.3.,.,.]`

- 1 NAME
- 2 CHARACTER
- 3 typ = 1 2 3 4 5
nvlevo = NUMMER
nvpravo = NUMMER
vlevo = BEFEHL
stredni = BEFEHL
vpravo = BEFEHL
range = ano ne
language = SPRACHE

`\definebreakpoints [.*.]`

- * NAME

`\definebtx [.1.] [.2.] [.,.,.3.,.,.]`

- 1 NAME
- 2 NAME
- 3 inherits: \setupbtx

`\definebtxdataset [.1.] [.2.] [.,.,.3.,.,.]`

- 1 NAME
- 2 NAME
- 3 inherits: \setupbtxdataset

`\definebtxregister [.1.] [.2.] [.,.,.3.,.,.]`

- 1 NAME
- 2 NAME
- 3 inherits: \setupbtxregister

`\definebtxrendering [.1.] [.2.] [.,.,.3.,.,.]`

- 1 NAME
- 2 NAME
- 3 inherits: \setupbtxrendering

`\definebutton` [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupbutton

`\definecapitals` [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \nastavkapitalky

`\definecollector` [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupcollector

`\definecolumnbreak` [¹...] [²...,...]

- 1 NAME
- 2 ano ne nastaveni lokalne sila prvni posledni NUMMER

`\definecombination` [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupcombination

`\definecomment` [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \nastavkomentar

`\definecomplexorsimple` *..

- * CSNAME

`\definecomplexorsimpleempty` *..

- * CSNAME

`\definecomplexorsimpleempty` {*..}

- * TEXT CSNAME

`\definecomplexorsimple` {*..}

- * TEXT CSNAME

`\defineconversionset` [¹...] [²...,...] [³...]

- 1 NAME SECTIONBLOCK:NAME
- 2 NAME PROCESSOR->NAME
- 3 NAME PROCESSOR->NAME

`\definecounter` [¹...] [²...] [³...] [³...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupcounter

`\definedataset` [¹...] [²...] [³...] [³...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupdataset

`\definedelimitedtext` [¹...] [²...] [³...] [³...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupdelimitedtext

`\definedfont` [^{*}...]

- * FONT

`\defineeffect` [¹...] [²...] [³...] [³...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupeffect

`\defineexpandable` [¹...] \²... {³...}

- 1 NUMMER
- 2 CSNAME
- 3 CONTENT

`\defineexternalfigure` [¹...] [²...] [³...] [³...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupexternalfigure

`\definefallbackfamily` [¹...] [²...] [³...] [⁴...] [⁴...]

- 1 NAME
- 2 rm ss tt mm hw cg antikva serif pravidelne bezserifu sans podpora strojopis opis mono rukopisne kaligraficke math matematika
- 3 FONT
- 4 rscale = NUMMER
designsize = implicitni auto
goodies = FILE
range = NUMMER NAME
offset = NUMMER NAME
check = ano ne
sila = ano ne
features = NAME
tf = TEXT
bf = TEXT
it = TEXT
sl = TEXT
bi = TEXT
bs = TEXT
sc = TEXT

`\definefallbackfamily [...]1 [...]2 [...]3 [...]4,...]`

OPT

1 NAME

2 `rm ss tt mm hw cg antikva serif pravidelne bezserifu sans podpora strojopis opis mono rukopisne kaligraficke math matematika`

3 FONT

4 NAME

`\definefieldbody [...]1 [...]2 [...]3,...]`

OPT

OPT

1 NAME

2 NAME

3 inherits: `\setupfieldbody`

`\definefieldbodyset [...]1 [...]2,...]`

1 NAME

2 NAME

`\definefieldcategory [...]1 [...]2 [...]3,...]`

OPT

OPT

1 NAME

2 NAME

3 inherits: `\setupfieldcategory`

`\definefileconstant {...}1 {...}2`

1 NAME

2 NAME

`\definefilefallback [...]1 [...]2,...]`

1 NAME

2 FILE

`\definefilesynonym [...]1 [...]2`

1 NAME

2 FILE

`\definefiller [...]1 [...]2 [...]3,...]`

OPT

OPT

1 NAME

2 NAME

3 inherits: `\setupfiller`

`\definefirstline [...]1 [...]2 [...]3,...]`

OPT

OPT

1 NAME

2 NAME

3 inherits: `\setupfirstline`

`\definefittingpage [...]1 [...]2 [...]3,...]`

OPT

OPT

1 NAME

2 NAME

3 inherits: `\setupfittingpage`

```
\definefontalternative [...]
```

```
* NAME
```

```
\definefontfallback [1...] [2...] [3...,...] [4...,...OPT...,...]
```

```
1 NAME
2 FONT NAME
3 NAME NUMBER
4 rscale = NUMBER
   sila = ano ne
   check = ano ne
   offset = NUMMER NAME
```

```
\definefontfamily [1...] [2...] [3...] [4...,...OPT...,...]
```

```
1 NAME
2 rm ss tt mm hw cg antikva serif pravidelne bezserifu sans podpora strojopis opis mono rukopisne kaligraficke math
   matematika
3 FONT
4 rscale = NUMBER
   designsize = implicitni auto
   goodies = FILE
   features = NAME
   tf = TEXT
   bf = TEXT
   it = TEXT
   sl = TEXT
   bi = TEXT
   bs = TEXT
   sc = TEXT
```

```
\definefontfamilypreset [1...] [2...,...]
```

```
1 NAME
2 inherits: \definefontfamily
```

```
\definefontfamilypreset [1...] [2...]
```

```
1 NAME
2 NAME
```

```
\definefontfamily [1...] [2...] [3...] [4...,...OPT...,...]
```

```
1 NAME
2 rm ss tt mm hw cg antikva serif pravidelne bezserifu sans podpora strojopis opis mono rukopisne kaligraficke math
   matematika
3 FONT
4 NAME
```

`\definefontfeature` [¹...] [²...] [³..._{OPT}...]

1 NAME
2 NAME
3 language = NAME
script = NAME auto
mode = node base auto zadny
liga = ano ne
kern = ano ne
extrakerns = ano ne
tlig = ano ne
trep = ano ne
missing = ano ne
dummies = ano ne
analyze = ano ne
unicoding = ano ne
expanzen = NAME
protrusion = NAME
nostackmath = ano ne
realdimensions = ano ne
itlc = ano ne
textitalics = ano ne
mathitalics = ano ne
slant = NUMMER
extend = NUMMER
dimensions = NUMMER
boundingbox = ano ne
compose = ano ne
char-ligatures = ano ne
compat-ligatures = ano ne
goodies = FILE
extrafeatures = ano ne
featureset = NAME
colorsheme = NAME
postprocessor = NAME
mathdimensions = NAME
keepligatures = ano ne auto
devanagari = ano ne
features = ano ne
tcom = ano ne
anum = ano ne
mathsize = ano ne
decomposehangul = ano ne
mathalternatives = ano ne
mathgaps = ano ne
checkmarks = ano ne
NAME = ano ne
mathnolimitsmode = NUMMER

`\definefontfile` [¹...] [²...] [³..._{OPT}...]

1 NAME
2 FILE
3 features = NAME
fallbacks = NAME
goodies = NAME
designsize = auto implicitni

`\definefontsize` [...]

* NAME

`\definefontsolution` [¹...] [²..._{OPT}] [³..._{OPT}...]

1 NAME
2 NAME
3 inherits: \setupfontsolution

`\defineformula [..1.] [..2.] [..,..3..,..]`

- 1 NAME
- 2 NAME
- 3 inherits: \setupformula

`\defineformulaalternative [..1.] [..2.] [..3.]`

- 1 NAME
- 2 CSNAME
- 3 CSNAME

`\defineformulaframed [..1.] [..2.] [..,..3..,..]`

- 1 NAME
- 2 NAME
- 3 inherits: \setupformulaframed

`\defineframedcontent [..1.] [..2.] [..,..3..,..]`

- 1 NAME
- 2 NAME
- 3 inherits: \setupframedcontent

`\definefrozenfont [..1.] [..2.]`

- 1 NAME
- 2 FONT

`\defineglobalcolor [..1.] [..,..2..,..]`

- 1 NAME
- 2 inherits: \definujbarvu

`\defineglobalcolor [..1.] [..2.]`

- 1 NAME
- 2 COLOR

`\definegraphicstypesynonym [..1.] [..2.]`

- 1 NAME
- 2 NAME

`\definegridsnapping [..1.] [..2,...]`

- 1 NAME
- 2 lokalne globalne noheight nodepth box max min zadny radek pulradku prvni posledni minvyska maxheight mindepth maxdepth vrsek spodek strut NUMMER minheight:NUMMER maxheight:NUMMER mindepth:NUMMER maxdepth:NUMMER box:NUMMER top:NUMMER bottom:NUMMER offset:NUMMER

`\defineheadalternative [..1.] [..2.] [..,..3..,..]`

- 1 NAME
- 2 NAME
- 3 inherits: \setupheadalternative

`\definehelp [...]1 [...]2 [...]3...`

- 1 NAME
- 2 NAME
- 3 inherits: \setuphelp

`\definehigh [...]1 [...]2 [...]3...`

- 1 NAME
- 2 NAME
- 3 inherits: \setuphigh

`\definehighlight [...]1 [...]2 [...]3...`

- 1 NAME
- 2 NAME
- 3 inherits: \setuphighlight

`\definehspace [...]1 [...]2 [...]3`

- 1 NAME
- 2 NAME
- 3 DIMENSION

`\definehyphenationfeatures [...]1 [...]2...`

- 1 NAME
- 2 characters = TEXT
- hyphens = ano vse TEXT
- joiners = ano vse TEXT
- rightwords = NUMMER
- hyphenmin = NUMMER
- lefthyphenmin = NUMMER
- righthyphenmin = NUMMER
- lefthyphenchar = NUMMER
- righthyphenchar = NUMMER
- alternativa = original tex hyphenate expanded traditional zadny
- pravahrana = tex
- rightchars = slovo NUMMER

`\definecharacterkerning [...]1 [...]2 [...]3...`

- 1 NAME
- 2 NAME
- 3 inherits: \setupcharacterkerning

`\definecharacterspacing [...]`

- * NAME

`\definechemical [...]{...}`

- 1 NAME
- 2 CONTENT

`\definechemicals [...]1 [...]2 [...]3...`

- 1 NAME
- 2 NAME
- 3 inherits: \setupchemical

`\definechemicalsymbol [..] [..]`

- 1 NAME
- 2 TEXT

`\defineindentedtext [..] [..] [..,..3..,..]`
 OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \setupindentedtext

`\defineindenting [..] [..,^2,^3..]`

- 1 NAME
- 2 [-+]male [-+]stredni [-+]velke zadny ne ne prvni dalsi ano vzdy nikdy liche sude normalni reset toggle DIMENSION

`\defineinitial [..] [..] [..,..3..,..]`
 OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \setupinitial

`\defineinsertion [..] [..] [..,..3..,..]`
 OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \setupinsertion

`\defineinteraction [..] [..] [..,..3..,..]`
 OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \nastavinterakci

`\defineinteractionbar [..] [..] [..,..3..,..]`
 OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \nastavinterakcnilistu

`\defineinterfaceconstant {..} {..}`

- 1 NAME
- 2 NAME

`\defineinterfaceelement {..} {..}`

- 1 NAME
- 2 NAME

`\defineinterfacevariable {..} {..}`

- 1 NAME
- 2 NAME

`\defineinterlinespace` [¹...] [²...] [³..._{OPT}..._{OPT}...]

- 1 NAME
- 2 NAME
- 3 inherits: \nastavmeziradkovoumezeru

`\defineintermediatecolor` [¹...] [²..._{OPT}...] [³..._{OPT}..._{OPT}...]

- 1 NAME
- 2 COLOR NUMBER
- 3 a = NUMBER
t = NUMBER

`\defineitemgroup` [¹...] [²...] [³..._{OPT}..._{OPT}...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupitemgroup

`\defineitems` [¹...] [²...] [³..._{OPT}..._{OPT}...]

- 1 NAME
- 2 NAME
- 3 inherits: \nastavpolozky

`\definelabelclass` [¹...] [²..._{OPT}...]

- 1 NAME
- 2 NUMBER

`\definelayer` [¹...] [²...] [³..._{OPT}..._{OPT}...]

- 1 NAME
- 2 NAME
- 3 inherits: \setuplayer

`\definelayerpreset` [¹...] [²..._{OPT}..._{OPT}...]

- 1 NAME
- 2 inherits: \setuplayer

`\definelayerpreset` [¹...] [²...]

- 1 NAME
- 2 NAME

`\definelayout` [¹...] [²...] [³..._{OPT}..._{OPT}...]

- 1 NAME
- 2 NAME
- 3 inherits: \nastavvzhled

`\definelinefiller` [¹...] [²...] [³..._{OPT}..._{OPT}...]

- 1 NAME
- 2 NAME
- 3 inherits: \setuplinefiller

`\definelinenote` [¹...] [²...] [³...,...]

OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \setuplinenote

`\definelinenumbering` [¹...] [²...] [³...,...]

OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \nastavcislovaniradku

`\definelines` [¹...] [²...] [³...,...]

OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \nastavradky

`\definelistalternative` [¹...] [²...] [³...,...]

OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \setuplistalternative

`\definelistextra` [¹...] [²...] [³...,...]

OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \setuplistextra

`\definelow` [¹...] [²...] [³...,...]

OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \setuplow

`\definelowhigh` [¹...] [²...] [³...,...]

OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \setuplowhigh

`\definelowmidhigh` [¹...] [²...] [³...,...]

OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \setuplowmidhigh

`\defineMPinstance` [¹...] [²...] [³...,...]

OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \setupMPinstance

`\definmarginblock` [¹...] [²...] [³...,...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupmarginblock

`\definmargindata` [¹...] [²...] [³...,...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupmargindata

`\definemarker` [...]

- * NAME

`\definemathaccent`

- 1 NAME
- 2 CHARACTER

`\definemathalignment` [¹...] [²...] [³...,...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupmathalignment

`\definemathcases` [...] [²...] [³...,...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupmathcases

`\definemathcommand` [¹...] [²...] [³...] {⁴...}

- 1 NAME
- 2 ord op bin rel open close punct alpha uvnitr nothing limop nolop box
- 3 jedna dve
- 4 BEFEHL \...##1 \...##1##2

`\definemathdoubleextensible` [¹...] [²...] [³...] [⁴...]

- 1 obe vfenced
- 2 NAME
- 3 NUMMER
- 4 NUMMER

`\definematematics` [...] [²...] [³...,...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupmathematics

`\definemathtextensibile` [¹...] [²...] [³...]

OPT

1 reverse matematika text chemistry

2 NAME

3 NUMMER

`\definemathfence` [¹...] [²...] [³...,...]

OPT

OPT

1 NAME

2 NAME

3 inherits: \setupmathfence

`\definemathfraction` [¹...] [²...] [³...,...]

OPT

OPT

1 NAME

2 NAME

3 inherits: \setupmathfraction

`\definemathframed` [¹...] [²...] [³...,...]

OPT

OPT

1 NAME

2 NAME

3 inherits: \setupmathframed

`\definemathmatrix` [¹...] [²...] [³...,...]

OPT

OPT

1 NAME

2 NAME

3 inherits: \setupmathmatrix

`\definemathornament` [¹...] [²...] [³...,...]

OPT

OPT

1 NAME

2 NAME

3 inherits: \setupmathornament

`\definemathoverextensibile` [¹...] [²...] [³...]

OPT

1 vrsek vfenced

2 NAME

3 NUMMER

`\definemathovertextensibile` [¹...] [²...] [³...]

OPT

1 bothtext

2 NAME

3 NUMMER

`\definemathradical` [¹...] [²...] [³...,...]

OPT

OPT

1 NAME

2 NAME

3 inherits: \setupmathradical

`\definemathstackers` [¹...] [²...] [³...,...,...]
 OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \setupmathstackers

`\definemathstyle` [¹...] [²...,...]

- 1 NAME
- 2 obrazovka text script scriptscript cramped uncramped normalni zhustene male velke

`\definemathtriplet` [¹...] [²...] [³...]
 OPT OPT

- 1 NAME
- 2 NAME
- 3 TEXT

`\definemathunderextensible` [¹...] [²...] [³...]
 OPT

- 1 spodek vfenced
- 2 NAME
- 3 NUMMER

`\definemathundertextextensible` [¹...] [²...] [³...]
 OPT

- 1 bothtext
- 2 NAME
- 3 NUMMER

`\definemathunstacked` [¹...] [²...] [³...]
 OPT

- 1 siroce
- 2 NAME
- 3 NUMMER

`\definemeasure` [¹...] [²...]

- 1 NAME
- 2 DIMENSION

`\definemessageconstant` {.*}

- * NAME

`\definemixedcolumns` [¹...] [²...] [³...,...,...]
 OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \setupmixedcolumns

`\definemode` [...,¹...] [²...]
 OPT

- 1 NAME
- 2 ano ne drzet

`\definemitonecolor` [¹...] [_{OPT}...,...²...,...] [_{OPT}...,...³...,...] [_{OPT}...,...⁴...,...]

- 1 NAME
- 2 COLOR = NUMMER
- 3 inherits: \definujbarvu
- 4 inherits: \definespotcolor

`\definenamecolor` [¹...] [_{OPT}...,...²...,...]

- 1 NAME
- 2 inherits: \definujbarvu

`\definenamecolor` [¹...] [²...]

- 1 NAME
- 2 COLOR

`\definamespace` [¹...] [_{OPT}...,...²...,...]

- 1 NAME
- 2 jmeno = TEXT
parent = TEXT
pismeno = ano ne
prikaz = ano ne seznam
setup = ano ne seznam
set = ano ne seznam
ramecek = ano ne

`\defininarrower` [¹...] [_{OPT}...,...²...,...] [_{OPT}...,...³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \nastavzuzeni

`\definernote` [¹...] [_{OPT}...,...²...,...] [_{OPT}...,...³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupnote

`\defineornament` [¹...] [_{OPT}...,...²...,...] [_{OPT}...,...³...,...]

- 1 NAME
- 2 alternativa = a b
inherits: \setupcollector
- 3 pismeno = STYLE BEFEHL
barva = COLOR
inherits: \nastavoramovani

`\defineornament` [¹...] [_{OPT}...,...²...,...] [_{OPT}...,...³...,...]

- 1 NAME
- 2 alternativa = a b
inherits: \setuplayer
- 3 inherits: \setuplayeredtext

`\defineoutputroutine` [¹...] [_{OPT}...,...²...,...] [_{OPT}...,...³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupoutputroutine

`\defineoutputroutinecommand [...,*,...]`

* KEY

`\definepage [...1] [...2]`

1 NAME

2 REFERENCE

`\definepagebreak [...1] [...2,...]`

1 NAME

2 prazdne zhlavi upati dummy ramecek NUMMER +NUMMER implicitni reset zablokovat ano ne zlom prazdny nastaveni vysokapriorita vlevo vpravo sude liche ctyrnasobny posledni poslednistrana start stop

`\definepagegrid [...1] [...2] [...3,...3,...]`

OPT

OPT

1 NAME

2 NAME

3 inherits: \setuppagegrid

`\definepagegridarea [...1] [...2] [...3,...3,...]`

OPT

OPT

1 NAME

2 NAME

3 inherits: \setuppagegridarea

`\definepagegridspan [...1] [...2] [...3,...3,...]`

OPT

OPT

1 NAME

2 NAME

3 inherits: \setuppagegridspan

`\definepagechecker [...1] [...2] [...3,...3,...]`

OPT

OPT

1 NAME

2 NAME

3 inherits: \setuppagechecker

`\definepageinjection [...1] [...2] [...3,...3,...]`

OPT

OPT

1 NAME

2 NAME

3 inherits: \setuppageinjection

`\definepageinjectionalternative [...1] [...2] [...3,...3,...]`

OPT

OPT

1 NAME

2 NAME

3 inherits: \setuppageinjectionalternative

`\definepageshift [...1] [...2] [...3,...]`

1 NAME

2 horizontalne vertikalne

3 DIMENSION

`\definepagestate` [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setuppagestate

`\definepairedbox` [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setuppairedbox

`\defineparagraph` [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupparagraph

`\defineparallel` [¹...] [²...,...]

- 1 NAME
- 2 NAME

`\defineparbuilder` [...]

- * NAME

`\defineplacement` [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupplacement

`\definepositioning` [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \nastavumistovani

`\defineprefixset` [¹...] [²...,...] [³...]

- 1 NAME SECTIONBLOCK:NAME
- 2 ABSCHNITT
- 3 ABSCHNITT

`\defineprocesscolor` [¹...] [²...] [³...,...]

- 1 NAME
- 2 COLOR
- 3 inherits: \definujbarvu

`\defineprocessor` [¹...] [²...] [³...,...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupprocessor

`\definepushbutton` [¹...] [²..._{OPT}...]

- 1 NAME
- 2 inherits: \setupfieldcontentframed

`\definepushsymbol` [¹...] [²...]

- 1 NAME
- 2 n r d

`\definerenderingwindow` [¹...] [²..._{OPT}] [³..._{OPT}...]

- 1 NAME
- 2 NAME
- 3 inherits: \setuprenderingwindow

`\defineresetset` [¹...] [²..._{...}] [³..._{OPT}]

- 1 NAME SECTIONBLOCK:NAME
- 2 NUMMER
- 3 NUMMER

`\definescale` [¹...] [²..._{OPT}] [³..._{OPT}...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupscale

`\definescript` [¹...] [²..._{OPT}] [³..._{OPT}...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupscrip

`\definesectionlevels` [¹...] [²..._{...}]

- 1 NAME
- 2 ABSCHNITT

`\defineselector` [¹...] [²..._{OPT}...]

- 1 NAME
- 2 inherits: \setupselector

`\defineseparatorset` [¹...] [²..._{...}] [³..._{OPT}]

- 1 NAME SECTIONBLOCK:NAME
- 2 BEFEHL PROCESSOR->BEFEHL
- 3 BEFEHL PROCESSOR->BEFEHL

`\defineshift` [¹...] [²..._{OPT}] [³..._{OPT}...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupshift

`\definesidebar` [¹...] [²...] [³..._{OPT}..._{OPT}...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupsidebar

`\definesort` [¹...] [²...] [³...] {⁴...}

- 1 ano ne
- 2 SINGULAR
- 3 NAME
- 4 CONTENT

`\definespotcolor` [¹...] [²...] [³..._{OPT}..._{OPT}...]

- 1 NAME
- 2 COLOR
- 3 a = NUMMER zadny normalni multiply rastr prekryv softlight hardlight colordodge colorburn darken lighten difference
exclusion hue saturation barevne luminosity
t = NUMMER
e = TEXT
p = NUMMER

`\definestyleinstance` [¹...] [²...] [³...] [⁴...]

- 1 NAME
- 2 rm ss tt mm hw cg
- 3 tf bf it sl bi bs sc
- 4 BEFEHL

`\definesubformula` [¹...] [²...] [³..._{OPT}..._{OPT}...]

- 1 NAME
- 2 NAME
- 3 inherits: \setupsubformula

`\definesynonym` [¹...] [²...] [³...] {⁴...} {⁵...}

- 1 ano ne
- 2 SINGULAR
- 3 NAME
- 4 TEXT
- 5 CONTENT

`\definesystemattribute` [¹...] [²..._{OPT}...]

- 1 NAME
- 2 lokalne globalne public private

`\definesystemconstant` {...}

- * NAME

`\definesystemvariable` {...}

- * NAME


```

\definetypface [1.] [2.] [3.] [4.] [5.] [6.]
                OPT      OPT
1 NAME
2 rm ss tt mm hw cg
3 serif sans mono math handwriting calligraphy
4 NAME
5 implicitni dtp
6 rscale      = auto NUMBER
  features    = NAME
  fallbacks   = NAME
  goodies     = NAME
  designsize  = auto implicitni
  smer       = obe

```

```

\definetypescriptprefix [1.] [2.]
1 NAME
2 TEXT

```

```

\definetypescriptsynonym [1.] [2.]
1 NAME
2 TEXT

```

```

\definetypesetting [1.] [2.] [3.]
                  OPT      OPT
1 NAME
2 TEXT
3 inherits: \setupeexternalfigure

```

```

\defineunit [1.] [2.] [3.]
            OPT      OPT
1 NAME
2 NAME
3 inherits: \setupunit

```

```

\defineviewerlayer [1.] [2.] [3.]
                  OPT      OPT
1 NAME
2 NAME
3 inherits: \setupviewerlayer

```

```

\definevspace [1.] [2.] [3.]
              OPT
1 NAME
2 NAME
3 DIMENSION

```

```

\definevspacing [1.] [2.]
1 NAME
2 inherits: \vspacing

```

```

\definevspacingamount [1.] [2.] [3.]
                     OPT      OPT
1 NAME
2 DIMENSION
3 DIMENSION

```

`\definexable [1...] [2...] [3...]`
 OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \setupxtable

`\definuj [1...] \2... {3...}`
 OPT

- 1 NUMMER
- 2 CSNAME
- 3 CONTENT

`\definujakcent 1... 2... 3...`

- 1 CHARACTER
- 2 CHARACTER
- 3 CHARACTER

`\definujbarvu [1...] [2...]`

- 1 NAME
- 2 r = NUMMER
g = NUMMER
b = NUMMER
c = NUMMER
m = NUMMER
y = NUMMER
k = NUMMER
h = NUMMER
s = NUMMER
v = NUMMER
x = NUMMER
a = NUMMER zadny normalni multiply rastr prekryv softlight hardlight colordodge colorburn darken lighten difference
exclusion hue saturation barevne luminosity
t = NUMMER

`\definujbarvu [1...] [2...]`

- 1 NAME
- 2 COLOR

`\definujblok [1...] [2...] [3...]`
 OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \nastavblok

`\definujbloksekce [1...] [2...] [3...]`
 OPT

- 1 NAME
- 2 NAME
- 3 inherits: \nastavbloksekce

`\definujbuffer [1...] [2...] [3...]`
 OPT OPT

- 1 NAME
- 2 BUFFER
- 3 inherits: \nastavbuffer

`\definujfont [.1.] [.2.] [.,.,.3.,.,.]`

- 1 NAME
- 2 FONT
- 3 inherits: \nastavmeziradkovoumezeru

`\definujfont [.1.] [.2.] [.3.]`

- 1 NAME
- 2 FONT
- 3 NAME

`\definujformatodkazu [.1.] [.2.] [.,.,.3.,.,.]`

- 1 NAME
- 2 NAME
- 3 inherits: \setupreferenceformat

`\definujhbox [.1.] [.2.]`

- 1 NAME
- 2 DIMENSION

`\definujinterakcnimenu [.1.] [.2.] [.,.,.3.,.,.]`

- 1 NAME
- 2 NAME
- 3 inherits: \nastavinterakcnimenu

`\definujkombinovanyseznam [.1.] [.,.,.2,.,.] [.,.,.3.,.,.]`

- 1 NAME
- 2 LISTE
- 3 inherits: \nastavseznam

`\definujkonverzi [.1.] [.2.] [.3.]`

- 1 SPRACHE
- 2 NAME
- 3 CSNAME

`\definujkonverzi [.1.] [.2.] [.,.,.3,.,.]`

- 1 SPRACHE
- 2 NAME
- 3 TEXT

`\definujnadpis [.1.] [.2.] [.,.,.3.,.,.]`

- 1 NAME
- 2 ABSCHNITT
- 3 inherits: \nastavnadpis

`\definujobrazeksymbol [..1.] [..2.] [..,3..,.,.]`
OPT

- 1 NAME
- 2 FILE NAME
- 3 inherits: \externiobraz

`\definujodkaz [..1.] [..,2.,.]`

- 1 NAME
- 2 REFERENCE

`\definujodstavce [..1.] [..2.] [..,3..,.,.]`
OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \nastavodstavce

`\definujopis [..1.] [..2.] [..,3..,.,.]`
OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \nastavopis

`\definujoramovani [..1.] [..2.] [..,3..,.,.]`
OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \nastavoramovani

`\definujoramovanytext [..1.] [..2.] [..,3..,.,.]`
OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \setupframedtext

`\definujpaletu [..1.] [..,2..,.,.]`

- 1 NAME
- 2 NAME = COLOR

`\definujpaletu [..1.] [..2.]`

- 1 NAME
- 2 NAME

`\definujplvouciobjekt [..1.] [..2.] [..,3..,.,.]`
OPT OPT

- 1 SINGULAR
- 2 PLURAL
- 3 inherits: \nastavplvouciobjekt

instances: chemical figure table intermezzo graphic


```

\definujprostredizakladnihofontu [...] [...] [...] [...]
                                OPT      OPT
1  NAME
2  implicitni DIMENSION
3  velky          = DIMENSION NUMMER
   male          = DIMENSION NUMMER
   a             = DIMENSION NUMMER
   b             = DIMENSION NUMMER
   c             = DIMENSION NUMMER
   d             = DIMENSION NUMMER
   text         = DIMENSION NUMMER
   x            = DIMENSION NUMMER
   xx           = DIMENSION NUMMER
   script       = DIMENSION NUMMER
   scriptscript = DIMENSION NUMMER
   meziradkovamezera = DIMENSION
   em           = sklonene kurziva STYLE BEFEHL
   *           = NUMMER

```

```

\definujrejstrik [...] [...] [...]
                  OPT      OPT
1  NAME
2  NAME
3  inherits: \nastavrejstrik

```

```

\definujsablonutabulky [...] [|...|] [...] [...]
                                OPT      OPT
1  NAME
2  TEMPLATE
3  NAME
4  NAME

```

```

\definujsekci [...]
*  NAME

```

```

\definujseznam [...] [...] [...]
                OPT      OPT
1  NAME
2  LISTE
3  inherits: \nastavseznam

```

```

\definujskupinubarev [...] [...] [x:y:z,...]
                       OPT
1  NAME
2  seda rgb cmyk spot
3  TRIPLET

```

```

\definujstartstop [...] [...] [...]
                   OPT      OPT
1  NAME
2  NAME
3  inherits: \setupstartstop

```

```

\definujstyl [...] [...] [...]
              OPT      OPT
1  NAME
2  NAME
3  inherits: \setupstyle

```

`\definujstylfontu [...1,...] [...2]`

- 1 NAME
- 2 NAME

`\definujsymbol [...1] [...2] [...3]`
OPT

- 1 NAME
- 2 NAME
- 3 BEFEHL

`\definujsynonumfontu [...1] [...2] [...3,...3,...]`
OPT

- 1 NAME
- 2 FONT
- 3 features = NAME
fallobacks = NAME
goodies = NAME
designsize = auto implicitni

`\definujsynonyma [...1] [...2] [...3] [...4]`
OPT OPT

- 1 SINGULAR
- 2 PLURAL
- 3 CSNAME
- 4 CSNAME

`\definujtabelaci [...1] [...2] [...3/]`
OPT OPT

- 1 NAME
- 2 NAME
- 3 TEMPLATE

`\definujtext [...1] [...2] [...3] [...4] [...5] [...6] [...7]`
OPT OPT OPT OPT

- 1 NAME
- 2 vrsek zahlavi text upati spodek
- 3 text marginalie hrana
- 4 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
- 5 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
- 6 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
- 7 datum cislostranky BESCHRIFTUNG TEXT BEFEHL

`\definujtrideni [...1] [...2] [...3]`
OPT

- 1 SINGULAR
- 2 PLURAL
- 3 zadny CSNAME

`\definujpravu [...1] [...2] [...3,...3,...]`
OPT OPT

- 1 NAME
- 2 NAME
- 3 inherits: \nastavpravu

`\definujvelikostpapiru [..1.] [...2...]`

```
1 NAME
2 sirka      = DIMENSION
  vyska      = DIMENSION
  vrsek      = BEFEHL
  spodek     = BEFEHL
  vlevo      = BEFEHL
  vpravo     = BEFEHL
  vzdalenost = DIMENSION
  stranka    = inherits: \nastavvelikostpapiru
  papir      = inherits: \nastavvelikostpapiru
```

`\definujvelikostpapiru [..1.] [...2...] [...3...]`
OPT

```
1 NAME
2 inherits: \nastavvelikostpapiru
3 inherits: \nastavvelikostpapiru
```

`\definujvycet [..1.] [..2.] [...3...]`
OPT OPT

```
1 NAME
2 NAME
3 inherits: \setupenumeration
```

`\definujzakladnifont [...1...] [...2...] [...3...] [...4...]`
OPT OPT

```
1 NAME implicitni
2 NAME DIMENSION
3 rm ss tt hw cg
4 tf = FILE
  bf = FILE
  it = FILE
  sl = FILE
  bi = FILE
  bs = FILE
  sc = FILE
  mr = FILE
  mrlr = FILE
  mrrl = FILE
  mb = FILE
  mblr = FILE
  mbrl = FILE
```

`\definujzakladnifont [...1...] [...2...] [...3...] [...4.]`
OPT OPT

```
1 NAME implicitni
2 NAME DIMENSION
3 rm ss tt hw cg
4 NAME
```

`\definujzasobnikpoli [..1.] [...2...] [...3...]`
OPT

```
1 NAME
2 NAME
3 inherits: \setupfieldcategory
```

`\definujznaceni [..1.] [..2.] [...3...]`
OPT OPT

```
1 NAME
2 BESCHRIFTUNG
3 inherits: \nastavznaceni
```

`\definujznak 1... 2...`

- 1 CHARACTER
- 2 NUMMER

`\delimited [1...] [2...] {3...}`
OPT

- 1 NAME
- 2 SPRACHE
- 3 CONTENT

`\delimitedtext [1...] [2...] {3...}`
OPT

- 1 NAME
- 2 SPRACHE
- 3 CONTENT

`\DELIMITEDTEXT [1...] {2...}`
OPT

- 1 SPRACHE
- 2 CONTENT

instances: citace citovat blockquote speech aside

`\delkaseznamu`

`\depthofstring {...}`

- * TEXT

`\depthonlybox {...}`

- * CONTENT

`\depthspanningtext {1...} {2...} {3...}`

- 1 TEXT
- 2 DIMENSION
- 3 FONT

`\determinenoflines {...}`

- * CONTENT

`\devanagarinumeral {...}`

- * NUMMER

`\dfrac {1...} {2...}`

- 1 CONTENT
- 2 CONTENT

`\digits {...}`

- * NUMMER

`\digits ...`

- * NUMMER

`\dimensiontocount {1.} \2.`

- 1 DIMENSION
- 2 CSNAME

`\directcolor [...]`

- * COLOR

`\directcolored [...*...]`

- * inherits: \definujbarvu

`\directcolored [...]`

- * COLOR

`\directconvertedcounter {1.} {2.}`

- 1 NAME
- 2 prvni predchozi dalsi posledni cislo

`\directdummyparameter {...}`

- * KEY

`\directgetboxllx ...`

- * CSNAME NUMBER

`\directgetboxlly ...`

- * CSNAME NUMBER

`\directhighlight {1.} {2.}`

- 1 NAME
- 2 TEXT

`\directlocalframed [...] {2.}`

- 1 NAME
- 2 CONTENT

`\directluacode {...}`

- * BEFEHL

`\directselect {1.} {2.} {3.} {4.} {5.} {6.}`
 OPT OPT OPT OPT OPT

- 1 NAME
- 2 CONTENT
- 3 CONTENT
- 4 CONTENT
- 5 CONTENT
- 6 CONTENT

`\directsetbar {...}`

- * NAME

<pre>\directsetup {...} * NAME</pre>
<pre>\directsymbol {...} {...} 1 NAME 2 NAME</pre>
<pre>\directvspacing {...,*...} * inherits: \vspacing</pre>
<pre>\dis {...} * CONTENT</pre>
<pre>\disabledirectives [...,*...] * NAME</pre>
<pre>\disableexperiments [...,*...] * NAME</pre>
<pre>\disablemode [...,*...] * NAME</pre>
<pre>\disableoutputstream</pre>
<pre>\disableparpositions</pre>
<pre>\disableregime</pre>
<pre>\disabletrackers [...,*...] * NAME</pre>
<pre>\displaymath {...} * CONTENT</pre>
<pre>\displaymathematics {...} * CONTENT</pre>
<pre>\displaymessage {...} * TEXT</pre>
<pre>\distributedhsize {...} {...} {...} 1 DIMENSION 2 DIMENSION 3 NUMMER</pre>

`\dividedsize {...} {...} {...}`

- 1 DIMENSION
- 2 DIMENSION
- 3 NUMMER

`\doadaptleftskip {...}`

- * ano ne standardni DIMENSION

`\doadaptrightskip {...}`

- * ano ne standardni DIMENSION

`\doaddfeature {...}`

- * NAME

`\doassign [...1] [...2..]`

- 1 TEXT
- 2 KEY = VALUE

`\doassignempty [...1] [...2..]`

- 1 TEXT
- 2 KEY = VALUE

`\doboundtext {...} {...} {...}`

- 1 TEXT
- 2 DIMENSION
- 3 BEFEHL

`\documentvariable {...}`

- * KEY

`\dodoubleargument \1... [...2] [...3]`

- 1 CSNAME
- 2 TEXT
- 3 TEXT

`\dodoubleargumentwithset \1... [...2,...] [...3]`

- 1 CSNAME
- 2 TEXT
- 3 TEXT

`\dodoubleempty \1... [...2] [...3]`
 OPT OPT

- 1 CSNAME
- 2 TEXT
- 3 TEXT

\dodoubleemptywithset \¹... [_{OPT}...²;_{OPT}...] [_{OPT}...³]

- 1 CSNAME
- 2 TEXT
- 3 TEXT

\dodoublegroupempty \¹... {_{OPT}...²} {_{OPT}...³}

- 1 CSNAME
- 2 TEXT
- 3 TEXT

\doeassign [¹...] [_{OPT}...²..]

- 1 TEXT
- 2 KEY = VALUE

\doexpandedrecurse {¹...} {²...}

- 1 NUMMER
- 2 BEFEHL

\dogetattribute {^{*}...}

- * NAME

\dogetattributeid {^{*}...}

- * NAME

\dogetcommacommandelement ¹... \from ²... \to ³...

- 1 NUMMER
- 2 TEXT
- 3 CSNAME

\dogobbledoubleempty [_{OPT}...¹] [_{OPT}...²]

- 1 TEXT
- 2 TEXT

\dogobblesingleempty [_{OPT}...^{*}]

- * TEXT

\docheckassignment {^{*}...}

- * TEXT

\docheckedpagestate {¹...} {²...} {³...} {⁴...} {⁵...} {⁶...} {⁷...}

- 1 REFERENCE
- 2 BEFEHL
- 3 BEFEHL
- 4 BEFEHL
- 5 BEFEHL
- 6 BEFEHL
- 7 BEFEHL

```
\docheckedpair {...,*...}
```

```
* TEXT
```

```
\doif {...} {...} {...}
```

```
1 CONTENT
```

```
2 CONTENT
```

```
3 TRUE
```

```
\doifallcommon {...1,...} {...2,...} {...3}
```

```
2 CONTENT
```

```
3 CONTENT
```

```
5 TRUE
```

```
\doifallcommonelse {...1,...} {...2,...} {...3} {...4}
```

```
2 CONTENT
```

```
3 CONTENT
```

```
5 TRUE
```

```
6 FALSE
```

```
\doifalldefinedelse {...1,...} {...2} {...3}
```

```
1 NAME
```

```
2 TRUE
```

```
3 FALSE
```

```
\doifallmodes {...1,...} {...2} {...3}
```

```
1 NAME
```

```
2 TRUE
```

```
3 FALSE
```

```
\doifallmodeselse {...1,...} {...2} {...3}
```

```
1 NAME
```

```
2 TRUE
```

```
3 FALSE
```

```
\doifassignmentelse {...1} {...2} {...3}
```

```
1 TEXT
```

```
2 TRUE
```

```
3 FALSE
```

```
\doifblackelse {...1} {...2} {...3}
```

```
1 COLOR
```

```
2 TRUE
```

```
3 FALSE
```

```
\doifbothsides {...} {...} {...}
```

- 1 BEFEHL
- 2 BEFEHL
- 3 BEFEHL

```
\doifbothsidesoverruled {...} {...} {...}
```

- 1 BEFEHL
- 2 BEFEHL
- 3 BEFEHL

```
\doifboxelse {...} {...} {...} {...}
```

- 1 NAME
- 2 NAME
- 3 TRUE
- 4 FALSE

```
\doifbufferelse {...} {...} {...}
```

- 1 BUFFER
- 2 TRUE
- 3 FALSE

```
\doifcolor {...} {...}
```

- 1 COLOR
- 2 TRUE

```
\doifcolorelse {...} {...} {...}
```

- 1 COLOR
- 2 TRUE
- 3 FALSE

```
\doifcommandhandler \... {...} {...}
```

- 1 CSNAME
- 2 NAME
- 3 TRUE

```
\doifcommandhandlerelse \... {...} {...} {...}
```

- 1 CSNAME
- 2 NAME
- 3 TRUE
- 4 FALSE

```
\doifcommon {...,1...} {...,2...} {...3}
```

- 2 CONTENT
- 3 CONTENT
- 5 TRUE

```
\doifcommonelse {...1,...} {...2,...} {...3} {...4}
```

2 CONTENT

3 CONTENT

5 TRUE

6 FALSE

```
\doifcontent {...1} {...2} {...3} \...4 {...5}
```

1 BEFEHL

2 BEFEHL

3 BEFEHL

4 CSNAME

5 CONTENT

```
\doifconversiondefinedelse {...1} {...2} {...3}
```

1 NAME

2 TRUE

3 FALSE

```
\doifconversionnumberelse {...1} {...2} {...3} {...4}
```

1 NAME

2 NUMMER

3 TRUE

4 FALSE

```
\doifcounter {...1} {...2}
```

1 NAME

2 TRUE

```
\doifcounterelse {...1} {...2} {...3}
```

1 NAME

2 TRUE

3 FALSE

```
\doifcurrentfonthasfeatureelse {...1} {...2} {...3}
```

1 NAME

2 TRUE

3 FALSE

```
\doifdefined {...1} {...2}
```

1 NAME

2 TRUE

```
\doifdefinedcounter {...1} {...2}
```

1 NAME

2 TRUE

`\doifdefinedcounterelse {1.} {2.} {3.}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifdefinedelse {1.} {2.} {3.}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifdimensionelse {1.} {2.} {3.}`

- 1 TEXT
- 2 TRUE
- 3 FALSE

`\doifdimenstringelse {1.} {2.} {3.}`

- 1 TEXT
- 2 TRUE
- 3 FALSE

`\doifdocumentargument {1.} {2.}`

- 1 NAME
- 2 TRUE

`\doifdocumentargumentelse {1.} {2.} {3.}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifdocumentfilename {1.} {2.}`

- 1 NUMBER
- 2 TRUE

`\doifdocumentfilenameelse {1.} {2.} {3.}`

- 1 NUMBER
- 2 TRUE
- 3 FALSE

`\doifdrawingblackelse {1.} {2.}`

- 1 TRUE
- 2 FALSE

`\doifelse {1.} {2.} {3.} {4.}`

- 1 CONTENT
- 2 CONTENT
- 3 TRUE
- 4 FALSE

```
\doifelseallcommon {...1,...} {...2,...} {...3} {...4}
```

2 CONTENT

3 CONTENT

5 TRUE

6 FALSE

```
\doifelsealldefined {...1,...} {...2} {...3}
```

1 NAME

2 TRUE

3 FALSE

```
\doifelseallmodes {...1,...} {...2} {...3}
```

1 NAME

2 TRUE

3 FALSE

```
\doifelseassignment {...1} {...2} {...3}
```

1 TEXT

2 TRUE

3 FALSE

```
\doifelseblack {...1} {...2} {...3}
```

1 COLOR

2 TRUE

3 FALSE

```
\doifelsebox {...1} {...2} {...3} {...4}
```

1 NAME

2 NAME

3 TRUE

4 FALSE

```
\doifelsebuffer {...1} {...2} {...3}
```

1 BUFFER

2 TRUE

3 FALSE

```
\doifelsecolor {...1} {...2} {...3}
```

1 COLOR

2 TRUE

3 FALSE

`\doifelsecommandhandler \1... {2...} {3...} {4...}`

- 1 CSNAME
- 2 NAME
- 3 TRUE
- 4 FALSE

`\doifelsecommon {1...1,...} {2...2,...} {3...} {4...}`

- 2 CONTENT
- 3 CONTENT
- 5 TRUE
- 6 FALSE

`\doifelseconversiondefined {1...} {2...} {3...}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelseconversionnumber {1...} {2...} {3...} {4...}`

- 1 NAME
- 2 NUMMER
- 3 TRUE
- 4 FALSE

`\doifelsecounter {1...} {2...} {3...}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsecurrentfonthasfeature {1...} {2...} {3...}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsecurrentsortingused {1...} {2...}`

- 1 TRUE
- 2 FALSE

`\doifelsecurrentsynonymshown {1...} {2...}`

- 1 TRUE
- 2 FALSE

`\doifelsecurrentsynonymused {1...} {2...}`

- 1 TRUE
- 2 FALSE

`\doifelsedefined {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsedefinedcounter {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsedimension {..} {..} {..}`

- 1 TEXT
- 2 TRUE
- 3 FALSE

`\doifelsedimenstring {..} {..} {..}`

- 1 TEXT
- 2 TRUE
- 3 FALSE

`\doifelsedocumentargument {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsedocumentfilename {..} {..} {..}`

- 1 NUMBER
- 2 TRUE
- 3 FALSE

`\doifelsedrawingblack {..} {..}`

- 1 TRUE
- 2 FALSE

`\doifelseempty {..} {..} {..}`

- 1 CONTENT
- 2 TRUE
- 3 FALSE

`\doifelseemptyvalue {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelseemptyvariable {1.} {2.} {3.} {4.}`

- 1 NAME
- 2 KEY
- 3 TRUE
- 4 FALSE

`\doifelseenv {1.} {2.} {3.}`

- 1 KEY
- 2 TRUE
- 3 FALSE

`\doifelsefastoptionalcheck {1.} {2.}`

- 1 TRUE
- 2 FALSE

`\doifelsefastoptionalcheckcs \1. \2.`

- 1 CSNAME
- 2 CSNAME

`\doifelsefieldbody {1.} {2.} {3.}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsefieldcategory {1.} {2.} {3.}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsefigure {1.} {2.} {3.}`

- 1 FILE
- 2 TRUE
- 3 FALSE

`\doifelsefile {1.} {2.} {3.}`

- 1 FILE
- 2 TRUE
- 3 FALSE

`\doifelsefiledefined {1.} {2.} {3.}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsefileexists {..} {..} {..}`

- 1 FILE
- 2 TRUE
- 3 FALSE

`\doifelsefirstchar {..} {..} {..} {..}`

- 1 TEXT
- 2 TEXT
- 3 TRUE
- 4 FALSE

`\doifelseflagged {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsefontchar {..} {..} {..} {..}`

- 1 FONT
- 2 NUMMER
- 3 TRUE
- 4 FALSE

`\doifelsefontpresent {..} {..} {..}`

- 1 FONT
- 2 TRUE
- 3 FALSE

`\doifelsefontsynonym {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsehasspace {..} {..} {..}`

- 1 TEXT
- 2 TRUE
- 3 FALSE

`\doifelsehelp {..} {..}`

- 1 TRUE
- 2 FALSE

`\doifelseincsname {..} {..} {..} {..}`

- 1 TEXT
- 2 CSNAME
- 3 TRUE
- 4 FALSE

`\doifelseinelement {...} {...} {...}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelseinputfile {...} {...} {...}`

- 1 FILE
- 2 TRUE
- 3 FALSE

`\doifelseinsertion {...} {...} {...}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelseinset {...} {...2,...} {...} {...4}`

- 1 CONTENT
- 2 CONTENT
- 4 TRUE
- 5 FALSE

`\doifelseinstring {...} {...} {...} {...4}`

- 1 TEXT
- 2 TEXT
- 3 TRUE
- 4 FALSE

`\doifelseinsymbolset {...} {...} {...} {...4}`

- 1 NAME
- 2 NAME
- 3 TRUE
- 4 FALSE

`\doifelseintoks {...} {...} {...} {...4}`

- 1 BEFEHL
- 2 BEFEHL
- 3 TRUE
- 4 FALSE

`\doifelseintwopassdata {...} {...} {...} {...4}`

- 1 NAME
- 2 NAME
- 3 TRUE
- 4 FALSE

`\doifelseitalic {..} {..}`

- 1 TRUE
- 2 FALSE

`\doifselanguage {..} {..} {..}`

- 1 SPRACHE
- 2 TRUE
- 3 FALSE

`\doifselayerdata {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifselayoutdefined {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifselayoutsomeline {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifselayouttextline {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelseleapyear {..} {..} {..}`

- 1 NUMMER
- 2 TRUE
- 3 FALSE

`\doifselist {..} {..} {..}`

- 1 LISTE
- 2 TRUE
- 3 FALSE

`\doifselocation {..} {..}`

- 1 TRUE
- 2 FALSE

`\doifselocfile {..} {..} {..}`

- 1 FILE
- 2 TRUE
- 3 FALSE

`\doifelseMPgraphic {1.} {2.} {3.}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsemainfloatbody {1.} {2.}`

- 1 TRUE
- 2 FALSE

`\doifelsemarking {1.} {2.} {3.}`

- 1 BESCHRIFTUNG
- 2 TRUE
- 3 FALSE

`\doifelsemeaning \1... \2... {3.} {4.}`

- 1 CSNAME
- 2 CSNAME
- 3 TRUE
- 4 FALSE

`\doifelsemessage {1.} {2.} {3.} {4.}`

- 1 NAME
- 2 NAME NUMMER
- 3 TRUE
- 4 FALSE

`\doifelsemode {...1,...} {2.} {3.}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsenextbgroup {1.} {2.}`

- 1 TRUE
- 2 FALSE

`\doifelsenextbgroupcs \1... \2...`

- 1 CSNAME
- 2 CSNAME

`\doifelsenextchar {1.} {2.} {3.}`

- 1 CHARACTER
- 2 TRUE
- 3 FALSE

`\doifelsenextoptional {1.} {2.}`

- 1 TRUE
- 2 FALSE

`\doifelsenextoptionalcs \1... \2...`

- 1 CSNAME
- 2 CSNAME

`\doifelsenextparenthesis {\1...} {\2...}`

- 1 TRUE
- 2 FALSE

`\doifelsenonzeropositive {\1...} {\2...} {\3...}`

- 1 NUMMER
- 2 TRUE
- 3 FALSE

`\doifelsenoteonsamepage {\1...} {\2...} {\3...}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsenothing {\1...} {\2...} {\3...}`

- 1 TEXT
- 2 TRUE
- 3 FALSE

`\doifelsenumber {\1...} {\2...} {\3...}`

- 1 TEXT
- 2 TRUE
- 3 FALSE

`\doifelseobjectfound {\1...} {\2...} {\3...} {\4...}`

- 1 NAME
- 2 NAME
- 3 TRUE
- 4 FALSE

`\doifelseobjectreferencefound {\1...} {\2...} {\3...} {\4...}`

- 1 NAME
- 2 NAME
- 3 TRUE
- 4 FALSE

`\doifelseoddpagel {1...} {2...}`

- 1 BEFEHL
- 2 BEFEHL

`\doifelseoddpagelfloat {1...} {2...}`

- 1 TRUE
- 2 FALSE

`\doifelseoldercontext {..} {..} {..}`

- 1 NUMMER
- 2 TRUE
- 3 FALSE

`\doifelseolderversion {..} {..} {..} {..}`

- 1 NUMMER
- 2 NUMMER
- 3 TRUE
- 4 FALSE

`\doifelseoverlapping {..} {..} {..} {..}`

- 1 NAME
- 2 NAME
- 3 TRUE
- 4 FALSE

`\doifelseoverlay {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelseparallel {..} {...2,...} {..} {..}`

- 1 NAME
- 2 NAME vse
- 3 TRUE
- 4 FALSE

`\doifelseparentfile {..} {..} {..}`

- 1 FILE
- 2 TRUE
- 3 FALSE

`\doifelsepath {..} {..} {..}`

- 1 PATH
- 2 TRUE
- 3 FALSE

`\doifelsepathexists {..} {..} {..}`

- 1 PATH
- 2 TRUE
- 3 FALSE

`\doifelsepatterns {..} {..} {..}`

- 1 SPRACHE
- 2 TRUE
- 3 FALSE

`\doifelseposition {...} {...} {...}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsepositionaction {...} {...} {...}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsepositiononpage {...} {...} {...} {...}`

- 1 NAME
- 2 NUMMER
- 3 TRUE
- 4 FALSE

`\doifelsepositionsonsamepage {...1,...} {...2} {...3}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsepositionsonthispage {...1,...} {...2} {...3}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsepositionsused {...1} {...2}`

- 1 TRUE
- 2 FALSE

`\doifelserreferencefound {...1} {...2} {...3}`

- 1 REFERENCE
- 2 TRUE
- 3 FALSE

`\doifelserightpagefloat {...1} {...2}`

- 1 TRUE
- 2 FALSE

`\doifelserighttoleftinbox .1 {...2} {...3}`

- 1 CSNAME NUMMER
- 2 TRUE
- 3 FALSE

`\doifelsesamelinreference {...} {...} {...}`

- 1 REFERENCE
- 2 TRUE
- 3 FALSE

`\doifelsesamestring {...} {...} {...} {...}`

- 1 TEXT
- 2 TEXT
- 3 TRUE
- 4 FALSE

`\doifelsesetups {...} {...} {...}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsesomebackground {...} {...} {...}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsesomespace {...} {...} {...}`

- 1 TEXT
- 2 TRUE
- 3 FALSE

`\doifelsesomething {...} {...} {...}`

- 1 TEXT
- 2 TRUE
- 3 FALSE

`\doifelsesometoks \^1.. {...} {...}`

- 1 CSNAME
- 2 TRUE
- 3 FALSE

`\doifelsestringinstr {...} {...} {...} {...}`

- 1 TEXT
- 2 TEXT
- 3 TRUE
- 4 FALSE

`\doifelsestructurelisthasnumber {...} {...}`

- 1 TRUE
- 2 FALSE

`\doifelsestructurelisthaspage {..} {..}`

- 1 TRUE
- 2 FALSE

`\doifelsesymboldefined {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsesymbolset {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsetext {..} {..} {..}`

- 1 TEXT
- 2 TRUE
- 3 FALSE

`\doifelsetextflow {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsetextflowcollector {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelsetypingfile {..} {..} {..}`

- 1 FILE
- 2 TRUE
- 3 FALSE

`\doifelseundefined {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifelseurldefined {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doifelsevalue {...} {...} {...} {...}
```

- 1 NAME
- 2 TEXT
- 3 TRUE
- 4 FALSE

```
\doifelsevaluenothing {...} {...} {...}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doifelsevariable {...} {...} {...} {...}
```

- 1 NAME
- 2 KEY
- 3 TRUE
- 4 FALSE

```
\doifempty {...} {...}
```

- 1 CONTENT
- 2 TRUE

```
\doifemptyelse {...} {...} {...}
```

- 1 CONTENT
- 2 TRUE
- 3 FALSE

```
\doifemptytoks \... {...}
```

- 1 CSNAME
- 2 TRUE

```
\doifemptyvalue {...} {...}
```

- 1 NAME
- 2 TRUE

```
\doifemptyvalueelse {...} {...} {...}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doifemptyvariable {...} {...} {...}
```

- 1 NAME
- 2 KEY
- 3 TRUE

`\doifemptyvariableelse {1.} {2.} {3.} {4.}`

- 1 NAME
- 2 KEY
- 3 TRUE
- 4 FALSE

`\doifenv {1.} {2.}`

- 1 KEY
- 2 TRUE

`\doifenvelse {1.} {2.} {3.}`

- 1 KEY
- 2 TRUE
- 3 FALSE

`\doiffastoptionalcheckcseelse \1. \2.`

- 1 CSNAME
- 2 CSNAME

`\doiffastoptionalcheckelse {1.} {2.}`

- 1 TRUE
- 2 FALSE

`\doiffielddbodyelse {1.} {2.} {3.}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doiffielddcategoryelse {1.} {2.} {3.}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doiffigureelse {1.} {2.} {3.}`

- 1 FILE
- 2 TRUE
- 3 FALSE

`\doiffile {1.} {2.}`

- 1 FILE
- 2 TRUE

`\doiffiledefinedelse {1.} {2.} {3.}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doiffileelse {1.} {2.} {3.}`

- 1 FILE
- 2 TRUE
- 3 FALSE

`\doiffileexistselse {1.} {2.} {3.}`

- 1 FILE
- 2 TRUE
- 3 FALSE

`\doiffirstcharelse {1.} {2.} {3.} {4.}`

- 1 TEXT
- 2 TEXT
- 3 TRUE
- 4 FALSE

`\doifflaggedelse {1.} {2.} {3.}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doiffontcharelse {1.} {2.} {3.} {4.}`

- 1 FONT
- 2 NUMMER
- 3 TRUE
- 4 FALSE

`\doiffontpresentelse {1.} {2.} {3.}`

- 1 FONT
- 2 TRUE
- 3 FALSE

`\doiffontsynonymelse {1.} {2.} {3.}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifhasspaceelse {1.} {2.} {3.}`

- 1 TEXT
- 2 TRUE
- 3 FALSE

`\doifhelpelse {1.} {2.}`

- 1 TRUE
- 2 FALSE

```
\doifincsnameelse {1.} {2.} {3.} {4.}
```

- 1 TEXT
- 2 CSNAME
- 3 TRUE
- 4 FALSE

```
\doifinelementelse {1.} {2.} {3.}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doifinputfileelse {1.} {2.} {3.}
```

- 1 FILE
- 2 TRUE
- 3 FALSE

```
\doifinsertionelse {1.} {2.} {3.}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doifinset {1.} {2...3...} {3.}
```

- 1 CONTENT
- 2 CONTENT
- 4 TRUE

```
\doifinsetelse {1.} {2...3...} {3.} {4.}
```

- 1 CONTENT
- 2 CONTENT
- 4 TRUE
- 5 FALSE

```
\doifinstring {1.} {2.} {3.}
```

- 1 TEXT
- 2 TEXT
- 3 TRUE

```
\doifinstringelse {1.} {2.} {3.} {4.}
```

- 1 TEXT
- 2 TEXT
- 3 TRUE
- 4 FALSE

`\doifinsymbolset {1.} {2.} {3.} {4.}`

- 1 NAME
- 2 NAME
- 3 TRUE
- 4 FALSE

`\doifinsymbolsetelse {1.} {2.} {3.} {4.}`

- 1 NAME
- 2 NAME
- 3 TRUE
- 4 FALSE

`\doifintokselse {1.} {2.} {3.} {4.}`

- 1 BEFEHL
- 2 BEFEHL
- 3 TRUE
- 4 FALSE

`\doifintwopassdataelse {1.} {2.} {3.} {4.}`

- 1 NAME
- 2 NAME
- 3 TRUE
- 4 FALSE

`\doifitalicelse {1.} {2.}`

- 1 TRUE
- 2 FALSE

`\doiflanguageelse {1.} {2.} {3.}`

- 1 SPRACHE
- 2 TRUE
- 3 FALSE

`\doiflayerdataelse {1.} {2.} {3.}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doiflayoutdefinedelse {1.} {2.} {3.}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doiflayoutsomelineelse {1.} {2.} {3.}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doiflayouttextlineelse {1.} {2.} {3.}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifleapyearelse {1.} {2.} {3.}`

- 1 NUMMER
- 2 TRUE
- 3 FALSE

`\doiflistelse {1.} {2.} {3.}`

- 1 LISTE
- 2 TRUE
- 3 FALSE

`\doiflocationelse {1.} {2.}`

- 1 TRUE
- 2 FALSE

`\doiflocfileelse {1.} {2.} {3.}`

- 1 FILE
- 2 TRUE
- 3 FALSE

`\doifMPgraphicelse {1.} {2.} {3.}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifmainfloatbodyelse {1.} {2.}`

- 1 TRUE
- 2 FALSE

`\doifmarkingelse {1.} {2.} {3.}`

- 1 BESCHRIFTUNG
- 2 TRUE
- 3 FALSE

`\doifmeaningelse \1. \2. {3.} {4.}`

- 1 CSNAME
- 2 CSNAME
- 3 TRUE
- 4 FALSE

`\doifmessageelse {...} {...} {...} {...}`

- 1 NAME
- 2 NAME NUMBER
- 3 TRUE
- 4 FALSE

`\doifmode {...1,...} {...2}`

- 1 NAME
- 2 TRUE

`\doifmodeelse {...1,...} {...2} {...3}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifnextgroupcselse \...1 \...2`

- 1 CSNAME
- 2 CSNAME

`\doifnextgroupelse {...1} {...2}`

- 1 TRUE
- 2 FALSE

`\doifnextcharelse {...1} {...2} {...3}`

- 1 CHARACTER
- 2 TRUE
- 3 FALSE

`\doifnextoptionalcselse \...1 \...2`

- 1 CSNAME
- 2 CSNAME

`\doifnextoptionalelse {...1} {...2}`

- 1 TRUE
- 2 FALSE

`\doifnextparenthesiselse {...1} {...2}`

- 1 TRUE
- 2 FALSE

`\doifnonzeropositiveelse {...1} {...2} {...3}`

- 1 NUMBER
- 2 TRUE
- 3 FALSE

`\doifnot {..} {..} {..}`

- 1 CONTENT
- 2 CONTENT
- 3 TRUE

`\doifnotallcommon {...1,...} {...2,...} {...3}`

- 2 CONTENT
- 3 CONTENT
- 5 TRUE

`\doifnotallmodes {...1,...} {...2} {...3}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifnotcommandhandler \... {...} {...}`

- 1 CSNAME
- 2 NAME
- 3 TRUE

`\doifnotcommon {...1,...} {...2,...} {...3}`

- 2 CONTENT
- 3 CONTENT
- 5 TRUE

`\doifnotcounter {...} {...}`

- 1 NAME
- 2 TRUE

`\doifnotdocumentargument {...} {...}`

- 1 NAME
- 2 TRUE

`\doifnotdocumentfilename {...} {...}`

- 1 NUMMER
- 2 TRUE

`\doifnotempty {...} {...}`

- 1 CONTENT
- 2 TRUE

`\doifnotemptyvalue {...} {...}`

- 1 NAME
- 2 TRUE

`\doifnotemptyvariable {...} {...} {...}`

- 1 NAME
- 2 KEY
- 3 TRUE

`\doifnotenv {...} {...}`

- 1 KEY
- 2 TRUE

`\doifnoteonsamepageelse {...} {...} {...}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifnotescollected {...} {...}`

- 1 NAME
- 2 TRUE

`\doifnotfile {...} {...}`

- 1 FILE
- 2 TRUE

`\doifnotflagged {...} {...}`

- 1 NAME
- 2 TRUE

`\doifnothing {...} {...}`

- 1 TEXT
- 2 TRUE

`\doifnothingelse {...} {...} {...}`

- 1 TEXT
- 2 TRUE
- 3 FALSE

`\doifnotinset {...} {...2,...} {...3}`

- 1 CONTENT
- 2 CONTENT
- 4 TRUE

`\doifnotinsidesplitfloat {...}`

- * TRUE

`\doifnotinstring {...} {...} {...}`

- 1 TEXT
- 2 TEXT
- 3 TRUE

`\doifnotmode {...1...} {...2}`

- 1 NAME
- 2 TRUE

`\doifnotnumber {...1} {...2}`

- 1 TEXT
- 2 TRUE

`\doifnotsamestring {...1} {...2} {...3}`

- 1 TEXT
- 2 TEXT
- 3 TRUE

`\doifnotsetups {...1} {...2}`

- 1 NAME
- 2 TRUE

`\doifnotvalue {...1} {...2} {...3}`

- 1 NAME
- 2 TEXT
- 3 TRUE

`\doifnotvariable {...1} {...2} {...3}`

- 1 NAME
- 2 KEY
- 3 TRUE

`\doifnumber {...1} {...2}`

- 1 TEXT
- 2 TRUE

`\doifnumberelse {...1} {...2} {...3}`

- 1 TEXT
- 2 TRUE
- 3 FALSE

`\doifobjectfoundelse {...1} {...2} {...3} {...4}`

- 1 NAME
- 2 NAME
- 3 TRUE
- 4 FALSE

`\doifobjectreferencefoundelse {...1} {...2} {...3} {...4}`

- 1 NAME
- 2 NAME
- 3 TRUE
- 4 FALSE

`\doifoddpagelse {...} {...}`

- 1 BEFEHL
- 2 BEFEHL

`\doifoddpagefloatelse {...} {...}`

- 1 TRUE
- 2 FALSE

`\doifoldercontextelse {...} {...} {...}`

- 1 NUMMER
- 2 TRUE
- 3 FALSE

`\doifolderversionelse {...} {...} {...} {...}`

- 1 NUMMER
- 2 NUMMER
- 3 TRUE
- 4 FALSE

`\doifoverlappingelse {...} {...} {...} {...}`

- 1 NAME
- 2 NAME
- 3 TRUE
- 4 FALSE

`\doifoverlayelse {...} {...} {...}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifparallelelse {...} {...2,...} {...} {...}`

- 1 NAME
- 2 NAME vse
- 3 TRUE
- 4 FALSE

`\doifparentfileelse {...} {...} {...}`

- 1 FILE
- 2 TRUE
- 3 FALSE

`\doifpathelse {...} {...} {...}`

- 1 PATH
- 2 TRUE
- 3 FALSE

```
\doifpathexistselse {...} {...} {...}
```

- 1 PATH
- 2 TRUE
- 3 FALSE

```
\doifpatternelse {...} {...} {...}
```

- 1 SPRACHE
- 2 TRUE
- 3 FALSE

```
\doifposition {...} {...} {...}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doifpositionaction {...} {...} {...}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doifpositionactionelse {...} {...} {...}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doifpositionelse {...} {...} {...}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doifpositiononpageelse {...} {...} {...} {...}
```

- 1 NAME
- 2 NUMMER
- 3 TRUE
- 4 FALSE

```
\doifpositionsonsamepageelse {...1,...} {...} {...}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doifpositionsonthispageelse {...1,...} {...} {...}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifpositionsusedelse {..} {..}`

- 1 TRUE
- 2 FALSE

`\doifreferencefoundelse {..} {..} {..}`

- 1 REFERENCE
- 2 TRUE
- 3 FALSE

`\doifrightpagefloatelse {..} {..}`

- 1 TRUE
- 2 FALSE

`\doifrighttoleftinboxed .1. {..} {..}`

- 1 CSNAME NUMMER
- 2 TRUE
- 3 FALSE

`\doifsamelinereferenceelse {..} {..} {..}`

- 1 REFERENCE
- 2 TRUE
- 3 FALSE

`\doifsamestring {..} {..} {..}`

- 1 TEXT
- 2 TEXT
- 3 TRUE

`\doifsamestringelse {..} {..} {..} {..}`

- 1 TEXT
- 2 TEXT
- 3 TRUE
- 4 FALSE

`\doifsetups {..} {..}`

- 1 NAME
- 2 TRUE

`\doifsetupself {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifsomebackground {..} {..} {..}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifsomebackgroundelse {...} {...} {...}`

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifsomespaceelse {...} {...} {...}`

- 1 TEXT
- 2 TRUE
- 3 FALSE

`\doifsomething {...} {...}`

- 1 TEXT
- 2 TRUE

`\doifsomethingelse {...} {...} {...}`

- 1 TEXT
- 2 TRUE
- 3 FALSE

`\doifsometoks \... {...}`

- 1 CSNAME
- 2 TRUE

`\doifsometokselse \... {...} {...}`

- 1 CSNAME
- 2 TRUE
- 3 FALSE

`\doifstringinstringelse {...} {...} {...} {...}`

- 1 TEXT
- 2 TEXT
- 3 TRUE
- 4 FALSE

`\doifstructurelisthasnumberelse {...} {...}`

- 1 TRUE
- 2 FALSE

`\doifstructurelisthaspageelse {...} {...}`

- 1 TRUE
- 2 FALSE

`\doifsymboldefinedelse {...} {...} {...}`

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doifsymbolsetelse {1.} {2.} {3.}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doiftext {1.} {2.} {3.}
```

- 1 TEXT
- 2 TRUE
- 3 FALSE

```
\doiftextelse {1.} {2.} {3.}
```

- 1 TEXT
- 2 TRUE
- 3 FALSE

```
\doiftextflowcollectorelse {1.} {2.} {3.}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doiftextflowelse {1.} {2.} {3.}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doiftypingfileelse {1.} {2.} {3.}
```

- 1 FILE
- 2 TRUE
- 3 FALSE

```
\doifundefined {1.} {2.}
```

- 1 NAME
- 2 TRUE

```
\doifundefinedcounter {1.} {2.}
```

- 1 NAME
- 2 TRUE

```
\doifundefinedelse {1.} {2.} {3.}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

```
\doifurldefinedelse {1.} {2.} {3.}
```

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifvalue {1.}` {².} {³.}

- 1 NAME
- 2 TEXT
- 3 TRUE

`\doifvalueelse {1.}` {².} {³.} {⁴.}

- 1 NAME
- 2 TEXT
- 3 TRUE
- 4 FALSE

`\doifvaluenothing {1.}` {².}

- 1 NAME
- 2 TRUE

`\doifvaluenothingelse {1.}` {².} {³.}

- 1 NAME
- 2 TRUE
- 3 FALSE

`\doifvaluesomething {1.}` {².}

- 1 NAME
- 2 TRUE

`\doifvariable {1.}` {².} {³.}

- 1 NAME
- 2 KEY
- 3 TRUE

`\doifvariableelse {1.}` {².} {³.} {⁴.}

- 1 NAME
- 2 KEY
- 3 TRUE
- 4 FALSE

`\doindentation`

`\dollar`

`\doloop {*.}`

- * BEFEHL

`\doloopoverlist {...,1...}` {².}

- 1 TEXT
- 2 BEFEHL

`\donothing`

`\dontconvertfont`

`\dontleavehmode`

`\dontpermitspacesbetweengroups`

`\dopositionaction {.*}`

* NAME

`\doprocesslocalsetups {...,*...}`

* NAME

`\doquadrupleargument \1... [2...] [3...] [4...] [5...]`

1 CSNAME

2 TEXT

3 TEXT

4 TEXT

5 TEXT

`\doquadrupleempty \1... [2...] [3...] [4...] [5...]`
 OPT OPT OPT OPT

1 CSNAME

2 TEXT

3 TEXT

4 TEXT

5 TEXT

`\doquadruplegroupempty \1... {2...} {3...} {4...} {5...}`
 OPT OPT OPT OPT

1 CSNAME

2 TEXT

3 TEXT

4 TEXT

5 TEXT

`\doquintupleargument \1... [2...] [3...] [4...] [5...] [6...]`

1 CSNAME

2 TEXT

3 TEXT

4 TEXT

5 TEXT

6 TEXT

`\doquintupleempty \1... [2...] [3...] [4...] [5...] [6...]`

1 CSNAME
2 TEXT
3 TEXT
4 TEXT
5 TEXT
6 TEXT

`\doquintuplegroupempty \1... {2...} {3...} {4...} {5...} {6...}`

1 CSNAME
2 TEXT
3 TEXT
4 TEXT
5 TEXT
6 TEXT

`\dorecurse {1...} {2...}`

1 NUMBER
2 BEFEHL

`\dorechecknextindentation`

`\dorepeatwithcommand [1...] \2...`

1 TEXT NUMBER*TEXT
2 CSNAME

`\doreplacefeature {.*...}`

* NAME

`\doresetandafffeature {.*...}`

* NAME

`\doresetattribute {.*...}`

* NAME

`\dorotatebox {1...} \2... {3...}`

1 NUMBER
2 CSNAME
3 CONTENT

`\dosetattribute {1...} {2...}`

1 NAME
2 NUMBER

`\dosetleftskipadaption {.*...}`

* ano ne standardni DIMENSION

`\doserightskipadaption {...}`

* ano ne standardni DIMENSION

`\dosetupcheckedinterlinespace {...,*...}`

* inherits: \nastavmeziradkovoumezeru

`\dosetupcheckedinterlinespace {...,*...}`

* zap vyp reset auto male stredni velke NUMMER DIMENSION

`\dosetupcheckedinterlinespace {...}`

* NAME

`\doseventupleargument \1... [2...] [3...] [4...] [5...] [6...] [7...] [8...]`

1 CSNAME

2 TEXT

3 TEXT

4 TEXT

5 TEXT

6 TEXT

7 TEXT

8 TEXT

`\doseventupleempty \1... [2...] [3...] [4...] [5...] [6...] [7...] [8...]`
OPT OPT OPT OPT OPT OPT OPT OPT

1 CSNAME

2 TEXT

3 TEXT

4 TEXT

5 TEXT

6 TEXT

7 TEXT

8 TEXT

`\dosingleargument \1... [2...]`

1 CSNAME

2 TEXT

`\dosingleempty \1... [2...]`
OPT

1 CSNAME

2 TEXT

`\dosinglegroupempty \1... {2...}`
OPT

1 CSNAME

2 TEXT

`\dosixtupleargument \1... [2...] [3...] [4...] [5...] [6...] [7]`

- 1 CSNAME
- 2 TEXT
- 3 TEXT
- 4 TEXT
- 5 TEXT
- 6 TEXT
- 7 TEXT

`\dosixtupleempty \1... [2...] [3...] [4...] [5...] [6...] [7]`
OPT OPT OPT OPT OPT OPT

- 1 CSNAME
- 2 TEXT
- 3 TEXT
- 4 TEXT
- 5 TEXT
- 6 TEXT
- 7 TEXT

`\dostarttagged {1...} {2...} ... \dostoptagged`

- 1 NAME
- 2 NAME

`\dostepwiserecurse {1...} {2...} {3...} {4...}`

- 1 NUMBER
- 2 NUMBER
- 3 [-+]NUMBER
- 4 BEFEHL

`\dosubtractfeature {*...}`

- * NAME

`\dotfskip {*...}`

- * DIMENSION

`\dotoks *...`

- * CSNAME

`\dotripleargument \1... [2...] [3...] [4]`

- 1 CSNAME
- 2 TEXT
- 3 TEXT
- 4 TEXT

`\dotripleargumentwithset \1... [2...2,...] [3...] [4...]`

- 1 CSNAME
- 2 TEXT
- 3 TEXT
- 4 TEXT

`\dotripleempty \1... [2...] [3...] [4...]`
OPT OPT OPT

- 1 CSNAME
- 2 TEXT
- 3 TEXT
- 4 TEXT

`\dotripleemptywithset \1... [2...2,...] [3...] [4...]`
OPT OPT OPT

- 1 CSNAME
- 2 TEXT
- 3 TEXT
- 4 TEXT

`\dotriplegroupempty \1... {2...} {3...} {4...}`
OPT OPT OPT

- 1 CSNAME
- 2 TEXT
- 3 TEXT
- 4 TEXT

`\doublebar {.*}`

- * TEXT

`\doublebond`

`\doublebrace {.*}`

- * TEXT

`\doublebracket {.*}`

- * TEXT

`\doubleparent {.*}`

- * TEXT

`\dowith {...1,...} {2...}`

- 1 BEFEHL
- 2 BEFEHL

`\dowithnextbox {1...} \2... {3...}`

- 1 BEFEHL
- 2 CSNAME
- 3 CONTENT

`\dowithnextboxcontent {...} {...} \... {...}`

- 1 BEFEHL
- 2 BEFEHL
- 3 CSNAME
- 4 CONTENT

`\dowithnextboxcontentcs \... \... \... {...}`

- 1 CSNAME
- 2 CSNAME
- 3 CSNAME
- 4 CONTENT

`\dowithnextboxcs \... \... {...}`

- 1 CSNAME
- 2 CSNAME
- 3 CONTENT

`\dowithpargument \...`

- * CSNAME

`\dowithrange {...1,...} \...2`

- 1 NUMMER NUMMER:NUMMER
- 2 CSNAME

`\dowithwargument \...`

- * CSNAME

`\dpofstring {...}`

- * TEXT

`\dummydigit`

`\dummyparameter {...}`

- * KEY

`\ETEX`

`\EveryLine {...}`

- * BEFEHL

`\EveryPar {...}`

- * BEFEHL

`\edefconvertedargument \... {...}`

- 1 CSNAME
- 2 TEXT

<pre>\efcmaxheight {...} * NAME</pre>
<pre>\efcmaxwidth {...} * NAME</pre>
<pre>\efcminheight {...} * NAME</pre>
<pre>\efcminwidth {...} * NAME</pre>
<pre>\efcparameter {...} {...} 1 NAME 2 KEY</pre>
<pre>\effect [...] {...} 1 NAME 2 CONTENT</pre>
<pre>\elapsedseconds</pre>
<pre>\elapsedtime</pre>
<pre>\leftarrowfill {...} {...} OPT OPT 1 TEXT 2 TEXT</pre>
<pre>\leftharpoondownfill {...} {...} OPT OPT 1 TEXT 2 TEXT</pre>
<pre>\leftharpoonupfill {...} {...} OPT OPT 1 TEXT 2 TEXT</pre>
<pre>\leftrightarrowfill {...} {...} OPT OPT 1 TEXT 2 TEXT</pre>
<pre>\emphasisboldface</pre>
<pre>\emphasistypeface</pre>
<pre>\emptylines [...] OPT * NUMMER</pre>
<pre>\emspace</pre>

<p><code>\enabledirectives [...,*...]</code></p> <p>* NAME</p>
<p><code>\enableexperiments [...,*...]</code></p> <p>* NAME</p>
<p><code>\enablemode [...,*...]</code></p> <p>* NAME</p>
<p><code>\enableoutputstream [...]</code></p> <p>* NAME</p>
<p><code>\enableparpositions</code></p>
<p><code>\enableregime [...]</code></p> <p>* cp1250 cp1251 cp1252 cp1253 cp1254 cp1255 cp1256 cp1257 cp1258 8859-1 8859-2 8859-3 8859-4 8859-9 8859-10 8859-13 8859-14 8859-15 8859-16 utf windows-1250 windows-1251 windows-1252 windows-1253 windows-1254 windows-1255 windows-1256 windows-1257 windows-1258 il1 il2 il3 il4 il5 il6 il7 il8 il9 il10 iso-8859-1 iso-8859-2 iso-8859-3 iso-8859-4 iso-8859-9 iso-8859-10 iso-8859-13 iso-8859-14 iso-8859-15 iso-8859-16 latin1 latin2 latin3 latin4 latin5 latin6 latin7 latin8 latin9 latin10 utf-8 utf8 windows</p>
<p><code>\enabletrackers [...,*...]</code></p> <p>* NAME</p>
<p><code>\enskip</code></p>
<p><code>\enspace</code></p>
<p><code>\env {...}</code></p> <p>* KEY</p>
<p><code>\envvar {...} {...}</code></p> <p>1 KEY</p> <p>2 BEFEHL</p>
<p><code>\eoverbarfill {...} {...}</code></p> <p style="text-align: center;">OPT OPT</p> <p>1 TEXT</p> <p>2 TEXT</p>
<p><code>\eoverbracefill {...} {...}</code></p> <p style="text-align: center;">OPT OPT</p> <p>1 TEXT</p> <p>2 TEXT</p>
<p><code>\eoverbracketfill {...} {...}</code></p> <p style="text-align: center;">OPT OPT</p> <p>1 TEXT</p> <p>2 TEXT</p>
<p><code>\eoverparentfill {...} {...}</code></p> <p style="text-align: center;">OPT OPT</p> <p>1 TEXT</p> <p>2 TEXT</p>

`\epos {...}`

* NAME

`\equaldigits {...}`

* TEXT

`\erightarrowfill {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\erightharpoondownfill {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\erightharpoonupfill {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\eTeX`

`\etwoheadrightarrowfill {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\eunderbarfill {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\eunderbracefill {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\eunderbracketfill {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\eunderparentfill {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\executeifdefined {...} {...}`

1 NAME

2 BEFEHL

`\exitloop`

`\exitloopnow`

<pre>\expanded {...} * CONTENT</pre>
<pre>\expandfontsynonym \¹... {²...} 1 CSNAME 2 NAME</pre>
<pre>\expandcheckedcsname \¹... {²...} {³...} 1 CSNAME 2 KEY 3 TEXT</pre>
<pre>\externalfigurecollectionmaxheight {...} * NAME</pre>
<pre>\externalfigurecollectionmaxwidth {...} * NAME</pre>
<pre>\externalfigurecollectionminheight {...} * NAME</pre>
<pre>\externalfigurecollectionminwidth {...} * NAME</pre>
<pre>\externalfigurecollectionparameter {¹...} {²...} 1 NAME 2 KEY</pre>
<pre>\externiobraz [¹...] [²...] [...,³...,...] OPT OPT 1 FILE 2 NAME 3 inherits: \setupexternalfigure</pre>
<pre>\fakebox ... * CSNAME NUMBER</pre>
<pre>\fastdecrement \... * CSNAME</pre>
<pre>\fastincrement \... * CSNAME</pre>
<pre>\fastlocalframed [¹...] [...,²...,...] {³...} 1 NAME 2 inherits: \nastavoramovani 3 CONTENT</pre>

`\fastscale {1.} {2.}`

- 1 NUMMER
- 2 CONTENT

`\fastsetup {*.}`

- * NAME

`\fastsetupwithargument {1.} {2.}`

- 1 NAME
- 2 CONTENT

`\fastsetupwithargumentswapped {1.} {2.}`

- 1 CONTENT
- 2 NAME

`\fastswitchtobodyfont {*.}`

- * x xx male velke script scriptscript

`\fastxsy {1.} {2.} {3.}`

- 1 NUMMER
- 2 NUMMER
- 3 CONTENT

`\feature [1.] [2.]`

- 1 + - = ! > < more less nový reset implicitni old lokalne
- 2 NAME

`\feature {1.} {2.}`

- 1 + - = ! > < more less nový reset implicitni old lokalne
- 2 NAME

`\fence`

`\fenced [1.] {2.}`

- 1 NAME
- 2 CONTENT

`\FENCE {*.}`

- * CONTENT

`\fetchallmarkings [1.] [2.]`

- 1 BESCHRIFTUNG
- 2 stranka NAME

`\fetchallmarks [*.]`

- * BESCHRIFTUNG

`\fetchmark [.1.] [2.]`

OPT

1 BESCHRIFTUNG

2 prvni posledni aktualni predchozi dalsi vrsek spodek implicitni obe vse first:nocheck last:nocheck previous:nocheck
next:nocheck top:nocheck bottom:nocheck

`\fetchmarking [.1.] [2.] [3.]`

1 BESCHRIFTUNG

2 stranka NAME

3 prvni posledni aktualni predchozi dalsi vrsek spodek implicitni obe vse first:nocheck last:nocheck previous:nocheck
next:nocheck top:nocheck bottom:nocheck

`\fetchonemark [.1.] [2.]`

OPT

1 BESCHRIFTUNG

2 prvni posledni aktualni predchozi dalsi vrsek spodek implicitni obe vse first:nocheck last:nocheck previous:nocheck
next:nocheck top:nocheck bottom:nocheck

`\fetchonemarking [.1.] [2.] [3.]`

1 BESCHRIFTUNG

2 stranka NAME

3 prvni posledni aktualni predchozi dalsi vrsek spodek implicitni obe vse first:nocheck last:nocheck previous:nocheck
next:nocheck top:nocheck bottom:nocheck

`\fetchruntimecommand \.1. {2.}`

1 CSNAME

2 FILE

`\fetchtwomarkings [.1.] [2.]`

1 BESCHRIFTUNG

2 stranka NAME

`\fetchtwomarks [.*.]`

* BESCHRIFTUNG

`\fieldbody [.1.] [2.,.,.2.,.,.]`

OPT

1 NAME

2 inherits: \setupfieldbody

`\fifthoffivearguments {1.} {2.} {3.} {4.} {5.}`

1 TEXT

2 TEXT

3 TEXT

4 TEXT

5 TEXT

`\fifthofsixarguments {...} {...} {...} {...} {...} {...}`

- 1 TEXT
- 2 TEXT
- 3 TEXT
- 4 TEXT
- 5 TEXT
- 6 TEXT

`\figurefilename`

`\figurefilepath`

`\figurefiletype`

`\figurefullname`

`\figureheight`

`\figurenaturalheight`

`\figurenaturalwidth`

`\figuresymbol [1...] [...OPT2...]`

- 1 FILE NAME
- 2 inherits: \externiobraz

`\figurewidth`

`\filename {...}`

- * FILE

`\filledhboxb 1... {...}`

- 1 TEXT
- 2 CONTENT

`\filledhboxc 1... {...}`

- 1 TEXT
- 2 CONTENT

`\filledhboxg 1... {...}`

- 1 TEXT
- 2 CONTENT

`\filledhboxk 1... {...}`

- 1 TEXT
- 2 CONTENT

\filledhboxm ¹... {²...}
OPT

- 1 TEXT
- 2 CONTENT

\filledhboxr ¹... {²...}
OPT

- 1 TEXT
- 2 CONTENT

\filledhboxy ¹... {²...}
OPT

- 1 TEXT
- 2 CONTENT

\filler [...]

* sym symbol linka sirka mezera NAME

\filterfromnext {¹...} {²...} {³...} {⁴...} {⁵...} {⁶...} {⁷...}
OPT OPT OPT OPT OPT

- 1 NUMMER
- 2 NUMMER
- 3 CONTENT
- 4 CONTENT
- 5 CONTENT
- 6 CONTENT
- 7 CONTENT
- 8 CONTENT
- 9 CONTENT
- 10 CONTENT
- 11 CONTENT
- 12 CONTENT

\filterfromvalue {¹...} {²...} {³...}

- 1 NAME
- 2 NUMMER
- 3 NUMMER

\filterpages [¹...] [...²...;...] [...³...³...;...]
OPT

- 1 FILE
- 2 sude liche NUMMER NUMMER:NUMMER
- 3 sirka = DIMENSION
n = NUMMER
category = NAME

\filterreference {*...}

* implicitni text titul cislo stranka realpage

\findtwopassdata {¹...} {²...}

- 1 NAME
- 2 NAME

\finishregisterentry [...¹] [...²...] [...³...] OPT

- 1 NAME
- 2 popisek = NAME
keys = TEXT PROCESSOR->TEXT
entries = TEXT PROCESSOR->TEXT
alternativa = TEXT
- 3 KEY = VALUE

\firstcounter [...¹] [...²...] OPT

- 1 NAME
- 2 NUMMER

\firstcountervalue [...*]

- * NAME

\firstcharacter

\firstoffivearguments {...¹} {...²} {...³} {...⁴} {...⁵}

- 1 TEXT
- 2 TEXT
- 3 TEXT
- 4 TEXT
- 5 TEXT

\firstoffourarguments {...¹} {...²} {...³} {...⁴}

- 1 TEXT
- 2 TEXT
- 3 TEXT
- 4 TEXT

\firstofoneargument {...}

- * TEXT

\firstofoneunexpanded {...}

- * TEXT

\firstofsixarguments {...¹} {...²} {...³} {...⁴} {...⁵} {...⁶}

- 1 TEXT
- 2 TEXT
- 3 TEXT
- 4 TEXT
- 5 TEXT
- 6 TEXT

\firstofthreearguments {...¹} {...²} {...³}

- 1 TEXT
- 2 TEXT
- 3 TEXT

<pre> \firstofthreeunexpanded {...} {...} {...} 1 TEXT 2 TEXT 3 TEXT </pre>
<pre> \firstoftwoarguments {...} {...} 1 TEXT 2 TEXT </pre>
<pre> \firstoftwounexpanded {...} {...} 1 TEXT 2 TEXT </pre>
<pre> \firstrealpage </pre>
<pre> \firstrealpagenumber </pre>
<pre> \firstsubcountervalue [...] [...] 1 NAME 2 NUMBER </pre>
<pre> \firstsubpagenumber </pre>
<pre> \firstuserpage </pre>
<pre> \firstuserpagenumber </pre>
<pre> \fitfieldframed [..., ...¹..., ...] {...} OPT 1 inherits: \nastavoramovani 2 CONTENT </pre>
<pre> \fittopbaselinegrid {...} * CONTENT </pre>
<pre> \flag {...} * NAME </pre>
<pre> \floatuserdataparameter {...} * KEY </pre>
<pre> \flushboxregister ... * CSNAME NUMBER </pre>
<pre> \flushcollector [...] * NAME </pre>
<pre> \flushedrightlastline </pre>

<pre>\flushlayer [...] * NAME</pre>
<pre>\flushlocalfloats</pre>
<pre>\flushnextbox</pre>
<pre>\flushnotes</pre>
<pre>\flushoutputstream [...] * NAME</pre>
<pre>\flushshapebox</pre>
<pre>\flushtextflow {...} * NAME</pre>
<pre>\flushtokens [...] * NAME</pre>
<pre>\flushtoks *... * CSNAME</pre>
<pre>\fontalternative</pre>
<pre>\fontbody</pre>
<pre>\fontclass</pre>
<pre>\fontclassname {.1.} {.2.} 1 NAME 2 FONT</pre>
<pre>\fontface</pre>
<pre>\fontfeaturelist [.1.] [.2.] 1 NAME 2 TEXT</pre>
<pre>\fontchar {...} * NAME</pre>
<pre>\fontcharbyindex {...} * NUMMER</pre>
<pre>\fontsize</pre>
<pre>\fontstyle</pre>

<pre>\frac {...} {...}</pre> <p>1 CONTENT 2 CONTENT</p>
<pre>\frameddimension {...}</pre> <p>* KEY</p>
<pre>\framedparameter {...}</pre> <p>* KEY</p>
<pre>\freezedimenmacro \^1... \^2...</pre> <p>1 CSNAME 2 CSNAME</p>
<pre>\freezemeasure [...] [...]</pre> <p>1 NAME 2 DIMENSION</p>
<pre>\frenchspacing</pre>
<pre>\fromlinenote [...] {...}</pre> <p>1 REFERENCE 2 TEXT</p>
<pre>\frozenhbox {...}</pre> <p>* CONTENT</p>
<pre>\GetPar</pre>
<pre>\GotoPar</pre>
<pre>\Greeknumpers {...}</pre> <p>* NUMBER</p>
<pre>\gdefconvertedargument \^1... {...}</pre> <p>1 CSNAME 2 TEXT</p>
<pre>\gdefconvertedcommand \^1... \^2...</pre> <p>1 CSNAME 2 CSNAME</p>
<pre>\getboxllx ...</pre> <p>* CSNAME NUMBER</p>
<pre>\getboxlly ...</pre> <p>* CSNAME NUMBER</p>

\getbufferdata [...]

OPT

* BUFFER

\getcommacommandsize [...,*...]

* BEFEHL

\getcommalistsize [...,*...]

* BEFEHL

\getdayoftheweek {...} {...} {...}

1 NUMMER

2 NUMMER

3 NUMMER

\getdayspermonth {...} {...}

1 NUMMER

2 NUMMER

\getdefinedbuffer [...]

* BUFFER

\getdocumentargument {...}

* NAME

\getdocumentargumentdefault {...} {...}

1 NAME

2 TEXT

\getdocumentfilename {...}

* NUMMER

\getdummyparameters [...,*...]

* KEY = VALUE

\getemptyparameters [...] [...,*...]

1 TEXT

2 KEY = VALUE

\getparameters [...] [...,*...]

1 TEXT

2 KEY = VALUE

\getexpandedparameters [...] [...,*...]

1 TEXT

2 KEY = VALUE

`\getfiguredimensions [..1.] [..,..2..,..]`
OPT

- 1 FILE
- 2 inherits: \setupeexternalfigure

`\getfirstcharacter {..*}`

- * TEXT

`\getfirsttwopassdata {..*}`

- * NAME

`\getfromcommacommand [..1..] [..2.]`

- 1 BEFEHL
- 2 NUMMER

`\getfromcommalist [..1..] [..2.]`

- 1 BEFEHL
- 2 NUMMER

`\getfromtwopassdata {..1.} {..2.}`

- 1 NAME
- 2 NAME

`\getglyphdirect {..1.} {..2.}`

- 1 FONT
- 2 NUMMER CHARACTER

`\getglyphstyled {..1.} {..2.}`

- 1 FONT
- 2 NUMMER CHARACTER

`\getgparameters [..1.] [..,..2..,..]`

- 1 TEXT
- 2 KEY = VALUE

`\getlasttwopassdata {..*}`

- * NAME

`\getlocalfloat {..*}`

- * NUMMER

`\getlocalfloats`

`\getMPdrawing`

`\getMPlayer [..1.] [..,..2..,..] {..3.}`
OPT

- 1 NAME
- 2 inherits: \nastavoramovani
- 3 CONTENT

```
\getmessage {...} {...}
```

- 1 NAME
- 2 NAME NUMBER

```
\getnamedglyphdirect {...} {...}
```

- 1 FONT
- 2 NAME

```
\getnamedglyphstyled {...} {...}
```

- 1 FONT
- 2 NAME

```
\getnamedtwopassdatalist \1... {...}
```

- 1 CSNAME
- 2 NAME

```
\getnaturaldimensions ...
```

- * CSNAME NUMBER

```
\getnoflines {...}
```

- * DIMENSION

```
\getobject {...} {...}
```

- 1 NAME
- 2 NAME

```
\getobjectdimensions {...} {...}
```

- 1 NAME
- 2 NAME

```
\getpaletsize [...]
```

- * NAME

```
\getparameters [...] [...,2...,...]
```

- 1 TEXT
- 2 KEY = VALUE

```
\getprivatechar {...}
```

- * NAME

```
\getprivateslot {...}
```

- * NAME

```
\getrandomcount \1... {...} {...3}
```

- 1 CSNAME
- 2 NUMBER
- 3 NUMBER

`\getrandomdimen \1... {2...} {3...}`

- 1 CSNAME
- 2 DIMENSION
- 3 DIMENSION

`\getrandomfloat \1... {2...} {3...}`

- 1 CSNAME
- 2 NUMMER
- 3 NUMMER

`\getrandomnumber \1... {2...} {3...}`

- 1 CSNAME
- 2 NUMMER
- 3 NUMMER

`\getrandomseed *...`

- * CSNAME

`\getraweparameters [1...] [...,2...,...]`

- 1 TEXT
- 2 KEY = VALUE

`\getrawgparameters [1...] [...,2...,...]`

- 1 TEXT
- 2 KEY = VALUE

`\getrawnoflines {*...}`

- * DIMENSION

`\getrawparameters [1...] [...,2...,...]`

- 1 TEXT
- 2 KEY = VALUE

`\getrawxparameters [1...] [...,2...,...]`

- 1 TEXT
- 2 KEY = VALUE

`\getreference [1...] [2...]`

- 1 implicitni text titul cislo stranka realpage
- 2 REFERENCE

`\getreferenceentry {*...}`

- * implicitni text titul cislo stranka realpage

`\getroundednoflines {*...}`

- * DIMENSION

`\getsubstring {1.} {2.} {3.}`

- 1 NUMBER
- 2 NUMBER
- 3 TEXT

`\gettwopassdata {...}`

- * NAME

`\gettwopassdatalist {...}`

- * NAME

`\getuvalue {...}`

- * NAME

`\getvalue {...}`

- * NAME

`\getvariable {1.} {2.}`

- 1 NAME
- 2 KEY

`\getvariabledefault {1.} {2.} {3.}`

- 1 NAME
- 2 KEY
- 3 BEFEHL

`\getxparameters [1.] [...,2...,...]`

- 1 TEXT
- 2 KEY = VALUE

`\globaldisablemode [...,*,...]`

- * NAME

`\globalenablemode [...,*,...]`

- * NAME

`\globalletempty *..`

- * CSNAME

`\globalpopbox ...`

- * CSNAME NUMBER

`\globalpopmacro *..`

- * CSNAME

`\globalpreventmode [...,*,...]`

- * NAME

`\globalprocesscommalist [...] \^2..`

- 1 BEFEHL
- 2 CSNAME

`\globalpushbox ...`

- * CSNAME NUMMER

`\globalpushmacro \^*..`

- * CSNAME

`\globalpushreferenceprefix {...} ... \globalpopreferenceprefix`

- * + - TEXT

`\globalswapcounts \^1.. \^2..`

- 1 CSNAME
- 2 CSNAME

`\globalswapdimens \^1.. \^2..`

- 1 CSNAME
- 2 CSNAME

`\globalswapmacros \^1.. \^2..`

- 1 CSNAME
- 2 CSNAME

`\globalundefine {...}`

- * NAME

`\glyphfontfile {...}`

- * FONT

`\gobbledoubleempty [...] [...]`
 OPT OPT

- 1 TEXT
- 2 TEXT

`\gobbleeightarguments {...} {...} {...} {...} {...} {...} {...} {...}`

- 1 CONTENT
- 2 CONTENT
- 3 CONTENT
- 4 CONTENT
- 5 CONTENT
- 6 CONTENT
- 7 CONTENT
- 8 CONTENT

`\gobblefivearguments {1.} {2.} {3.} {4.} {5.}`

- 1 CONTENT
- 2 CONTENT
- 3 CONTENT
- 4 CONTENT
- 5 CONTENT

`\gobblefiveoptionals [1.] [2.] [3.] [4.] [5.]`

- 1 TEXT
- 2 TEXT
- 3 TEXT
- 4 TEXT
- 5 TEXT

`\gobblefourarguments {1.} {2.} {3.} {4.}`

- 1 CONTENT
- 2 CONTENT
- 3 CONTENT
- 4 CONTENT

`\gobblefouroptionals [1.] [2.] [3.] [4.]`

- 1 TEXT
- 2 TEXT
- 3 TEXT
- 4 TEXT

`\gobbleninearguments {1.} {2.} {3.} {4.} {5.} {6.} {7.} {8.} {9.}`

- 1 CONTENT
- 2 CONTENT
- 3 CONTENT
- 4 CONTENT
- 5 CONTENT
- 6 CONTENT
- 7 CONTENT
- 8 CONTENT
- 9 CONTENT

`\gobbleoneargument {*.}`

- * CONTENT

`\gobbleoneoptional [*.]`

- * TEXT

`\gobblesevenarguments {1.} {2.} {3.} {4.} {5.} {6.} {7.}`

- 1 CONTENT
- 2 CONTENT
- 3 CONTENT
- 4 CONTENT
- 5 CONTENT
- 6 CONTENT
- 7 CONTENT

`\gobblesingleempty [*.]`

OPT

- * TEXT

`\gobblesixarguments {1.} {2.} {3.} {4.} {5.} {6.}`

- 1 CONTENT
- 2 CONTENT
- 3 CONTENT
- 4 CONTENT
- 5 CONTENT
- 6 CONTENT

`\gobblespacetokens`

`\gobbletenarguments {1.} {2.} {3.} {4.} {5.} {6.} {7.} {8.} {9.} {10.}`

- 1 CONTENT
- 2 CONTENT
- 3 CONTENT
- 4 CONTENT
- 5 CONTENT
- 6 CONTENT
- 7 CONTENT
- 8 CONTENT
- 9 CONTENT
- 10 CONTENT

`\gobblethreearguments {1.} {2.} {3.}`

- 1 CONTENT
- 2 CONTENT
- 3 CONTENT

`\gobblethreeoptionals [1.] [2.] [3.]`

- 1 TEXT
- 2 TEXT
- 3 TEXT

`\gobbletwoarguments {1.} {2.}`

- 1 CONTENT
- 2 CONTENT

`\gobbletwooptionals [...] [...]`

- 1 TEXT
- 2 TEXT

`\gobbleuntil \...`

- * CSNAME

`\gobbleuntilrelax ... \relax`

- * CONTENT

`\grabbufferdata [...] [...] [...] [...]`
 ^{OPT}

- 1 CATEGORY
- 2 NAME
- 3 NAME
- 4 NAME

`\grabbufferdatadirect {...} {...} {...}`

- 1 NAME
- 2 NAME
- 3 NAME

`\grabuntil {...} \...`

- 1 NAME
- 2 CSNAME

`\grave {...}`

- * CHARACTER

`\grayvalue {...}`

- * COLOR

`\greedystring ... \at ... \to ... \and ...`

- 1 TEXT
- 2 TEXT
- 3 CSNAME
- 4 CSNAME

`\greeknumerals {...}`

- * NUMBER

`\groupedcommand {...} {...}`

- 1 BEFEHL
- 2 BEFEHL

`\gsetboxllx 1 {...}`

- 1 CSNAME NUMBER
- 2 DIMENSION

<p><code>\gsetboxlly .¹. {².}</code></p> <p>1 CSNAME NUMBER 2 DIMENSION</p>
<p><code>\gujaratinumerals {[*].}</code></p> <p>* NUMBER</p>
<p><code>\gurmurkhinumerals {[*].}</code></p> <p>* NUMBER</p>
<p><code>\hairspace</code></p>
<p><code>\halfwaybox {[*].}</code></p> <p>* CONTENT</p>
<p><code>\handletokens .¹. \with \².</code></p> <p>1 TEXT 2 CSNAME</p>
<p><code>\hash</code></p>
<p><code>\hat {[*].}</code></p> <p>* CHARACTER</p>
<p><code>\hboxofvbox .[*].</code></p> <p>* CSNAME NUMBER</p>
<p><code>\hboxreference [...¹,...] {².}</code></p> <p>1 REFERENCE 2 CONTENT</p>
<p><code>\hboxBOX {[*].}</code></p> <p>* CONTENT</p>
<p><code>\hdofstring {[*].}</code></p> <p>* TEXT</p>
<p><code>\headhbox .¹. {².}</code> <small>OPT</small></p> <p>1 TEXT 2 CONTENT</p>
<p><code>\headnumbercontent</code></p>
<p><code>\headnumberdistance</code></p>
<p><code>\headnumberwidth</code></p>
<p><code>\headreferenceattributes</code></p>

<code>\headsetupspacing</code>
<code>\headtextcontent</code>
<code>\headtextdistance</code>
<code>\headtextwidth</code>
<code>\headvbox</code> ¹ <code>{...}</code> <small>OPT</small> 1 TEXT 2 CONTENT
<code>\headwidth</code>
<code>\heightanddepthofstring</code> <code>{...}</code> * TEXT
<code>\heightofstring</code> <code>{...}</code> * TEXT
<code>\heightspanningtext</code> <code>{...}</code> <code>{...}</code> <code>{...}</code> 1 TEXT 2 DIMENSION 3 FONT
<code>\HELP</code> [¹ ...] <code>{...}</code> <code>{...}</code> <small>OPT</small> 1 REFERENCE 2 TEXT 3 TEXT instances: textnapovedy
<code>\hglue</code> <code>...</code> * DIMENSION
<code>\hiddenbar</code> <code>{...}</code> * CONTENT
<code>\hiddencitation</code> [<code>...</code>] * REFERENCE
<code>\hiddencite</code> [<code>...</code>] * REFERENCE
<code>\highlight</code> [¹ ...] <code>{...}</code> 1 NAME 2 TEXT

`\HIGHLIGHT {...}`

* TEXT

`\highordinalstr {...}`

* TEXT

`\hilo [..] {..} {..}`

OPT
1 vlevo vpravo

2 CONTENT

3 CONTENT

`\himilo {..} {..} {..}`

1 CONTENT

2 CONTENT

3 CONTENT

`\hl [..]`

OPT
* NUMMER

`\hlavnijazyk [...]`

* SPRACHE

`\hodnotabarvy {...}`

* COLOR

`\horizontalgrowingbar [...,.*,...]`

* inherits: \setuppositionbar

`\horizontalpositionbar [...,.*,...]`

* inherits: \setuppositionbar

`\hphantom {...}`

* CONTENT

`\hpos {..} {..}`

1 NAME

2 CONTENT

`\hsizefraction {..} {..}`

1 DIMENSION

2 NUMMER

`\hsmash {...}`

* CONTENT

`\hsmashbox ...`

* CSNAME NUMMER

`\hsmashed {...}`

* CONTENT

`\hspace [...] [...]`
 _{OPT} _{OPT}

1 NAME

2 male sredni velke normalni implicitni zadny .5 1 2 3 speech citovat interquotation citace sentence intersentence
NAME

`\htdpofstring {...}`

* TEXT

`\htofstring {...}`

* TEXT

`\hyphen`

`\hyphenatedcoloredword {...}`

* TEXT

`\hyphenatedfile {...}`

* FILE

`\hyphenatedfilename {...}`

* TEXT

`\hyphenatedhbox {...}`

* CONTENT

`\hyphenatedpar {...}`

* TEXT

`\hyphenatedurl {...}`

* TEXT

`\hyphenatedword {...}`

* TEXT

`\CHARACTERKERNING [...] {...}`
 _{OPT}

1 NUMBER

2 TEXT

`\chardescription {...}`

* NUMBER

`\charwidthlanguage`

`\check {...}`

* CHARACTER

\checkedfiller {...}

* sym symbol linka sirka mezera NAME BEFEHL

\checkedchar {...} {...}

1 NUMMER

2 CHARACTER

\checkedstrippedcsname \...

* CSNAME

\checkedstrippedcsname ...

* TEXT

\checkcharacteralign {...}

* CONTENT

\checkinjector [...]

* NAME

\checknextindentation [...]

* ano ne auto

\checknextinjector [...]

* NAME

\checkpage [...]¹ [...,²..._{OPT},...]

1 NAME

2 inherits: \setuppagechecker

\checkparameters [...]

* TEXT

\checkpreviousinjector [...]

* NAME

\checksoundtrack {...}

* NAME

\checktwopassdata {...}

* NAME

\checkvariables [...]¹ [...,²..._{OPT},...]

1 NAME

2 set = BEFEHL

reset = BEFEHL

KEY = VALUE

`\chem {...} {...} {...}`

- 1 TEXT
- 2 TEXT
- 3 TEXT

`\chemical [...]OPT [...]2,...] [...]OPT,...]`

- 1 NAME
- 2 TEXT
- 3 TEXT

`\chemicalbottext {...}`

- * TEXT

`\chemicalmidtext {...}`

- * TEXT

`\chemicalsymbol [...]`

- * NAME

`\chemicaltext {...}`

- * TEXT

`\chemicaltoptext {...}`

- * TEXT

`\chineseallnumerals {...}`

- * NUMBER

`\chinesecapnumerals {...}`

- * NUMBER

`\chinesenumerals {...}`

- * NUMBER

`\INRSTEX`

`\ibox {...}`

- * CONTENT

`\ifassignment ...1 \else ...2 \fi`

- 1 TRUE
- 2 FALSE

`\iff`

`\ifinobject ...1 \else ...2 \fi`

- 1 TRUE
- 2 FALSE

`\ifinoutputstream .1. \else .2. \fi`

- 1 TRUE
- 2 FALSE

`\ifparameters .1. \else .2. \fi`

- 1 TRUE
- 2 FALSE

`\iftrialeasetting .1. \else .2. \fi`

- 1 TRUE
- 2 FALSE

`\ignoreimplicitspaces`

`\ignorevalue {...}`

- * NAME

`\immediatesavetwopassdata {1.} {2.} {3.}`

- 1 NAME
- 2 NUMMER
- 3 CONTENT

`\impliedby`

`\implies`

`\includemenu [...]`

- * NAME

`\includeversioninfo {...}`

- * NAME

`\incrementcounter [1.] [2.]
 OPT`

- 1 NAME
- 2 NUMMER

`\incrementedcounter [...]`

- * NAME

`\incrementpagenumber`

`\incrementsubpagenumber`

`\incrementvalue {...}`

- * NAME

`\indentation`

<code>\infofont</code>
<code>\infofontbold</code>
<code>\inheritparameter [...]¹ [...]² [...]³</code> 1 TEXT 2 TEXT 3 KEY
<code>\inhibitblank</code>
<code>\initializeboxstack {...}</code> * NAME
<code>\inlinebuffer [...][*] [...]</code> <small>OPT</small> * BUFFER
<code>\inlinedbox {...}</code> * CONTENT
<code>\inlinemath {...}</code> * CONTENT
<code>\inlinemathematics {...}</code> * CONTENT
<code>\inlinemessage {...}</code> * TEXT
<code>\inlineordisplaymath {...}¹ {...}²</code> 1 CONTENT 2 CONTENT
<code>\inlinorange [...]</code> * REFERENCE
<code>\innerflushshapebox</code>
<code>\input {...}</code> * FILE
<code>\inputfilebarename</code>
<code>\inputfilename</code>
<code>\inputfilerealsuffix</code>
<code>\inputfilesuffix</code>

```
\inputgivenfile {...}
```

* FILE

```
\input ...
```

* FILE

```
\insertpages [...]1 [...,2...] [...,3...,...]OPT OPT
```

1 FILE

2 NUMMER

3 sirka = DIMENSION
n = NUMMER
category = NAME

```
\instalacejazyka [...]1 [...,2...,...]
```

1 NAME

2 inherits: \nastavjazyk

```
\instalacejazyka [...]1 [...]2
```

1 NAME

2 SPRACHE

```
\installactionhandler {...}
```

* NAME

```
\installactivecharacter ...
```

* CHARACTER

```
\installanddefineactivecharacter ...1 {...}2
```

1 CHARACTER

2 BEFEHL

```
\installattributestack \...1
```

* CSNAME

```
\installautocommandhandler \...1 {...}2 \...3
```

1 CSNAME

2 NAME

3 CSNAME

```
\installautosetuphandler \...1 {...}2
```

1 CSNAME

2 NAME

```
\installbasicautosetuphandler \...1 {...}2 \...3
```

1 CSNAME

2 NAME

3 CSNAME

```
\installbasicparameterhandler \1... {2...}
```

- 1 CSNAME
- 2 NAME

```
\installbottomframerenderer {1...} {2...}
```

- 1 NAME
- 2 BEFEHL

```
\installcommandhandler \1... {2...} \3...
```

- 1 CSNAME
- 2 NAME
- 3 CSNAME

```
\installcorenamespace {*...}
```

- * NAME

```
\installdefinehandler \1... {2...} \3...
```

- 1 CSNAME
- 2 NAME
- 3 CSNAME

```
\installdefinitionset \1... {2...}
```

- 1 CSNAME
- 2 NAME

```
\installdefinitionsetmember \1... {2...} \3... {4...}
```

- 1 CSNAME
- 2 NAME
- 3 CSNAME
- 4 NAME

```
\installdirectcommandhandler \1... {2...}
```

- 1 CSNAME
- 2 NAME

```
\installdirectparameterhandler \1... {2...}
```

- 1 CSNAME
- 2 NAME

```
\installdirectparametersethandler \1... {2...}
```

- 1 CSNAME
- 2 NAME

```
\installdirectsetuphandler \1... {2...}
```

- 1 CSNAME
- 2 NAME

```
\installdirectstyleandcolorhandler \1... {2...}
```

- 1 CSNAME
- 2 NAME

```
\installframedautocommandhandler \1... {2...} \3...
```

- 1 CSNAME
- 2 NAME
- 3 CSNAME

```
\installframedcommandhandler \1... {2...} \3...
```

- 1 CSNAME
- 2 NAME
- 3 CSNAME

```
\installleftframerenderer {1...} {2...}
```

- 1 NAME
- 2 BEFEHL

```
\installnamespace {*...}
```

- * NAME

```
\installoutputroutine \1... {2...}
```

- 1 CSNAME
- 2 BEFEHL

```
\installpagearrangement 1... {2...}
```

- 1 NAME
- 2 BEFEHL

```
\installparameterhandler \1... {2...}
```

- 1 CSNAME
- 2 NAME

```
\installparameterhashhandler \1... {2...}
```

- 1 CSNAME
- 2 NAME

```
\installparametersethandler \1... {2...}
```

- 1 CSNAME
- 2 NAME

```
\installparentinjector \1... {2...}
```

- 1 CSNAME
- 2 NAME

```
\installrightframerenderer {...} {...}
```

- 1 NAME
- 2 BEFEHL

```
\installrootparameterhandler \.^... {...}
```

- 1 CSNAME
- 2 NAME

```
\installsetuphandler \.^... {...}
```

- 1 CSNAME
- 2 NAME

```
\installsetuponlycommandhandler \.^... {...}
```

- 1 CSNAME
- 2 NAME

```
\installshipoutmethod {...} {...}
```

- 1 NAME
- 2 BEFEHL

```
\installsimplecommandhandler \.^... {...} \.^...
```

- 1 CSNAME
- 2 NAME
- 3 CSNAME

```
\installsimpleframedcommandhandler \.^... {...} \.^...
```

- 1 CSNAME
- 2 NAME
- 3 CSNAME

```
\installstyleandcolorhandler \.^... {...}
```

- 1 CSNAME
- 2 NAME

```
\installswitchcommandhandler \.^... {...} \.^...
```

- 1 CSNAME
- 2 NAME
- 3 CSNAME

```
\installswitchsetuphandler \.^... {...}
```

- 1 CSNAME
- 2 NAME

```
\installtexdirective {...} {...} {...}
```

- 1 NAME
- 2 BEFEHL
- 3 BEFEHL

`\installtextracker {...} {...} {...}`

- 1 NAME
- 2 BEFEHL
- 3 BEFEHL

`\installtopframerenderer {...} {...}`

- 1 NAME
- 2 BEFEHL

`\installunitsseparator {...} {...}`

- 1 NAME
- 2 BEFEHL

`\installunitsspace {...} {...}`

- 1 NAME
- 2 BEFEHL

`\installversioninfo {...} {...}`

- 1 NAME
- 2 BEFEHL

`\integerrounding {...}`

- * NUMMER

`\interakcnilista [...]OPT [...]OPT`

- 1 NAME
- 2 inherits: \nastavinterakcnilistu

`\interakcnitlacitka [...]OPT [...]2`

- 1 inherits: \nastavinterakcnilistu
- 2 stranka podstranka REFERENCE

`\interaktivnimenu [...]OPT [...]2`

- 1 NAME
- 2 inherits: \nastavinterakcnimenu

`\intertext {...}`

- * TEXT

`\invokepagehandler {...} {...}`

- 1 normalni zadny NAME
- 2 CONTENT

`\istltdir ...`

- * TLT TRT

<p><code>\istrtdir ...</code></p> <p>* TLT TRT</p>
<p><code>\italiccorrection</code></p>
<p><code>\itemtag [...*...]</code> <small>OPT</small></p> <p>* REFERENCE</p>
<p><code>\jazyk [...]</code></p> <p>* SPRACHE</p>
<p><code>\LANGUAGE</code></p>
<p><code>\jdidolu [...]</code></p> <p>* DIMENSION</p>
<p><code>\jdina {¹.} [².]</code></p> <p>1 CONTENT</p> <p>2 REFERENCE</p>
<p><code>\jdinabox {¹.} [².]</code></p> <p>1 CONTENT</p> <p>2 REFERENCE</p>
<p><code>\jdinastranu {¹.} [².]</code></p> <p>1 TEXT</p> <p>2 REFERENCE</p>
<p><code>\UNIT {...}</code></p> <p>* CONTENT</p> <p>instances:</p>
<p><code>\jobfilename</code></p>
<p><code>\jobfilesuffix</code></p>
<p><code>\Kap {...}</code></p> <p>* TEXT</p>
<p><code>\kaligraficke</code></p>
<p><code>\kap {...}</code></p> <p>* TEXT</p>
<p><code>\keeplinestogether {...}</code></p> <p>* NUMMER</p>
<p><code>\keepunwantedspaces</code></p>

`\kerncharacters [...]1 {...}2`

- 1 NUMMER
- 2 TEXT

`\klonujpole [...]1 [...]2 [...]3 [...]4, [...]`

- 1 NAME
- 2 NAME
- 3 NAME
- 4 NAME

`\komentar [...]1 [...]2, [...]2, [...]2 {...}3`

- 1 TEXT
- 2 inherits: \nastavkomentar
- 3 TEXT

`\KOMENTAR [...]1 [...]2, [...]2, [...]2 {...}3`

- 1 TEXT
- 2 inherits: \nastavkomentar
- 3 TEXT

instances: komentar

`\komponenta [...]*`

- * FILE

`\komponenta ...*`

- * FILE

`\konvertujcislo {...}1 {...}2`

- 1 prazdne implicitni zadny mesic month:mnem pismo Pismo Pisma Pisma a A Csla slovo words Slovo Slova n N rimskecislice Rimskecislice i I r R KR RK recky Recky g G abjadnumerals abjadnodotnumerals abjadnaivenumerals thainumerals devanagarnumerals gurmurkhinumerals gujaratinnumerals tibetannumerals greeknumerals Greeknumerals arabicnumerals persiannumerals arabicexnumerals arabicdecimals persiandecimals koreannumerals koreanparentnumerals koreancirclenumerals kr kr-p kr-c chinesenumerals chinesecapnumerals chineseallnumerals cn cn-c cn-a sloveniannumerals slovenianNumerals spanishnumerals spanishNumerals mathgreek set₀ set₁ set₂ set₃ continued NAME
- 2 NUMMER

`\kopirujpole [...]1 [...]2`

- 1 NAME
- 2 NAME

`\koreancirclenumerals {...}`

- * NUMMER

`\koreannumerals {...}`

- * NUMMER

`\koreannumeralsc {...}`

- * NUMMER

<pre>\koreannumeralsp {...} * NUMMER</pre>
<pre>\koreanparentnumerals {...} * NUMMER</pre>
<pre>\korekcebilehomista {...} * CONTENT</pre>
<pre>\kurziva</pre>
<pre>\kurzivnitucne</pre>
<pre>\LAMSTEX</pre>
<pre>\LATEX</pre>
<pre>\LamSTeX</pre>
<pre>\LaTeX</pre>
<pre>\LUAJITTEX</pre>
<pre>\LUATEX</pre>
<pre>\Lua</pre>
<pre>\LuajitTeX</pre>
<pre>\LuaTeX</pre>
<pre>\LABELjazyk instances:</pre>
<pre>\LABELtexts {...} {...} 1 KEY 2 TEXT instances:</pre>
<pre>\languageCharacters {...} * NUMMER</pre>
<pre>\languagecharacters {...} * NUMMER</pre>
<pre>\languagecharwidth {...} * SPRACHE</pre>

`\lazysavetaggedtwopassdata {...} {...} {...} {...}`

- 1 NAME
- 2 NUMMER
- 3 NAME
- 4 CONTENT

`\lazysavetwopassdata {...} {...} {...}`

- 1 NAME
- 2 NUMMER
- 3 CONTENT

`\lbox 1 {...}`
OPT

- 1 TEXT
- 2 CONTENT

`\leftbottombox {...}`

- * CONTENT

`\leftbox {...}`

- * CONTENT

`\lefthbox {...}`

- * CONTENT

`\leftLABELtext {...}`

- * KEY

instances:

`\leftline {...}`

- * CONTENT

`\lefttorrighthbox 1 {...}`
OPT

- 1 TEXT
- 2 CONTENT

`\lefttorrightvbox 1 {...}`
OPT

- 1 TEXT
- 2 CONTENT

`\lefttorrightvtop 1 {...}`
OPT

- 1 TEXT
- 2 CONTENT

`\leftskipadaption`

`\leftsubguillemot`

`\lefttopbox {...}`

* CONTENT

`\lefttoright`

`\lefttorighthbox 1... {...}`
OPT

1 TEXT

2 CONTENT

`\lefttorightvbox 1... {...}`
OPT

1 TEXT

2 CONTENT

`\lefttorightvtop 1... {...}`
OPT

1 TEXT

2 CONTENT

`\letbeundefined {...}`

* NAME

`\letcatcodecommand \1... 2... \3...`

1 CSNAME

2 CHARACTER NUMBER

3 CSNAME

`\letscsname \1... \csname 2... \endcsname`

1 CSNAME

2 NAME

`\letcsnamecs \csname 1... \endcsname \2...`

1 NAME

2 CSNAME

`\letcsnamecsname \csname 1... \endcsname \csname 2... \endcsname`

1 NAME

2 NAME

`\letdummyparameter {...} \2...`

1 KEY

2 CSNAME

`\letempty *...`

* CSNAME

`\letgvalue {...} \2...`

1 NAME

2 CSNAME

<code>\letgvalueempty {...}</code> * NAME
<code>\letgvalurelax {...}</code> * NAME
<code>\letterampersand</code>
<code>\letterat</code>
<code>\letterbackslash</code>
<code>\letterbar</code>
<code>\letterbgroup</code>
<code>\letterclosebrace</code>
<code>\lettercolon</code>
<code>\letterdollar</code>
<code>\letterdoublequote</code>
<code>\letteregroup</code>
<code>\letterescape</code>
<code>\letterexclamationmark</code>
<code>\letterhash</code>
<code>\letterhat</code>
<code>\letterleftbrace</code>
<code>\letterless</code>
<code>\lettermore</code>
<code>\letteropenbrace</code>
<code>\letterpercent</code>
<code>\letterquestionmark</code>
<code>\letterrightbrace</code>
<code>\lettersinglequote</code>
<code>\letterslash</code>

`\letterspacing` [¹...] {²...}

1 NUMMER

2 TEXT

`\lettertilde`

`\letterunderscore`

`\letvalue` {¹...} \²...

1 NAME

2 CSNAME

`\letvalueempty` {^{*}...}

* NAME

`\letvaluerelax` {^{*}...}

* NAME

`\lfence` {^{*}...}

* CHARACTER

`\lhbox` {^{*}...}

* CONTENT

`\limitatelines` {¹...} {²...} {³...}

1 NUMMER

2 BEFEHL

3 TEXT

`\limitatetext` {¹...} {²...} {³...}

1 TEXT

2 [-+]DIMENSION

3 BEFEHL

`\limitatetext` {¹...} {...²...} {³...}

1 TEXT

2 [-+]DIMENSION

3 BEFEHL

`\limtatefirstline` {¹...} {²...} {³...}

1 TEXT

2 DIMENSION

3 BEFEHL

`\LINENOTE` {^{*}...}

* TEXT

instances:

`\linespanningtext {...} {...} {...}`

- 1 TEXT
- 2 DIMENSION
- 3 FONT

`\listcitation [...1...] [...2]`

- 1 odkaz = REFERENCE
- alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
- pred = BEFEHL
- po = BEFEHL
- vlevo = BEFEHL
- vpravo = BEFEHL
- inherits: \setupbtx
- 2 REFERENCE

`\listcitation [...1] [...2]`

- 1 implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
- 2 REFERENCE

`\listcitation [...1...] [...2...]`

- 1 odkaz = REFERENCE
- alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
- pred = BEFEHL
- po = BEFEHL
- vlevo = BEFEHL
- vpravo = BEFEHL
- inherits: \setupbtx
- 2 KEY = VALUE

`\listcite [...1...] [...2]`

- 1 odkaz = REFERENCE
- alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
- pred = BEFEHL
- po = BEFEHL
- vlevo = BEFEHL
- vpravo = BEFEHL
- inherits: \setupbtx
- 2 REFERENCE

`\listcite [...1] [...2]`

- 1 implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
- 2 REFERENCE

`\listcite [...1...] [...2...]`

- 1 odkaz = REFERENCE
- alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear
- pred = BEFEHL
- po = BEFEHL
- vlevo = BEFEHL
- vpravo = BEFEHL
- inherits: \setupbtx
- 2 KEY = VALUE

`\listnamespaces`

<pre>\llap {...} * CONTENT</pre>
<pre>\loadanyfile [...]</pre> <pre>* FILE</pre>
<pre>\loadanyfileonce [...]</pre> <pre>* FILE</pre>
<pre>\loadbtxdefinitionfile [...]</pre> <pre>* FILE</pre>
<pre>\loadbtxreplacementfile [...]</pre> <pre>* FILE</pre>
<pre>\loadcldfile [...]</pre> <pre>* FILE</pre>
<pre>\loadcldfileonce [...]</pre> <pre>* FILE</pre>
<pre>\loadfontgoodies [...]</pre> <pre>* FILE</pre>
<pre>\loadluafile [...]</pre> <pre>* FILE</pre>
<pre>\loadluafileonce [...]</pre> <pre>* FILE</pre>
<pre>\loadspellchecklist [¹...] [²...]</pre> <pre>1 NAME</pre> <pre>2 FILE</pre>
<pre>\loadtexfile [...]</pre> <pre>* FILE</pre>
<pre>\loadtexfileonce [...]</pre> <pre>* FILE</pre>
<pre>\loadtypescriptfile [...]</pre> <pre>* FILE</pre>
<pre>\localframed [¹...] [_{OPT}...,...²...,...] {...³}</pre> <pre>1 NAME</pre> <pre>2 inherits: \nastavoramovani</pre> <pre>3 CONTENT</pre>

`\localframedwithsettings` [¹...] [₂...²...²...] {³...}

- 1 NAME
- 2 inherits: \nastavoramovani
- 3 CONTENT

`\localhsize`

`\localpopbox` ...

- * CSNAME NUMBER

`\localpopmacro` *...

- * CSNAME

`\localpushbox` ...

- * CSNAME NUMBER

`\localpushmacro` *...

- * CSNAME

`\localundefine` {*...}

- * NAME

`\locatedfilepath`

`\locatefilepath` {*...}

- * FILE

`\locfilename` {*...}

- * FILE

`\lomihi` {¹...} {²...} {³...}

- 1 CONTENT
- 2 CONTENT
- 3 CONTENT

`\lowerbox` {¹...} \²... {³...}

- 1 DIMENSION
- 2 CSNAME
- 3 CONTENT

`\lowercased` {*...}

- * TEXT

`\lowercasestring` ... \to \²...

- 1 TEXT
- 2 CSNAME

`\lowerlefthdoubleninequote`

<code>\lowerleftsinglenequote</code>
<code>\lowerrightdoublenequote</code>
<code>\lowerrightsinglenequote</code>
$\backslash LOWHIGH [^{1.}] \{^{2.}\} \{^{3.}\}$ <p style="text-align: center;"><small>OPT</small></p> <p>1 vlevo vpravo 2 CONTENT 3 CONTENT</p>
$\backslash LOWMIDHIGH \{^{1.}\} \{^{2.}\} \{^{3.}\}$ <p>1 CONTENT 2 CONTENT 3 CONTENT</p>
$\backslash lrtbbox \{^{1.}\} \{^{2.}\} \{^{3.}\} \{^{4.}\} \{^{5.}\}$ <p>1 DIMENSION 2 DIMENSION 3 DIMENSION 4 DIMENSION 5 CONTENT</p>
$\backslash ltop .^{1.} \{^{2.}\}$ <p style="text-align: center;"><small>OPT</small></p> <p>1 TEXT 2 CONTENT</p>
$\backslash luacode \{^{*}\}$ <p>* BEFEHL</p>
$\backslash luaconditional \{^{*}\}$ <p>* CSNAME</p>
$\backslash luaenvironment \{^{*}\}$ <p>* FILE</p>
$\backslash luaexpanded \{^{*}\}$ <p>* BEFEHL</p>
$\backslash luafunction \{^{*}\}$ <p>* BEFEHL</p>
<code>\luajitTeX</code>
<code>\luamajorversion</code>
<code>\luaminorversion</code>

<pre>\luaparameterset {...} {...} 1 NAME 2 CONTENT</pre>
<pre>\luasetup {...} * NAME</pre>
<pre>\luaTeX</pre>
<pre>\luaversion</pre>
<pre>\MESIC {...} * NUMMER</pre>
<pre>\METAFONT</pre>
<pre>\METAFUN</pre>
<pre>\METAPOST</pre>
<pre>\MetaFont</pre>
<pre>\MetaFun</pre>
<pre>\MetaPost</pre>
<pre>\MKII</pre>
<pre>\MKIV</pre>
<pre>\MKIX</pre>
<pre>\MKVI</pre>
<pre>\MKXI</pre>
<pre>\MONTHLONG {...} * NUMMER</pre>
<pre>\MONTHSHORT {...} * NUMMER</pre>
<pre>\MPanchor {...} * NAME</pre>
<pre>\MPbetex {...} * NAME</pre>

<p><code>\MPc {...}</code></p> <p>* NAME</p>
<p><code>\MPcode {...} {...}</code></p> <p style="margin-left: 2em;"><small>OPT</small></p> <p>1 NAME</p> <p>2 CONTENT</p>
<p><code>\MPcolor {...}</code></p> <p>* COLOR</p>
<p><code>\MPcoloronly {...}</code></p> <p>* COLOR</p>
<p><code>\MPcolumn {...}</code></p> <p>* NAME</p>
<p><code>\MPd {...}</code></p> <p>* NAME</p>
<p><code>\MPdrawing {...}</code></p> <p>* CONTENT</p>
<p><code>\MPfontsizehskip {...}</code></p> <p>* FONT</p>
<p><code>\MPgetmultipars {...} {...}</code></p> <p>1 NAME</p> <p>2 NAME</p>
<p><code>\MPgetmultishape {...} {...}</code></p> <p>1 NAME</p> <p>2 NAME</p>
<p><code>\MPgetposboxes {...¹,...} {...²}</code></p> <p>1 NAME</p> <p>2 NAME</p>
<p><code>\MPh {...}</code></p> <p>* NAME</p>
<p><code>\MPII</code></p>
<p><code>\MPIV</code></p>
<p><code>\MPinclusions [<small>OPT</small> {...}] [<small>OPT</small> {...}] {...³}</code></p> <p>1 +</p> <p>2 NAME</p> <p>3 CONTENT</p>

<p><code>\MPleftskip {...}</code></p> <p>* NAME</p>
<p><code>\MPll {...}</code></p> <p>* NAME</p>
<p><code>\MPlr {...}</code></p> <p>* NAME</p>
<p><code>\MPls {...}</code></p> <p>* NAME</p>
<p><code>\MPmenubuttons {...}</code></p> <p>* NAME</p>
<p><code>\MPn {...}</code></p> <p>* NAME</p>
<p><code>\MPOptions {...}</code></p> <p>* COLOR</p>
<p><code>\MPoverlayanchor {...}</code></p> <p>* NAME</p>
<p><code>\MPp {...}</code></p> <p>* NAME</p>
<p><code>\MPpage {...}</code></p> <p>* NAME</p>
<p><code>\MPpardata {...}</code></p> <p>* NAME</p>
<p><code>\MPplus {...} {...} {...}</code></p> <p>1 NAME</p> <p>2 NUMMER</p> <p>3 CONTENT</p>
<p><code>\MPpos {...}</code></p> <p>* NAME</p>
<p><code>\MPpositiongraphic {...} {...²...}</code> <small>OPT</small></p> <p>1 NAME</p> <p>2 KEY = VALUE</p>
<p><code>\MPposset {...}</code></p> <p>* NAME</p>

<p>\MPr {...}</p> <p>* NAME</p>
<p>\MPrawvar {...} {...}</p> <p>1 NAME</p> <p>2 KEY</p>
<p>\MPregion {...}</p> <p>* NAME</p>
<p>\MPrest {...} {...}</p> <p>1 NAME</p> <p>2 CONTENT</p>
<p>\MPrightskip {...}</p> <p>* NAME</p>
<p>\MPrs {...}</p> <p>* NAME</p>
<p>\MPstring {...}</p> <p>* NAME</p>
<p>\MPtext {...}</p> <p>* NAME</p>
<p>\MPtransparency {...}</p> <p>* COLOR</p>
<p>\MPul {...}</p> <p>* NAME</p>
<p>\MPur {...}</p> <p>* NAME</p>
<p>\MPVI</p>
<p>\MPv {...} {...} {...}</p> <p>1 NAME</p> <p>2 NUMMER</p> <p>3 CONTENT</p>
<p>\MPvar {...}</p> <p>* KEY</p>
<p>\MPvariable {...}</p> <p>* KEY</p>

<p>\MPvv {...} {...}</p> <p>1 NAME</p> <p>2 CONTENT</p>
<p>\MPw {...}</p> <p>* NAME</p>
<p>\MPwhd {...}</p> <p>* NAME</p>
<p>\MPx {...}</p> <p>* NAME</p>
<p>\MPxy {...}</p> <p>* NAME</p>
<p>\MPxywhd {...}</p> <p>* NAME</p>
<p>\MPy {...}</p> <p>* NAME</p>
<p>\m [¹...] {...}</p> <p><small>OPT</small></p> <p>1 NAME</p> <p>2 CONTENT</p>
<p>\makecharacteractive ...</p> <p>* CHARACTER</p>
<p>\makerawcommalist [...¹,...] \²...</p> <p>1 BEFEHL</p> <p>2 CSNAME</p>
<p>\makestrutofbox ...</p> <p>* CSNAME NUMBER</p>
<p>\male</p>
<p>\malekurzivnitucne</p>
<p>\malenormalni</p>
<p>\malesklonene</p>
<p>\malesklonenetucne</p>
<p>\maletucne</p>
<p>\maletucnekurzivni</p>

<code>\maletucnesklonene</code>
<code>\maletype</code>
<code>\maoramovani [...¹...²]{...}</code> <small>OPT</small> 1 inherits: \setupmathframed 2 CONTENT
<code>\mapfontsize [...¹][...²]</code> 1 DIMENSION 2 DIMENSION
<code>\margindata [...¹][...²...][...³...]{...}</code> <small>OPT OPT</small> 1 NAME 2 odkaz = REFERENCE inherits: \setupmargindata 3 inherits: \setupmarginframed 4 CONTENT
<code>\MARGINDATA [...¹...²]{...}</code> <small>OPT OPT</small> 1 odkaz = REFERENCE inherits: \setupmargindata 2 inherits: \setupmarginframed 3 CONTENT instances:
<code>\markcontent [...¹]{...}</code> <small>OPT</small> 1 reset vse NAME 2 CONTENT
<code>\markinjector [...]</code> * NAME
<code>\mat {...}</code> * CONTENT
<code>\matematika [...¹]{...}</code> <small>OPT</small> 1 NAME 2 CONTENT
<code>\math [...¹]{...}</code> <small>OPT</small> 1 NAME 2 CONTENT
<code>\mathbf</code>
<code>\mathbi</code>

<code>\mathblackboard</code>
<code>\mathbs</code>
<code>\mathcommand {*.}</code> * NAME
$\backslash\text{MATHCOMMAND}$ $\{.\overset{1}{.}\}$ $\{.\overset{2}{.}\}$ <small>OPT OPT</small> 1 TEXT 2 TEXT
<code>\mathdefault</code>
$\backslash\text{MATHDOUBLEEXTENSIBLE}$ $\{.*\}$ * TEXT
$\backslash\text{MATHEXTENSIBLE}$ $[\dots]$ $\{.\overset{2}{.}\}$ $\{.\overset{3}{.}\}$ <small>OPT OPT OPT</small> 1 reverse matematika text chemistry 2 TEXT 3 TEXT
<code>\mathfraktur</code>
$\backslash\text{MATHFRAMED}$ $[\dots\overset{1}{.}\dots]$ $\{.\overset{2}{.}\}$ <small>OPT</small> 1 inherits: \setupmathframed 2 CONTENT instances: mframed inmframed mcframed
$\backslash\text{mathfunction}$ $\{.*\}$ * CONTENT
<code>\mathit</code>
<code>\mathitalic</code>
$\backslash\text{mathop}$ $\{.*\}$ * CONTENT
$\backslash\text{MATHORNAMENT}$ $\{.*\}$ * CONTENT
$\backslash\text{MATHOVEREXTENSIBLE}$ $\{.*\}$ * TEXT
$\backslash\text{MATHOVERTEXTEXTENSIBLE}$ $\{.\overset{1}{.}\}$ $\{.\overset{2}{.}\}$ 1 TEXT 2 TEXT

`\MATHRADICAL [...]` ¹ {²...}
OPT

1 TEXT

2 CONTENT

`\mathrm`

`\mathscript`

`\mathsl`

`\mathss`

`\mathtext` ¹ ... {²...}
OPT

1 TEXT

2 TEXT

`\mathtextbf` ¹ ... {²...}
OPT

1 TEXT

2 TEXT

`\mathtextbi` ¹ ... {²...}
OPT

1 TEXT

2 TEXT

`\mathtextbs` ¹ ... {²...}
OPT

1 TEXT

2 TEXT

`\mathtextit` ¹ ... {²...}
OPT

1 TEXT

2 TEXT

`\mathtextsl` ¹ ... {²...}
OPT

1 TEXT

2 TEXT

`\mathtexttf` ¹ ... {²...}
OPT

1 TEXT

2 TEXT

`\mathtf`

`\mathtriplet` [¹...] [²...] [³...] [⁴...]
OPT OPT OPT OPT

1 NAME

2 TEXT

3 TEXT

4 TEXT

`\MATHTRIPLET [...]1 {...}2 {...}3 {...}4`
OPT OPT OPT OPT

- 1 NAME
- 2 TEXT
- 3 TEXT
- 4 TEXT

`\mathtt`

`\MATHUNDEREXTENSIBLE {...}`

- * TEXT

`\MATHUNDERTEXTTEXTENSIBLE {...}1 {...}2`

- 1 TEXT
- 2 TEXT

`\MATHUNSTACKED`

`\mathupright`

`\mathword ...1 {...}`
OPT

- 1 TEXT
- 2 TEXT

`\mathwordbf ...1 {...}`
OPT

- 1 TEXT
- 2 TEXT

`\mathwordbi ...1 {...}`
OPT

- 1 TEXT
- 2 TEXT

`\mathwordbs ...1 {...}`
OPT

- 1 TEXT
- 2 TEXT

`\mathwordit ...1 {...}`
OPT

- 1 TEXT
- 2 TEXT

`\mathwordsl ...1 {...}`
OPT

- 1 TEXT
- 2 TEXT

`\mathwordtf ...1 {...}`
OPT

- 1 TEXT
- 2 TEXT

`\maxaligned {...}`

* CONTENT

`\mazaramovani [...1...2...] {...}`

1 inherits: \setupmathframed

2 CONTENT

`\mbox {...}`

* CONTENT

`\mcfamed [...1...2...] {...}`

1 inherits: \setupmathframed

2 CONTENT

`\measure {...}`

* NAME

`\measured {...}`

* NAME

`\medskip`

`\medspace`

`\mequal {...1} {...2}`

1 TEXT

2 TEXT

`\meritko [...1] [...2...3...] {...}`

1 NAME

2 inherits: \setupscale

3 CONTENT

`\mesic {...}`

* NUMMER

`\message {...}`

* TEXT

`\metaTeX`

`\mezera`

`\mfence {...}`

* CHARACTER

`\mfunction {...}`

* CONTENT

`\mfunctionlabeltext {...}`

* NAME

`\mhbox {...}`

* CONTENT

`\mhookleftarrow {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\mhookrightarrow {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\middlealigned {...}`

* CONTENT

`\middlebox {...}`

* CONTENT

`\midhbox {...}`

* CONTENT

`\minimalhbox ... {...}`
 _{OPT}

1 TEXT

2 CONTENT

`\mixedcaps {...}`

* TEXT

`\mkvibuffer [...]`
 _{OPT}

* BUFFER

`\mLeftarrow {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\mLeftrightarrow {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\mleftarrow {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\mleftharpoondown {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\mleftharpoonup {...} {...}`
 _{OPT} _{OPT}

- 1 TEXT
- 2 TEXT

`\mleftrightharpoonarrow {...} {...}`
 _{OPT} _{OPT}

- 1 TEXT
- 2 TEXT

`\mleftrightharpoons {...} {...}`
 _{OPT} _{OPT}

- 1 TEXT
- 2 TEXT

`\mmapsto {...} {...}`
 _{OPT} _{OPT}

- 1 TEXT
- 2 TEXT

`\moduleparameter {...} {...}`

- 1 FILE
- 2 KEY

`\molecule {...}`

- * CONTENT

`\mono`

`\mononormal`

`\monotucne`

`\monthlong {...}`

- * NUMBER

`\monthshort {...}`

- * NUMBER

`\mprandomnumber`

`\mRrightarrow {...} {...}`
 _{OPT} _{OPT}

- 1 TEXT
- 2 TEXT

`\mrel {...} {...}`
 _{OPT} _{OPT}

- 1 TEXT
- 2 TEXT

`\mrightarrow {...} {...}`
 _{OPT} _{OPT}

- 1 TEXT
- 2 TEXT

`\mrightharpoondown` $\{...\}^1 \{...\}^2$
 OPT OPT

- 1 TEXT
- 2 TEXT

`\mrightharpoonup` $\{...\}^1 \{...\}^2$
 OPT OPT

- 1 TEXT
- 2 TEXT

`\mrightrightarpoons` $\{...\}^1 \{...\}^2$
 OPT OPT

- 1 TEXT
- 2 TEXT

`\mrightrightarrow` $\{...\}^1 \{...\}^2$
 OPT OPT

- 1 TEXT
- 2 TEXT

`\mrizka` [$\dots^* \dots$]
 OPT

* inherits: \basegrid

`\mtext` $\{...\}^*$

* CONTENT

`\mtriplerel` $\{...\}^1 \{...\}^2$
 OPT OPT

- 1 TEXT
- 2 TEXT

`\mtwoheadleftarrow` $\{...\}^1 \{...\}^2$
 OPT OPT

- 1 TEXT
- 2 TEXT

`\mtwoheadrightarrow` $\{...\}^1 \{...\}^2$
 OPT OPT

- 1 TEXT
- 2 TEXT

`\NormalizeFontHeight` $\backslash^1 \dots \{...\}^2 \{...\}^3 \{...\}^4$

- 1 CSNAME
- 2 TEXT
- 3 DIMENSION
- 4 FONT

`\NormalizeFontWidth` $\backslash^1 \dots \{...\}^2 \{...\}^3 \{...\}^4$

- 1 CSNAME
- 2 TEXT
- 3 DIMENSION
- 4 FONT

`\NormalizeTextHeight {1.} {2.} {3.}`

- 1 FONT
- 2 DIMENSION
- 3 TEXT

`\NormalizeTextWidth {1.} {2.} {3.}`

- 1 FONT
- 2 DIMENSION
- 3 TEXT

`\nadtrzeni {*.}`

- * CONTENT

`\nadtrzeno {*.}`

- * CONTENT

`\namedheadnumber {*.}`

- * ABSCHNITT

`\namedstructureheadlocation {*.}`

- * ABSCHNITT

`\namedstructureuservariable {1.} {2.}`

- 1 ABSCHNITT
- 2 KEY

`\namedstructurevariable {1.} {2.}`

- 1 ABSCHNITT
- 2 KEY

`\namedtaggedlabeltexts {1.} {2.} {3.} {4.} {5.}`

- 1 NAME
- 2 NAME
- 3 NAME
- 4 NAME
- 5 CONTENT

`\nastavbarvu [*.]`

- * FILE

`\nastavbarvy [...*...]`

- * status = start stop
- spot = ano ne
- expanzen = ano ne
- faktor = ano ne
- rgb = ano ne
- cmyk = ano ne
- konverze = ano ne vzdy
- pagecolormodel = auto zadny NAME
- barvatextu = COLOR
- intent = overprint knockout zadny

`\nastavbilamista [...]*...]`

OPT

* fixuj fixne prizpusobive radek pulradku quarterline zadny male stredni velke implicitni DIMENSION

`\nastavblok [...]1...] [...]2...]`

OPT

1 NAME

2 pred = BEFEHL
po = BEFEHL
vnitrni = BEFEHL
pismo = STYLE BEFEHL
barva = COLOR

`\nastavbloksekce [...]1...] [...]2...]`

OPT

1 NAME

2 stranka = inherits: \strana
pred = BEFEHL
po = BEFEHL
cislo = ano ne

`\nastavbuffer [...]1...] [...]2...]`

OPT

1 BUFFER

2 pred = BEFEHL
po = BEFEHL

`\nastavcernelinky [...]*...]`

* sirka = max DIMENSION
vyska = max DIMENSION
hloubka = max DIMENSION
vzdalenost = DIMENSION
n = NUMMER
alternativa = a b
pismo = STYLE BEFEHL
barva = COLOR
typ = mp ano ne
mp = NAME

`\nastavcislonadpisu [...]1] [...]2]`

1 ABSCHNITT

2 [-+]NUMMER

`\nastavcislostrany [...]*...]`

* inherits: \setupuserpagenumber

`\nastavcislovaniodstavcu [...]*...]`

* status = start stop radek reset
vzdalenost = DIMENSION
pismo = STYLE BEFEHL
barva = COLOR

`\nastavcislovaniradku [...1;2...] [...2;1...]`
OPT

1 NAME
2 start = NUMMER
krok = NUMMER
metoda = stranka prvni dalsi
konverze = NAME
pokracovat = ano ne
misto = text begin end implicitni vlevo vpravo uvnitr vnejsi ivlevo ivpravo marginalie naokraj
vzdalenost = DIMENSION
zarovnani = uvnitr vnejsi flushleft flushright vlevo vpravo nastred auto
prikaz = \...##1
vlevo = BEFEHL
vpravo = BEFEHL
marginalie = DIMENSION
sirka = marginalie DIMENSION
pismo = STYLE BEFEHL
barva = COLOR

`\nastavcislovanistran [...*;*...]`

* alternativa = jednostranne dvoustranny
stranka = inherits: \strana
strut = ano ne
prikaz = \...##1
vlevo = BEFEHL
vpravo = BEFEHL
status = start stop
sirka = DIMENSION
misto = zahlavi upati vlevo nastred vpravo ivlevo ivpravo marginalie naokraj naokraj textovahrana
pismo = STYLE BEFEHL
barva = COLOR

`\nastavcitaci [...*;*...]`

* inherits: \setupdelimitedtext

`\nastavdeleniplvoucichobjektu [...*;*...]`

* pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
radky = auto NUMMER
konverze = NAME

`\nastavdelitko [...*;*...]`

* znak = normalni siroce

`\nastavdolnitexty [...1...] [...2...] [...3...] [...4...] [...5...]`
OPT OPT OPT OPT OPT

1 text marginalie hrana
2 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
3 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
4 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
5 datum cislostranky BESCHRIFTUNG TEXT BEFEHL

`\nastaveni [...]`

* NAME

`\nastaveni {...}`

* NAME

`\nastavhorejsek [...]1 [...,...2...]`

- 1 text marginalie hrana
- 2 inherits: \setuplayoutelement

`\nastavhornitexty [...]1 [...]2 [...]3 [...]4 [...]5`

- 1 text marginalie hrana
- 2 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
- 3 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
- 4 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
- 5 datum cislostranky BESCHRIFTUNG TEXT BEFEHL

`\nastavinterakci [...]1 [...]2 [...]`

- 1 NAME
- 2 status = start stop
- pismeno = STYLE BEFEHL
- barva = COLOR
- kontrastnibarva = COLOR
- titul = TEXT
- podtitulek = COLOR
- autor = TEXT
- datum = TEXT
- keyword = TEXT
- zaostreni = standardni ramecek sirka minsirka vyska minvyska prizpusobive tight
- menu = zap vyp
- fieldlayer = auto NAME
- pocitat = REFERENCE
- klik = ano ne
- obrazovka = normalni novy
- stranka = ano ne stranka jmeno auto
- otevriakci = REFERENCE
- zavriakci = REFERENCE
- akceotevrenistranky = REFERENCE
- akcezavrenistranky = REFERENCE
- sadasymbolu = NAME
- vyska = DIMENSION
- hloubka = DIMENSION
- focusoffset = DIMENSION

`\nastavinterakci [...]*`

- * NAME

`\nastavinterakcnilistu [...]1 [...]2 [...]`

- 1 NAME
- 2 alternativa = a b c d e f g
- status = start stop
- prikaz = CSNAME
- sirka = DIMENSION
- vyska = DIMENSION max siroky
- hloubka = DIMENSION max
- vzdalenost = DIMENSION
- krok = male stredni velke
- barvapozadi = COLOR
- pismeno = STYLE BEFEHL
- barva = COLOR
- kontrastnibarva = COLOR
- symbol = ano ne
- inherits: \nastavoramovani

\nastavinterakcnimenu [...¹,...] [...²,...] OPT

1 NAME

2 alternativa = vertikalne horizontalne skryte
category = NAME
levyoffset = prekryv ramecek zadny implicitni DIMENSION
pravyyoffset = prekryv ramecek zadny implicitni DIMENSION
offsetvrsku = prekryv ramecek zadny implicitni DIMENSION
offsetspodku = prekryv ramecek zadny implicitni DIMENSION
maxsirka = DIMENSION
maxvyska = DIMENSION
itemalign = vlevo nastred vpravo flushleft flushright nizko vysoko nivy
status = start prazdne lokalne
vlevo = BEFEHL
vpravo = BEFEHL
vzdalenost = prekryv DIMENSION
pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
position = ano ne
stredni = BEFEHL
pismo = STYLE BEFEHL
barva = COLOR
stejnastranka = ano ne prazdne zadny normalni implicitni
kontrastnibarva = COLOR
inherits: \nastavoramovani

\nastavinterakcniobrazovku [...^{*},...]

* sirka = prizpusobive max tight DIMENSION
vyska = prizpusobive max tight DIMENSION
zpetnamezera = DIMENSION
horoffset = DIMENSION
offsethlavicky = DIMENSION
svrchnimezera = DIMENSION
volba = prizpusobive max jednostranne dvoustranny zalozka auto zadny implicitni fixne nasirku portrait
stranka papir
copies = NUMMER
prodleva = zadny NUMMER

\nastavjazyk [...¹,...] [...²,...] OPT

1 SPRACHE implicitni

2 implicitni = SPRACHE
status = start stop
datum = inherits: \aktualnidatum
patterns = FILE
lefthyphenmin = NUMMER
righthyphenmin = NUMMER
lefthyphenchar = NUMMER
righthyphenchar = NUMMER
setups = NAME
mezerovani = siroky zhustene
font = auto
text = TEXT
limittext = TEXT
hyphen = TEXT
compoundhyphen = TEXT
leftcompoundhyphen = TEXT
rightcompoundhyphen = TEXT
citovatvlevo = BEFEHL
citovatvpravo = BEFEHL
citacevlevo = BEFEHL
citacevpravo = BEFEHL
leftspeech = BEFEHL
rightspeech = BEFEHL
vetavlevo = BEFEHL
middlespeech = BEFEHL
vetavpravo = BEFEHL
midsentence = BEFEHL
podvetavlevo = BEFEHL
podvetavpravo = BEFEHL
faktor = ano ne

\nastavkapitalky [...¹,...] [...²,...] OPT

1 NAME
2 titul = ano ne
sc = ano ne
pismeno = STYLE BEFEHL

\nastavkombinovanyseznam [...¹.] [...²,...] OPT

1 LISTE
2 inherits: \nastavseznam

\nastaveniCOMBINEDLIST [...^{*},...] OPT

* inherits: \nastavseznam

instances:

\nastavkomentar [...¹,...] [...²,...] OPT

1 NAME
2 status = start stop zadny
metoda = normalni skryte
symbol = Comment Napoveda Insert Klavesa Newparagraph Note Odstavec Default
sirka = prizpusobive DIMENSION
vyska = prizpusobive DIMENSION
hloubka = prizpusobive DIMENSION
titul = TEXT
podtitulek = TEXT
autor = TEXT
nx = NUMMER
ny = NUMMER
barva = COLOR
volba = xml max
textlayer = NAME
misto = levahrana pravahrana naokraji levvyokraj pravyokraj text vysoko zadny
vzdalenost = DIMENSION

\nastavkomentarstrany [...^{*},...] OPT

* misto = vlevo vpravo vrsek spodek zadny
status = start stop zadny
offset = DIMENSION
vzdalenost = DIMENSION
sirka = DIMENSION
vyska = DIMENSION

\nastavmarginalnilinky [...¹.] [...²,...] OPT

1 NUMMER
2 inherits: \setupmarginrule

\nastavmeziradkovoumezeru [...¹,...] [...²,...] OPT

1 NAME
2 radek = DIMENSION
vyska = NUMMER
hloubka = NUMMER
minvyska = NUMMER
mindepth = NUMMER
vzdalenost = DIMENSION
vrsek = NUMMER vyska
spodek = NUMMER
natahnout = NUMMER
shrink = NUMMER

\nastavmeziradkovoumezeru [...^{*},...] OPT

* zap vyp reset auto male stredni velke NUMMER DIMENSION

\nastavmeziradkovoumezeru [...]

* NAME

\nastavnadpis [...¹,...] [...²,...] OPT

1 ABSCHNITT

2 frontpartlabel = NAME
bodypartlabel = NAME
appendixlabel = NAME
backpartlabel = NAME
expanzen = ano ne xml
catcodes = NAME
sectionresetset = NAME
sectionseparatorset = NAME
sectionconversionset = NAME
konverze = NAME
sectionstarter = BEFEHL PROCESSOR->BEFEHL
sectionstopper = BEFEHL PROCESSOR->BEFEHL
sectionset = NAME
sectionsegments = NUMBER NUMBER:NUMBER NUMBER:* NUMBER:vse ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
ABSCHNITT:vse
referenceprefix = + - TEXT
pismeno = STYLE BEFEHL
barva = COLOR
styltextu = STYLE BEFEHL
barvatextu = COLOR
stylcisla = STYLE BEFEHL
barvacisla = COLOR
propojeni = ABSCHNITT
vlastnicislo = ano ne
beforesection = BEFEHL
aftersection = BEFEHL
insidesection = BEFEHL
zvysujicicislo = ano ne seznam prazdne
umistihlavicku = ano ne skryte prazdne
cislo = ano ne
stranka = inherits: \strana
znaceni = stranka reset
zahlavi = start stop vysoko zadny normalni prazdne zadneznamen NAME
text = start stop vysoko zadny normalni prazdne zadneznamen NAME
upati = start stop vysoko zadny normalni prazdne zadneznamen NAME
pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
pokracovat = ano ne
zarovnejtitul = ano ne plvouciobjekt
meziradkovamezera = NAME
interakce = seznam odkaz
internalgrid = NAME
mrizka = normalni standardni ano striktni tolerantni vrsek spodek obe široky prizpusobive prvni
posledni vysoko jedna nizko zadny radek strut box min max nastred NAME
zarovnani = inherits: \nastavzarovnani
tolerance = inherits: \nastavtoleranci
strut = ano ne
zaveseni = radek široky prizpusobive zadny NUMBER
marginalie = DIMENSION
odsadpristi = ano ne auto
alternativa = text odstavec normalni marginalie naokraji vrsek nastred spodek reverse marginalnitext
NAME
misto = NAME
sirka = DIMENSION
numberwidth = DIMENSION
sirkatextu = DIMENSION
vzdalenost = DIMENSION
textdistance = DIMENSION
predchoziprikaz = BEFEHL
prikazpo = BEFEHL
prikaz = \...##1##2
textovyprikaz = \...##1
deeptextcommand = \...##1
ciselnyprikaz = \...##1
deepnumbercommand = \...##1

`\nastavnadpisy [...,1...] [...,2...,...]`

- 1 ABSCHNITT
- 2 inherits: \nastavnadpis

`\chapter [...,1...] {...2}`

- 1 REFERENCE
- 2 TEXT

`\section [...,1...] {...2}`

- 1 REFERENCE
- 2 TEXT

`\subject [...,1...] {...2}`

- 1 REFERENCE
- 2 TEXT

`\subsection [...,1...] {...2}`

- 1 REFERENCE
- 2 TEXT

`\subsubject [...,1...] {...2}`

- 1 REFERENCE
- 2 TEXT

`\subsubsection [...,1...] {...2}`

- 1 REFERENCE
- 2 TEXT

`\subsubsubject [...,1...] {...2}`

- 1 REFERENCE
- 2 TEXT

`\subsubsubsection [...,1...] {...2}`

- 1 REFERENCE
- 2 TEXT

`\subsubsubsubject [...,1...] {...2}`

- 1 REFERENCE
- 2 TEXT

`\subsubsubsubsection [...,1...] {...2}`

- 1 REFERENCE
- 2 TEXT

`\subsubsubsubsubject [...,1...] {...2}`

- 1 REFERENCE
- 2 TEXT

```
\title [...,1...] {2...}
```

```
1 REFERENCE
```

```
2 TEXT
```

```
\nastavodkazovani [...,*...]
```

```
* status      = start stop
  expanzen    = ano ne xml
  autofile    = ano ne
  export      = ano ne
  vlevo       = BEFEHL
  vpravo      = BEFEHL
  sirka       = DIMENSION
  oboustranne = ano ne
  interakce   = popisek text symbol vse
  oddelovac   = BEFEHL
  prefix      = + - TEXT
```

```
\nastavodsazovani [...,*...]
```

```
* [-+]male [-+]stredni [-+]velke zadny ne ne prvni dalsi ano vzdy nikdy liche sude normalni reset toggle DIMENSION
  NAME
```

```
\nastavodstavce [1...] [2...,...] [3...,...]
```

```
1 NAME
```

```
2 kazdy NUMMER
```

```
3 n          = NUMMER
  pred       = BEFEHL
  po         = BEFEHL
  sirka      = DIMENSION
  vzdalenost = DIMENSION
  vyska      = DIMENSION prizpusobive
  vrsek      = BEFEHL
  spodek     = BEFEHL
  zarovnani  = inherits: \nastavzarovnani
  vnitri     = BEFEHL
  prikaz     = BEFEHL
  linka      = zap vyp
  tloustkalinky = DIMENSION
  barvalinky = COLOR
  pismeno    = STYLE BEFEHL
  barva      = COLOR
```

```
\nastavodstavce [1...] [2...,...]
```

```
1 NAME:NUMMER
```

```
2 n          = NUMMER
  pred       = BEFEHL
  po         = BEFEHL
  sirka      = DIMENSION
  vzdalenost = DIMENSION
  vyska      = DIMENSION prizpusobive
  vrsek      = BEFEHL
  spodek     = BEFEHL
  zarovnani  = inherits: \nastavzarovnani
  vnitri     = BEFEHL
  prikaz     = BEFEHL
  linka      = zap vyp
  tloustkalinky = DIMENSION
  barvalinky = COLOR
  pismeno    = STYLE BEFEHL
  barva      = COLOR
```

`\nastavopis [...1,...] [...2,...]`

OPT

1 NAME

2 lichyokraj = DIMENSION
 sudamarginalie = DIMENSION
 marginalie = ano ne standardni DIMENSION
 volba = mp lua xml parsed-xml nested tex context zadny NAME
 pismeno = STYLE BEFEHL
 barva = COLOR
 zarovnani = inherits: \nastavzarovnani
 radky = ano ne normalni hyphenated
 mezera = zap vyp normalni fixne natahnout
 keeptogether = ano ne
 pred = BEFEHL
 po = BEFEHL
 strip = ano ne NUMMER
 range = NUMMER NAME
 tab = ano ne NUMMER
 escape = ano ne TEXT PROCESSOR->TEXT
 odsadpristi = ano ne auto
 pokracovat = ano ne
 start = NUMMER
 stop = NUMMER
 krok = NUMMER
 cislovani = soubor radek ne
 prazdny = inherits: \preskoc

`\nastavoramovani [...1,...] [...2,...]`

OPT

1 NAME

2 roh = pravouhly zaobleny NUMMER
 rohramecku = pravouhly zaobleny NUMMER
 rohpozadi = pravouhly zaobleny NUMMER
 polomer = DIMENSION
 polomerramecku = DIMENSION
 polomerpozadi = DIMENSION
 hloubka = DIMENSION
 hloubkaramecku = DIMENSION
 hloubkapozadi = DIMENSION
 barvaramecku = COLOR
 rameceknahore = zap vyp NAME
 ramecekdole = zap vyp NAME
 ramecekvlevo = zap vyp NAME
 ramecekvpravo = zap vyp NAME
 region = ano ne
 tloustkalinky = DIMENSION
 offsetramecku = DIMENSION
 ramecek = zap vyp prekryv zadny
 pozadi = popredi barevne NAME
 offsetpozadi = ramecek DIMENSION
 component = NAME
 extras = BEFEHL
 foregroundstyle = STYLE BEFEHL
 foregroundcolor = COLOR
 setups = NAME
 offset = implicitni prekryv zadny DIMENSION
 sirka = lokalne prizpusobive max siroky fixne DIMENSION
 vyska = prizpusobive max siroky DIMENSION
 zarovnani = inherits: \nastavzarovnani
 strut = ano ne zadny lokalne globalne
 autostrut = ano ne
 misto = vyska podlehloubky vysoko nizko vrsek nastred spodek radek nivy visici drzet rovnice matematika normalni
 autosirka = ano ne sila
 radky = NUMMER
 vrsek = BEFEHL
 spodek = BEFEHL
 prazdny = ano ne
 profile = NAME
 prazdne = ano ne
 loffset = DIMENSION
 roffset = DIMENSION
 toffset = DIMENSION
 boffset = DIMENSION
 orientation = NUMMER

\nastavorez [.,.,.*.,.,.]

* status = start stop
sirka = DIMENSION
vyska = DIMENSION
hoffset = DIMENSION
voffset = DIMENSION
x = NUMMER
y = NUMMER
nx = NUMMER
ny = NUMMER
sx = NUMMER
sy = NUMMER
levyoffset = DIMENSION
pravyoffset = DIMENSION
offsetvrsku = DIMENSION
offsetspodku = DIMENSION
mp = NAME
n = NUMMER
offset = DIMENSION

\nastavotoceni [.,.,.*.,.,.]

* misto = prizpusobive široky podlehloubky vysoko nastred implicitni normalni
rotace = vlevo vpravo uvnitr vnejsi NUMMER
inherits: \nastavoramovani

\nastavpaletu [.*.]

* NAME

\nastavplvouciobjekt [.,.,.¹,.,.] [.,.,.²,.,.,.] OPT

1 SINGULAR

2 odsadpristi = ano ne auto
implicitni = inherits: \placefloat
fallback = inherits: \placefloat
vnitri = BEFEHL
kriterium = DIMENSION
metoda = NUMMER
sidemethod = NUMMER
textmethod = NUMMER
sidealign = vyska podlehloubky radek pulradku mrizka normalni
mrizka = CD:STRING
lokalne = ano ne
prikaz = \...#1
availablewidth = DIMENSION
availableheight = DIMENSION
minsirka = DIMENSION
maxsirka = DIMENSION
misto = vlevo vpravo nastred flushleft flushright center max uvnitr vnejsi innermargin outermargin
inneredge outeredge zpetnamezera cutspace lev yokraj prav yokraj levahrana pravahrana
vzdalenostlevehookraje = DIMENSION
vzdalenostpravehookraje = DIMENSION
lev yokraj = DIMENSION
prav yokraj = DIMENSION
innermargin = DIMENSION
outermargin = DIMENSION
bottombefore = BEFEHL
bottomafter = BEFEHL
mezerapred = zadny inherits: \preskoc
mezeraza = zadny inherits: \preskoc
sirka = DIMENSION
vyska = DIMENSION
offset = DIMENSION zadny prekryv
bocnimezerapred = zadny inherits: \preskoc
bocnimezeraza = zadny inherits: \preskoc
marginalie = DIMENSION
nvrsek = DIMENSION
nspodek = DIMENSION
krok = male stredni velke radek podlehloubky
nradky = NUMMER
cache = ano ne

`\nastavpodcislostrany [...,.*,...]`

* inherits: \setupcounter

`\nastavpole [...1] [...,2...] [...,3...] [...,4...] [...,5...]`
OPT OPT OPT OPT

- 1 NAME
- 2 reset popisek ramecek horizontalne vertikalne
- 3 inherits: \setupfieldtotalframed
- 4 inherits: \setupfieldlabelframed
- 5 inherits: \setupfieldcontentframed

`\nastavpolozky [...,1...] [...,2...]`
OPT

- 1 NAME
- 2 alternativa = vlevo vpravo vrsek spodek naokraji
sirkatextu = DIMENSION
sirka = DIMENSION
vzdalenost = DIMENSION
symbol = zadny NAME
zarovnani = vlevo nastred vpravo flushleft flushright uvnitr vnejsi marginalie
textalign = vlevo nastred vpravo flushleft flushright uvnitr vnejsi
n = NUMMER
pred = BEFEHL
po = BEFEHL
mezi = BEFEHL

`\nastavpopisek [...,1...] [...,2...]`
OPT

- 1 NAME
- 2 inherits: \setupfloatcaption

`\umistifigure [...,1...] [...,2...] {...3} {...4}`
OPT OPT

- 1 split vzdy vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraji levyokraj pravyyokraj levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek pulradku mrizka vysoko nizko prizpusobive 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka zahlavi upati nekde effective
- 2 REFERENCE
- 3 TEXT
- 4 CONTENT

`\umistigraphic [...,1...] [...,2...] {...3} {...4}`
OPT OPT

- 1 split vzdy vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraji levyokraj pravyyokraj levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek pulradku mrizka vysoko nizko prizpusobive 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka zahlavi upati nekde effective
- 2 REFERENCE
- 3 TEXT
- 4 CONTENT

`\umistichemical [...,1...] [...,2...] {...3} {...4}`
OPT OPT

- 1 split vzdy vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraji levyokraj pravyyokraj levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek pulradku mrizka vysoko nizko prizpusobive 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka zahlavi upati nekde effective
- 2 REFERENCE
- 3 TEXT
- 4 CONTENT

\nastavradky [...¹,...] [...²,...]]
OPT

1 NAME
2 volba = zhustene
pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
odsazovani = inherits: \nastavodsazovani
zarovnani = inherits: \nastavzarovnani
mezera = ano zap vyp fixne implicitni
prikaz = BEFEHL
pismeno = STYLE BEFEHL
barva = COLOR
vlevo = BEFEHL
vpravo = BEFEHL

\nastavrejstrik [...¹,...] [...²,...]]
OPT

1 NAME NAME:NUMBER
2 referencemethod = vpred
expanzen = ano ne xml
vlastnicislo = ano ne
xmlsetup = NAME
alternativa = a b A B
metoda = implicitni pred po prvni posledni ch mm zm pm mc zc pc uc
compress = ano ne vse
kriterium = lokalne text aktualni predchozi vse ABSCHNITT
pageprefixseparatorset = BEFEHL
pageprefixconversionset = NAME
pageprefixstarter = BEFEHL PROCESSOR->BEFEHL
pageprefixstopper = BEFEHL PROCESSOR->BEFEHL
pageprefixset = NAME
pageprefixsegments = NUMMER NUMMER:NUMBER NUMMER:* NUMMER:vse ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
ABSCHNITT:vse
pageprefixconnector = BEFEHL
pageprefix = ano ne
pageseparatorset = NAME
pageconversionset = NAME
pagestarter = BEFEHL PROCESSOR->BEFEHL
pagestopper = BEFEHL PROCESSOR->BEFEHL
pagesegments = NUMMER NUMMER:NUMBER NUMMER:* NUMMER:vse
maxsirka = DIMENSION
indikator = ano ne
pred = BEFEHL
po = BEFEHL
prikaz = \...##1
textovyprikaz = \...##1
deeptextcommand = \...##1
strankovyprikaz = \...##1
vzdalenost = DIMENSION
interakce = text cislostranky
cislostranky = ano ne
symbol = a n zadny 1 2 BEFEHL
language = implicitni DIN_5007-1 DIN_5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scن SPRACHE
pismeno = STYLE BEFEHL
barva = COLOR
styltextu = STYLE BEFEHL
barvatextu = COLOR
stylstranky = STYLE BEFEHL
barvastranky = COLOR
n = NUMMER
rovnovaha = ano ne
zarovnani = inherits: \nastavzarovnani
numberorder = cisla

\nastavrejstrik [...,¹...] [...,²...] [...,³...,...]
OPT OPT

1 NAME
2 NUMMER
3 referencemethod = vpred
expanzen = ano ne xml
vlastnicislo = ano ne
xmlsetup = NAME
alternativa = a b A B
metoda = implicitni pred po prvni posledni ch mm zm pm mc zc pc uc
compress = ano ne vse
kriterium = lokalne text aktualni predchozi vse ABSCHNITT
pageprefixseparatorset = BEFEHL
pageprefixconversionset = NAME
pageprefixstarter = BEFEHL PROCESSOR->BEFEHL
pageprefixstopper = BEFEHL PROCESSOR->BEFEHL
pageprefixset = NAME
pageprefixsegments = NUMBER NUMBER:NUMBER NUMBER:* NUMBER:vse ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
ABSCHNITT:vse
pageprefixconnector = BEFEHL
pageprefix = ano ne
pageseparatorset = NAME
pageconversionset = NAME
pagestarter = BEFEHL PROCESSOR->BEFEHL
pagestopper = BEFEHL PROCESSOR->BEFEHL
pagesegments = NUMBER NUMBER:NUMBER NUMBER:* NUMBER:vse
maxsirka = DIMENSION
indikator = ano ne
pred = BEFEHL
po = BEFEHL
prikaz = \...\##1
textovyprikaz = \...\##1
deeptextcommand = \...\##1
strankovyprikaz = \...\##1
vzdalenost = DIMENSION
interakce = text cislostranky
cislostranky = ano ne
symbol = a n zadny 1 2 BEFEHL
language = implicitni DIN_5007-1 DIN_5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scن SPRACHE
pismeno = STYLE BEFEHL
barva = COLOR
styltextu = STYLE BEFEHL
barvatextu = COLOR
stylstranky = STYLE BEFEHL
barvastranky = COLOR
n = NUMBER
rovnovaha = ano ne
zarovnani = inherits: \nastavzarovnani
numberorder = cisla

\nastaveniREGISTER [...,¹...] [...,²...,...]
OPT

1 NUMMER
2 inherits: \nastavrejstrik

instances:

\nastavsadusymbolu [...*...]

* NAME

\nastavseznam [...,¹...] [...,²...,...]
OPT

1 LISTE

2 status = start stop
misto = zadny zde
typ = simple prikaz userdata
kriterium = lokalne uvod odkaz SECTIONBLOCK:odkaz vse SECTIONBLOCK:vse text SECTIONBLOCK:text
aktualni SECTIONBLOCK:aktualni zde predchozi SECTIONBLOCK:predchozi komponenta ABSCHNITT
SECTIONBLOCK:ABSCHNITT

seznam = NAME
sirka = prizpusobive siroky auto DIMENSION
vyska = prizpusobive siroky DIMENSION
hloubka = prizpusobive siroky DIMENSION
symbol = jedna dve tri zadny implicitni
popisek = ano ne zadny NAME
starter = BEFEHL
predel = BEFEHL
prikaz = \...#1#2#3
ciselnyprikaz = \...#1
textovyprikaz = \...#1
strankovyprikaz = \...#1
cislostranky = ano ne vzdy
cislonadpisu = ano ne vzdy
pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
marginalie = zadny DIMENSION
vzdalenost = zadny DIMENSION
zarovnejtitul = ano ne
numberalign = vlevo vpravo nastred flushleft flushright uvnitr vnejsi
zarovnani = inherits: \nastavzarovnani
zaveseni = ano ne
vlevo = BEFEHL
vpravo = BEFEHL
interakce = ano ne vse cislo text titul stranka cislooddilu cislostranky
limittext = ano ne TEXT
pismeno = STYLE BEFEHL
barva = COLOR
stylcisla = STYLE BEFEHL
barvacisla = COLOR
styltextu = STYLE BEFEHL
barvatextu = COLOR
stylstranky = STYLE BEFEHL
barvastranky = COLOR
odkaz = NUMMER
extras = NAME
order = prikaz vse titul
alternativa = a b c d e f g vlevo vpravo vrsek spodek prikaz zadny interactive odstavec horizontalne
vertikalne NAME

maxsirka = DIMENSION
pageprefix = ano ne
pageprefixseparatorset = NAME
pageprefixconversionset = NAME
pageprefixset = NAME
pageprefixsegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:vse ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:*
ABSCHNITT:vse
pageprefixconnector = BEFEHL PROCESSOR->BEFEHL
pageconversionset = NAME
pagestarter = BEFEHL PROCESSOR->BEFEHL
pagestopper = BEFEHL PROCESSOR->BEFEHL
inherits: \setupcounterinherits: \nastavoramovani

\nastavsirkucary [...]

* male stredni velke DIMENSION

`\nastavsloupc` [\dots^*]

* n = NUMMER
vzdalenost = DIMENSION
volba = pozadi
offset = DIMENSION
prikaz = \dots##1
vyska = DIMENSION
smer = vlevo vpravo
rovnovaha = ano ne
zarovnani = setupalign
tolerance = setuptolerance
prazdny = inherits: \preskoc
nvrsek = NUMMER
linka = zap vyp BEFEHL

`\nastavspodek` [\dots^1] [\dots^2]

1 text marginalie hrana
2 inherits: \setuplayoutelement

`\nastavsynonyma` [\dots^1] [\dots^2]

1 SINGULAR
2 expanzen = ano ne xml
alternativa = prvni posledni normalni NAME
dalsi = BEFEHL
prikaz = \dots##1##2##3
textovyprikaz = \dots##1
synonymcommand = \dots##1
language = implicitni DIN₅₀₀₇₋₁ DIN₅₀₀₇₋₂ Duden de-DE de-CH de-AT ru-iso9 ocs-sc_n SPRACHE
metoda = implicitni pred po prvni posledni ch mm zm pm mc zc pc uc
kriterium = aktualni predchozi lokalne text vse ABSCHNITT
pismo = STYLE BEFEHL
barva = COLOR
styltextu = STYLE BEFEHL
barvatextu = COLOR
stlysynonyma = STYLE BEFEHL
barvasynonyma = COLOR

`\nastavtabelaci` [\dots^1] [\dots^2] [\dots^3]

1 NAME
2 NAME
3 inherits: \setuptabulation

`\nastavtabulky` [\dots^*]

* text = DIMENSION max
split = ano ne opakovat auto
ramecek = zap vyp
NL = inherits: \preskoc
VL = male stredni velke zadny NUMMER
HL = male stredni velke zadny NUMMER
vzdalenost = male stredni velke zadny
zarovnani = vlevo nastred vpravo
prikazy = BEFEHL
zakladnifont = inherits: \nastavzakladnifont
tloustkalinky = DIMENSION
vyska = strut NUMMER
hloubka = strut NUMMER
openup = DIMENSION

`\nastavtenkelinky [...,.*...,...]`

* vyska = max DIMENSION
hloubka = max DIMENSION
pozadi = barevne
ramecek = zap vyp
tloustkalinky = DIMENSION
alternativa = a b c zadny
barvapoziadi = COLOR
barva = COLOR
meziradkovamezera = male stredni velke NUMMER
pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
n = NUMMER

`\nastavtext [...]1 [...,.*...,...]2`
OPT

1 text marginalie hrana
2 inherits: \setuplayoulement

`\nastavtextovelinky [...,.*...,...]`

* pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
tloustkalinky = DIMENSION
misto = vlevo naokraji
pismeno = STYLE BEFEHL
barva = COLOR
barvalinky = COLOR
sirka = DIMENSION
vyska = DIMENSION
vzdalenost = DIMENSION
korekcehloubky = zap vyp
zakladnifont = inherits: \nastavzakladnifont

`\nastaveniLABELtext [...]1 [...,.*...,...]2`
OPT

1 SPRACHE
2 KEY = VALUE

instances:

`\nastavtexttxty [...]1 [...]2 [...]3 [...]4 [...]5`
OPT OPT OPT OPT OPT

1 text marginalie hrana
2 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
3 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
4 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
5 datum cislostranky BESCHRIFTUNG TEXT BEFEHL

`\nastavtextyupati [...]1 [...]2 [...]3 [...]4 [...]5`
OPT OPT OPT OPT OPT

1 text marginalie hrana
2 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
3 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
4 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
5 datum cislostranky BESCHRIFTUNG TEXT BEFEHL

`\nastavtextyzahlavi` [¹...] [²...] [³...] [⁴...] [⁵...]
OPT OPT OPT OPT OPT

- 1 text marginalie hrana
- 2 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
- 3 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
- 4 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
- 5 datum cislostranky BESCHRIFTUNG TEXT BEFEHL

`\nastavtoleranci` [...,*...]

- * horizontalne vertikalne velmistriktni striktni tolerantni velmitolerantni mezera natahnout

`\nastavtrideni` [¹...,...] [²...,...]
OPT

- 1 SINGULAR
- 2

expanzen	=	ano ne xml
alternativa	=	prvni posledni normalni NAME
dalsi	=	BEFEHL
prikaz	=	\...##1##2##3
textovyprikaz	=	\...##1
synonymcommand	=	\...##1
language	=	implicitni DIN_5007-1 DIN_5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scn SPRACHE
metoda	=	implicitni pred po prvni posledni ch mm zm pm mc zc pc uc
kriterium	=	aktualni predchozi lokalne text vse ABSCHNITT
pismeno	=	STYLE BEFEHL
barva	=	COLOR
styltextu	=	STYLE BEFEHL
barvatextu	=	COLOR
stylsynonyma	=	STYLE BEFEHL
barvasynonyma	=	COLOR

`\nastavtype` [¹...,...] [²...,...]
OPT

- 1 NAME
- 2

volba	=	mp lua xml parsed-xml nested tex context zadny NAME
prikaz	=	CSNAME
vlevo	=	BEFEHL
vpravo	=	BEFEHL
tab	=	ano ne NUMMER
compact	=	absolutni posledni vse
escape	=	ano ne TEXT PROCESSOR->TEXT
pismeno	=	STYLE BEFEHL
barva	=	COLOR
radky	=	ano ne normalni hyphenated
mezera	=	zap vyp normalni fixne natahnout

`\nastavumisteniprotejsku` [...,*...]

- * status = start stop
- pred = BEFEHL
- po = BEFEHL
- mezi = BEFEHL

`\nastavumistovani` [¹...,...] [²...,...]
OPT

- 1 NAME
- 2

offset	=	ano ne
jednotka	=	ex em pt in cm mm sp bp pc dd cc nc
status	=	start prekryv
xoffset	=	DIMENSION
yoffset	=	DIMENSION
xkrok	=	absolutni relativni
ykrok	=	absolutni relativni
xmeritko	=	NUMMER
ymeritko	=	NUMMER
xfaktor	=	NUMMER
yfaktor	=	NUMMER
faktor	=	NUMMER
meritko	=	NUMMER

`\nastavupati [...]1 [..., ...2..., ...]`

OPT

- 1 text marginalie hrana
- 2 inherits: \setuplayoutelement

`\nastavupravu [...]1, [...]2 [..., ...2..., ...]`

OPT

- 1 NAME
- 2 stranka = inherits: \strana
prikaz = BEFEHL
sirka = DIMENSION
vyska = DIMENSION
zarovnani = inherits: \nastavzarovnani
setups = NAME
vrsek = BEFEHL
spodek = BEFEHL
pred = BEFEHL
po = BEFEHL
misto = vrsek
odkaz = REFERENCE
pagestate = start stop
statuszhlavi = start stop vysoko prazdne zadny normalni
statusupati = start stop vysoko prazdne zadny normalni
statusvrsku = start stop vysoko prazdne zadny normalni
statusspodku = start stop vysoko prazdne zadny normalni
statustextu = start stop vysoko prazdne zadny normalni
oboustranne = ano ne prazdne
pismeno = inherits: \value-style
barva = COLOR

`\nastavurl [..., ...*..., ...]`

- * pismeno = STYLE BEFEHL
- barva = COLOR

`\nastavusporadani [..., ...]`

- * zablokovat zrcadleno dvoustranny negativ 90 180 270 reset pozadi normalni 2*16 2*8 2*4 2*2 2**2 2SIDE 2TOP 2UP 2DOWN 2*4*2 2*2*4 2TOPSIDE 2*8*Z 2*6*Z 1*8 1*4 3SIDE TRYPTICHON ZFLYER-8 ZFLYER-10 ZFLYER-12 MAPFLYER-12 DOUBLEWINDOW 1*2-Conference 1*4-Conference 2*2*2 2*2*3 XY NAME

`\nastavvelikostpapiru [...]1 [..., ...2..., ...]`

OPT

- 1 NAME
- 2 vrsek = BEFEHL
spodek = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
metoda = normalni zadny NAME
meritko = NUMMER
nx = NUMMER
ny = NUMMER
dx = DIMENSION
dy = DIMENSION
sirka = DIMENSION
vyska = DIMENSION
svrchnimezera = DIMENSION
zpetnamezera = DIMENSION
offset = DIMENSION
stranka = reset nasirku zrcadleno negativ otoceno 90 180 270 NAME
papir = reset nasirku zrcadleno negativ otoceno 90 180 270 NAME
volba = prizpusobive max
vzdalenost = DIMENSION

`\nastavvelikostpapiru [...]1, [...]2 [..., ...]`

OPT

OPT

- 1 reset nasirku zrcadleno negativ otoceno 90 180 270 NAME
- 2 reset nasirku zrcadleno negativ otoceno 90 180 270 NAME

```

\nastavvsechnapole [...,1...] [...,2...] [...,3...] [...,4...]
                        OPT      OPT      OPT
1  reset popisek ramecek horizontalne vertikalne
2  inherits: \setupfieldtotalframed
3  inherits: \setupfieldlabelframed
4  inherits: \setupfieldcontentframed

```

```

\nastavvycty [...,1...] [...,2...]
                        OPT
1  NAME NAME:NUMBER
2  inherits: \setupitemgroup

```

```

\nastaveniitemize [...,1...] [...,2...] [...,3...]
                        OPT      OPT      OPT
1  kazdy NUMBER
2  inherits: \setupitemgroup
3  inherits: \setupitemgroup

```

```

\nastavvyplnovelinky [...,*...]
*  pred          = BEFEHL
   po            = BEFEHL
   n             = NUMBER
   meziradkovamezera = male stredni velke NUMBER
   vzdalenost    = DIMENSION
   sirka         = prizpusobive siroky DIMENSION
   oddelovac     = BEFEHL
   pismeno       = STYLE BEFEHL
   barva         = COLOR

```

```

\nastavvyplnoveradky [...,*...]
*  pred          = BEFEHL
   po            = BEFEHL
   marginalie    = DIMENSION
   sirka         = DIMENSION
   vzdalenost    = DIMENSION
   tloustkalinky = DIMENSION
   barva         = COLOR

```

`\nastavvzhled [.1.] [.,.,.2.,.]`
OPT

1 NAME

2 status = start stop normalni opakovat
marginalie = DIMENSION
hrana = DIMENSION
vzdalenostokraje = DIMENSION
vzdalenosthrany = DIMENSION
vzdalenostlevehrary = DIMENSION
vzdalenostpravehrany = DIMENSION
vzdalenostlevehookraje = DIMENSION
vzdalenostpravehookraje = DIMENSION
vzdalenostvrsku = DIMENSION
vzdalenostzahlavi = DIMENSION
vzdalenostupati = DIMENSION
vzdalenostspodku = DIMENSION
prednastaveni = NAME
levyokraj = DIMENSION
pravyokraj = DIMENSION
levahrana = DIMENSION
pravahrana = DIMENSION
zahlavi = DIMENSION
upati = DIMENSION
vrsek = DIMENSION
spodek = DIMENSION
zpetnamezera = DIMENSION
svrchnamezera = DIMENSION
setups = NAME
cutspace = DIMENSION
sirka = DIMENSION nastred prizpusobive
bottomspace = DIMENSION
radky = NUMBER
vyska = DIMENSION nastred prizpusobive
horoffset = DIMENSION
offsethlavicky = DIMENSION
sloupce = NUMBER
vzdalenostsloupcu = DIMENSION
metoda = implicitni normalni NAME
misto = vlevo nastred vpravo vrsek spodek jednostranne dvoustranny
sirkatextu = DIMENSION
vyskatextu = DIMENSION
nx = NUMBER
ny = NUMBER
dx = DIMENSION
dy = DIMENSION
meritko = NUMBER
sx = NUMBER
sy = NUMBER
znaceni = zap vyp stranka prazdne barevne jedna dve ctyri
mrizka = ano ne vyp
textdistance = DIMENSION
alternativa = implicitni normalni zlom NAME
clipoffset = DIMENSION
cropoffset = DIMENSION
trimoffset = DIMENSION
bleedoffset = DIMENSION
artoffset = DIMENSION

`\nastavvzhled [.*.]`

* reset NAME

`\nastavzahlavi [.1.] [.,.,.2.,.]`
OPT

1 text marginalie hrana
2 inherits: \setuplayoutelement

`\nastavzakladnifont [.,.,.*.,.]`
OPT

* DIMENSION NAME globalne reset x xx male velke script scriptscript rm ss tt hw cg antikva serif pravidelne sans bezserifu podpora opis strojopis mono rukopisne kaligraficke

`\nastavzarovnani [...*...]`

* široky siroce spodek vyska radek vysoko nizko nivy flushright flushleft nastred ano ne sirka normalni reset uvnitr vnejsi flushinner flushouter vlevo vpravo center zablokovat posledni end odstavec lefttoright righttoleft l2r r2l tabulka lesshyphenation morehyphenation visici nothanging hz fullhz nohz hyphenated nothyphenated tolerantni velmitolerantni natahnout extremestretch finalni 2*final 3*final 4*final

`\nastavznaceni [...1...] [...2...]`
OPT

1 BESCHRIFTUNG
2 status = start stop
expanden = ano ne
oddelovac = BEFEHL
filtercommand = \...##1

`\nastavzuzeni [...1...] [...2...]`
OPT

1 NAME
2 vlevo = DIMENSION
stredni = DIMENSION
vpravo = DIMENSION
implicitni = [-+]vlevo [-+]nastred [-+]vpravo NUMMER*vlevo NUMMER*nastred NUMMER*vpravo reset
pred = BEFEHL
po = BEFEHL

`\nastrane [...]`

* REFERENCE

`\nastred ...`

* CHARACTER

`\naturalhbox ... {...}`
OPT

1 TEXT
2 CONTENT

`\naturalhpack ... {...}`
OPT

1 TEXT
2 CONTENT

`\naturalvbox ... {...}`
OPT

1 TEXT
2 CONTENT

`\naturalvcenter ... {...}`
OPT

1 TEXT
2 CONTENT

`\naturalvpack ... {...}`
OPT

1 TEXT
2 CONTENT

`\naturalvtop ... {...}`
OPT

1 TEXT
2 CONTENT

<p><code>\naturalwd ...</code></p> <p>* CSNAME NUMBER</p>
<p><code>\negatecolorbox ...</code></p> <p>* CSNAME NUMBER</p>
<p><code>\negated {...}</code></p> <p>* TEXT</p>
<p><code>\negthinspace</code></p>
<p><code>\nejakyradek [...]</code></p> <p>* REFERENCE</p>
<p><code>\nekde {...} {...} [...]</code></p> <p>1 TEXT</p> <p>2 TEXT</p> <p>3 REFERENCE</p>
<p><code>\newattribute *...</code></p> <p>* CSNAME</p>
<p><code>\newcatcodetable *...</code></p> <p>* CSNAME</p>
<p><code>\newcounter *...</code></p> <p>* CSNAME</p>
<p><code>\newevery \¹... \²...</code></p> <p>1 CSNAME</p> <p>2 CSNAME</p>
<p><code>\newfrenchspacing</code></p>
<p><code>\newmode {...}</code></p> <p>* NAME</p>
<p><code>\newsignal *...</code></p> <p>* CSNAME</p>
<p><code>\newsystemmode {...}</code></p> <p>* NAME</p>
<p><code>\nextbox</code></p>
<p><code>\nextboxdp</code></p>
<p><code>\nextboxht</code></p>

<p><code>\nocitation [...]</code></p> <p>* REFERENCE</p>
<p><code>\nocitation {...}</code></p> <p>* REFERENCE</p>
<p><code>\nocite [...]</code></p> <p>* REFERENCE</p>
<p><code>\nocite {...}</code></p> <p>* REFERENCE</p>
<p><code>\nodetostring \¹... {²...}</code></p> <p>1 CSNAME</p> <p>2 CONTENT</p>
<p><code>\nofigurepages</code></p>
<p><code>\noflines</code></p>
<p><code>\noflocalfloats</code></p>
<p><code>\noindentation</code></p>
<p><code>\noitem</code></p>
<p><code>\nokap {...}</code></p> <p>* TEXT</p>
<p><code>\nonfrenchspacing</code></p>
<p><code>\nonmathematics {...}</code></p> <p>* CONTENT</p>
<p><code>\normalboldface</code></p>
<p><code>\normalframedwithsettings [...,¹...,...] {²...}</code></p> <p>1 inherits: \nastavoramovani</p> <p>2 CONTENT</p>
<p><code>\normalizebodyfontsize \¹... {²...}</code></p> <p>1 CSNAME</p> <p>2 DIMENSION</p>
<p><code>\normalizedfontsize</code></p>

`\normalizefontdepth \1. {2.} {3.} {4.}`

- 1 CSNAME
- 2 TEXT
- 3 DIMENSION
- 4 FONT

`\normalizefontheight \1. {2.} {3.} {4.}`

- 1 CSNAME
- 2 TEXT
- 3 DIMENSION
- 4 FONT

`\normalizefontline \1. {2.} {3.} {4.}`

- 1 CSNAME
- 2 TEXT
- 3 DIMENSION
- 4 FONT

`\normalizefontwidth \1. {2.} {3.} {4.}`

- 1 CSNAME
- 2 TEXT
- 3 DIMENSION
- 4 FONT

`\normalizetextdepth {1.} {2.} {3.}`

- 1 FONT
- 2 DIMENSION
- 3 TEXT

`\normalizetextheight {1.} {2.} {3.}`

- 1 FONT
- 2 DIMENSION
- 3 TEXT

`\normalizetextline {1.} {2.} {3.}`

- 1 FONT
- 2 DIMENSION
- 3 TEXT

`\normalizetextwidth {1.} {2.} {3.}`

- 1 FONT
- 2 DIMENSION
- 3 TEXT

`\normalni`

`\normaltypeface`

<p><code>\notesymbol [...]¹ [...]²</code> <small>OPT</small></p> <p>1 NAME 2 REFERENCE</p>
<p><code>\notragged</code></p>
<p><code>\ntimes {...}¹ {...}²</code></p> <p>1 TEXT 2 NUMBER</p>
<p><code>\numberofpoints {...}</code></p> <p>* DIMENSION</p>
<p><code>\obeydepth</code></p>
<p><code>\objectdepth</code></p>
<p><code>\objectheight</code></p>
<p><code>\objectmargin</code></p>
<p><code>\objectwidth</code></p>
<p><code>\obox {...}</code></p> <p>* CONTENT</p>
<p><code>\obrazovka [...][*] [...]</code> <small>OPT</small></p> <p>* inherits: \strana</p>
<p><code>\odkaz [...]¹, [...]² {...}</code></p> <p>1 REFERENCE 2 TEXT</p>
<p><code>\odkaznastranu [...][*], [...]</code></p> <p>* REFERENCE</p>
<p><code>\odkaznatext [...]¹, [...]² {...}</code></p> <p>1 REFERENCE 2 TEXT</p>
<p><code>\odkazujici (...)¹, (...)², (...)³</code></p> <p>1 POSITION 2 POSITION 3 REFERENCE</p>
<p><code>\offset [...]¹, [...]², [...]³ {...}</code> <small>OPT</small></p> <p>1 inherits: \setupoffset 2 CONTENT</p>

`\offsetbox [.,.,.1.,.,.] \2. {3.}`

OPT

- 1 inherits: \setupoffsetbox
- 2 CSNAME
- 3 CONTENT

`\onedigitrounding {1.}`

- * NUMMER

`\opis [.,.,.1.,.,.] {2.}`

OPT

- 1 inherits: \nastavtype
- 2 CONTENT

`\opissoubor [1.] [.,.,.2.,.,.] {3.}`

OPT

OPT

- 1 NAME
- 2 inherits: \nastavopis
- 3 FILE

`\opis [.,.,.1.,.,.] <<2.>>`

OPT

- 1 inherits: \nastavtype
- 2 ANGLES

`\OPIS [.,.,.1.,.,.] {2.}`

OPT

- 1 inherits: \nastavtype
- 2 CONTENT

`\OPIS [.,.,.1.,.,.] <<2.>>`

OPT

- 1 inherits: \nastavtype
- 2 ANGLES

`\oramovani [.,.,.1.,.,.] {2.}`

OPT

- 1 inherits: \nastavoramovani
- 2 CONTENT

`\FRAMED [.,.,.1.,.,.] {2.}`

OPT

- 1 inherits: \nastavoramovani
- 2 CONTENT

instances: unframed fitfieldframed

`\oramovanytext [.,.,.1.,.,.] {2.}`

OPT

- 1 inherits: \setupframedtext
- 2 CONTENT

`\ORAMOVANYTEXT [.,.,.1.,.,.] {2.}`

OPT

- 1 inherits: \setupframedtext
- 2 CONTENT

instances: oramovanytext

`\ordinaldaynumber {...}`

* NUMMER

`\ordinalstr {...}`

* TEXT

`\oref [...]`

* REFERENCE

`\orez [...1...2...] {...}`
OPT

1 inherits: \nastavorez
2 CONTENT

`\ornamenttext [...1...2...] [...3...4...] {...} {...}`
OPT

1 alternativa = a b
inherits: \setupcollector
2 pismeno = STYLE BEFEHL
barva = COLOR
inherits: \nastavoramovani
3 TEXT
4 CONTENT

`\ornamenttext [...1] {...} {...}`

1 NAME
2 TEXT
3 CONTENT

`\ornamenttext [...1...2...] [...3...4...] {...} {...}`
OPT

1 alternativa = a b
inherits: \setuplayer
2 inherits: \setuplayeredtext
3 TEXT
4 CONTENT

`\ORNAMENT {...} {...}`

1 TEXT
2 CONTENT

`\otocit [...1...2...] {...}`
OPT

1 inherits: \nastavotoceni
2 CONTENT

`\outputfilename`

`\outputstreambox [...]`

* NAME

`\outputstreamcopy [...]`

* NAME

`\outputstreamunvbox [...]`

* NAME

`\outputstreamunvcopy [...]`

* NAME

`\over [...]`

* REFERENCE

`\overbartext {...} {...}`

1 TEXT

2 TEXT

`\overbarunderbar {...}`

* TEXT

`\overbrace {...}`

* TEXT

`\overbracetext {...} {...}`

1 TEXT

2 TEXT

`\overbraceunderbrace {...}`

* TEXT

`\overbracket {...}`

* TEXT

`\overbrackettext {...} {...}`

1 TEXT

2 TEXT

`\overbracketunderbracket {...}`

* TEXT

`\overlaybutton [...]`

* REFERENCE

`\overlaybutton {...}`

* REFERENCE

`\overlaycolor`

`\overlaydepth`

`\overlayfigure {...}`

* FILE

<code>\overlayheight</code>
<code>\overlaylinecolor</code>
<code>\overlaylinewidth</code>
<code>\overlayoffset</code>
<code>\overlayrollbutton [...] [...]</code> 1 REFERENCE 2 REFERENCE
<code>\overlaywidth</code>
<code>\overleftarrow {...}</code> * TEXT
<code>\overleftharpoondown {...}</code> * TEXT
<code>\overleftharpoonup {...}</code> * TEXT
<code>\overleftrightarrow {...}</code> * TEXT
<code>\overloaderror</code>
<code>\overparent {...}</code> * TEXT
<code>\overparenttext {...} {...}</code> 1 TEXT 2 TEXT
<code>\overparentunderparent {...}</code> * TEXT
<code>\overrightarrow {...}</code> * TEXT
<code>\overrightharpoondown {...}</code> * TEXT
<code>\overrightharpoonup {...}</code> * TEXT

`\overset {1.} {2.}`

- 1 TEXT
- 2 TEXT

`\overtwoheadleftarrow {...}`

- * TEXT

`\overtwoheadrightarrow {...}`

- * TEXT

`\oznaceni (...1,...) (...2,...) [...3...4]OPT {...}`

- 1 POSITION
- 2 POSITION
- 3 inherits: \nastavoramovani
- 4 TEXT

`\PDFcolor {...}`

- * NAME

`\PDFETEX`

`\PDFTEX`

`\PICTEX`

`\PiCTeX`

`\PointsToBigPoints {...} \2..`

- 1 DIMENSION
- 2 CSNAME

`\PointsToReal {...} \2..`

- 1 DIMENSION
- 2 CSNAME

`\PointsToWholeBigPoints {...} \2..`

- 1 DIMENSION
- 2 CSNAME

`\PPCHTEX`

`\PPCHTeX`

`\PRAGMA`

`\PtToCm {...}`

- * DIMENSION

`\pagearea` [¹...] [²...] [³...]
 OPT OPT

- 1 vrsek zahlavi text upati spodek
- 2 text marginalie hrana
- 3 vlevo vpravo lefttext middletext righttext

`\pagebreak` [...,*...]
 OPT

- * prazdne zahlavi upati dummy ramecek NUMBER +NUMBER implicitni reset zablokovat ano ne zlom prazdny nastaveni vysokapriorita vlevo vpravo sude liche ctyrnasobny posledni poslednistrana start stop NAME

`\pagefigure` [¹...] [...,²...,...]
 OPT

- 1 FILE
- 2 inherits: \setupexternalfigure

`\pagegridspanwidth` {...}

- * NUMBER

`\pageinjection` [¹...] [...,²...,...]
 OPT OPT

- 1 NAME
- 2 KEY = VALUE

`\pageinjection` [...,¹...,...] [...,²...,...]
 OPT OPT

- 1 inherits: \setuppageinjection
- 2 KEY = VALUE

`\pagestaterealpage` {...} {...}

- 1 NAME
- 2 NAME NUMBER

`\paletsize`

`\PARAGRAPHS`

`\pdfactualtext` {...} {...}

- 1 CONTENT
- 2 TEXT

`\pdfbackendactualtext` {...} {...}

- 1 CONTENT
- 2 TEXT

`\pdfbackendcurrentresources`

`\pdfbackendsetcatalog` {...} {...}

- 1 NAME
- 2 TEXT

`\pdfbackendsetcolorspace {1.} {2.}`

- 1 NAME
- 2 TEXT

`\pdfbackendsettextgstate {1.} {2.}`

- 1 NAME
- 2 TEXT

`\pdfbackendsetinfo {1.} {2.}`

- 1 NAME
- 2 TEXT

`\pdfbackendsetname {1.} {2.}`

- 1 NAME
- 2 TEXT

`\pdfbackendsetpageattribute {1.} {2.}`

- 1 NAME
- 2 TEXT

`\pdfbackendsetpageresource {1.} {2.}`

- 1 NAME
- 2 TEXT

`\pdfbackendsetpagesattribute {1.} {2.}`

- 1 NAME
- 2 TEXT

`\pdfbackendsetpattern {1.} {2.}`

- 1 NAME
- 2 TEXT

`\pdfbackendsetshade {1.} {2.}`

- 1 NAME
- 2 TEXT

`\pdfcolor {*.}`

- * NAME

`\pdfTeX`

`\pdfTeX`

`\percent`

`\percentdimen {1.} {2.}`

- 1 DIMENSION CSNAME
- 2 DIMENSION NUMBER

<code>\permitcaretescape</code>
<code>\permitcircumflexescape</code>
<code>\permitspacesbetweengroups</code>
<code>\persiandecimals {...}</code> * NUMBER
<code>\persiannumerals {...}</code> * NUMBER
<code>\phantom {...}</code> * CONTENT
<code>\phantombox [...,.*=...,...]</code> * sirka = DIMENSION * vyska = DIMENSION * hloubka = DIMENSION
<code>\pickupgroupedcommand {...} {...} {...}</code> 1 BEFEHL 2 BEFEHL 3 BEFEHL
<code>\pis [...,.*¹...,...]{...}</code> <small>OPT</small> 1 inherits: \nastavtype 2 CONTENT
<code>\pis [...,.*¹...,...]<<.*²>></code> <small>OPT</small> 1 inherits: \nastavtype 2 ANGLES
<code>\placeattachments</code>
<code>\placebtxrendering [...¹...] [...,.*²...,...]</code> <small>OPT</small> <small>OPT</small> 1 NAME 2 inherits: \setupbtxrendering
<code>\placecitation [...]</code> * REFERENCE
<code>\placecomments</code>
<code>\placecurrentformulanumber</code>
<code>\placedbox {...}</code> * CONTENT

`\placefloat` [¹...] [²...,...] [³...,...] {⁴...} {⁵...}

1 SINGULAR

2 split vzdy vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraji levyokraj pravyyokraj levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek pulradku mrizka vysoko nizko prizpusobive 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka zahlavi upati nekde effective

3 REFERENCE

4 TEXT

5 CONTENT

`\placefloatwithsetups` [¹...] [²...,...] [³...,...] {⁴...} {⁵...}

1 NAME

2 split vzdy vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraji levyokraj pravyyokraj levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek pulradku mrizka vysoko nizko prizpusobive 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka zahlavi upati nekde effective

3 REFERENCE

4 TEXT

5 CONTENT

`\umistiFLOAT` [¹...,...] [²...,...] {³...} {⁴...}

1 split vzdy vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraji levyokraj pravyyokraj levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek pulradku mrizka vysoko nizko prizpusobive 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka zahlavi upati nekde effective

2 REFERENCE

3 TEXT

4 CONTENT

instances: chemical figure table intermezzo graphic

`\placeframed` [¹...] [²...,...] {³...}

1 NAME

2 inherits: \nastavoramovani

3 CONTENT

`\placeheadnumber` [...]

* ABSCHNITT

`\placeheadtext` [...]

* ABSCHNITT

`\placehelp`

`\placeinitial` [^{*}...]

* NAME

`\placelayer` [...]

* NAME

`\placelayeredtext` [¹...] [_{OPT}...²...]_{OPT} [_{OPT}...³...]_{OPT} {...⁴} {...⁵}

- 1 NAME
- 2 inherits: \setuplayer
- 3 inherits: \setuplayeredtext
- 4 TEXT
- 5 CONTENT

`\placelistofFLOATS` [_{OPT}...^{*}...]_{OPT}

- * inherits: \nastavseznam

`\placelistofpublications` [¹...] [_{OPT}...²...]_{OPT}

- 1 NAME
- 2 inherits: \setupbtxrendering

`\placelistofsorts` [¹...] [_{OPT}...²...]_{OPT}

- 1 SINGULAR
- 2 inherits: \nastavtrideni

`\placelistofSORTS` [_{OPT}...^{*}...]_{OPT}

- * inherits: \nastavtrideni

instances:

`\placelistofsynonyms` [¹...] [_{OPT}...²...]_{OPT}

- 1 SINGULAR
- 2 inherits: \nastavsynonyma

`\placelistofSYNONYMS` [_{OPT}...^{*}...]_{OPT}

- * inherits: \nastavsynonyma

instances:

`\placelocalnotes` [¹...] [_{OPT}...²...]_{OPT}

- 1 NAME
- 2 inherits: \setupnote

`\placement` [¹...] [_{OPT}...²...]_{OPT} {...³}

- 1 NAME
- 2 inherits: \setupplacement
- 3 CONTENT

`\PLACEMENT` [_{OPT}...¹...]_{OPT} {...²}

- 1 inherits: \setupplacement
- 2 CONTENT

`\placenamefloat` [¹...] [²...]

- 1 NAME
- 2 REFERENCE

`\placenedformula [...1,...] {...2}`
OPT

1 + - REFERENCE

2 TEXT

`\placenotes [...1,...] [...2,...] OPT`

1 NAME

2 inherits: \setupnote

`\placepagenumber`

`\placepairedbox [...1] [...2,...] {...3} {...4}`
OPT

1 NAME

2 inherits: \setuppairedbox

3 CONTENT

4 TEXT

`\umistiPAIREDBOX [...1,...] {...2} {...3}`
OPT

1 inherits: \setuppairedbox

2 CONTENT

3 TEXT

instances:

`\placeparallel [...1] [...2,...] [...3,...] OPT`

1 NAME

2 NAME

3 inherits: \setupparallel

`\placerawlist [...1] [...2,...] OPT`

1 LISTE

2 inherits: \nastavseznam

`\placereadingwindow [...1] [...2] OPT`

1 NAME

2 NAME

`\plnezneni {...}`

* NAME

`\podtrzeni {...}`

* CONTENT

`\podtrzeno {...}`

* CONTENT

`\pole [...1] [...2] OPT`

1 NAME

2 TEXT

`\polozka [...*;...]`
OPT

* REFERENCE

`\polozky [...1;...2;...] {...}`
OPT

1 inherits: \nastavpolozky

2 TEXT

`\popattribute \...`

* CSNAME

`\POPIS [...1;...2] {...3} \par`
OPT OPT

1 REFERENCE

2 TEXT

3 CONTENT

`\popmacro \...`

* CSNAME

`\popmode [...]`

* NAME

`\POPISEK [...1;...2] {...}`
OPT OPT

1 REFERENCE

2 TEXT

`\popsystemmode {...}`

* NAME

`\porovnejpaletu [...]`

* NAME

`\porovnejskupinubarev [...]`

* NAME

`\positionoverlay {...}`

* NAME

`\positionregionoverlay {...1} {...2}`

1 NAME

2 NAME

`\poslaednipodstranka`

`\postponenotes`

`\pozadi {...}`

* CONTENT

`\POZADI {...}`

* CONTENT

instances: pozadi

`\pozice [...,1...,2...] (...2,...) {...3}`

1 inherits: \nastavumistovani

2 POSITION

3 CONTENT

`\poznamka [...1] [...2]`

1 NAME

2 REFERENCE

`\NOTE [...1,...] {...2}`

1 REFERENCE

2 TEXT

instances:

`\NOTE [...,*...,...]`

* titul = TEXT
zalozka = TEXT
seznam = TEXT
odkaz = REFERENCE

instances:

`\pravidelne`

`\predefinedfont [...]`

* FONT

`\predefinefont [...1] [...2]`

1 NAME

2 FONT

`\predefinesymbol [...]`

* NAME

`\pref {...1} {...2} [...3]`

1 TEXT

2 TEXT

3 REFERENCE

`\prefixedpagenumber`

`\prelozit [...,*...,...]`

* SPRACHE = TEXT

`\prependetoks 1 \to \2`

- 1 BEFEHL
- 2 CSNAME

`\prependgvalue {1} {2}`

- 1 NAME
- 2 BEFEHL

`\prependtocommalist {1} \2`

- 1 TEXT
- 2 CSNAME

`\prependtoks 1 \to \2`

- 1 BEFEHL
- 2 CSNAME

`\prependtoksonce 1 \to \2`

- 1 BEFEHL
- 2 CSNAME

`\prependvalue {1} {2}`

- 1 NAME
- 2 BEFEHL

`\prepninazakladnifont [...*...]`

- * inherits: \nastavzakladnifont

`\presetdocument [...*...]`

- * inherits: \setupdocument

`\presetfieldsymbols [...*...]`

- * NAME

`\presetLABELtext [1] [OPT [...2...]]`

- 1 SPRACHE
- 2 KEY = VALUE

instances:

`\preskoc [...*...]`

- * inherits: \vspacing

`\preskrtnuti {*}`

- * CONTENT

`\preskrtnuto {*}`

- * CONTENT

`\pretocommalist {1.} \2.}`

- 1 TEXT
- 2 CSNAME

`\prevcounter [1.] [2.]`
OPT

- 1 NAME
- 2 NUMMER

`\prevcountervalue [*.]`

- * NAME

`\preventmode [...*;...]`

- * NAME

`\prevrealpage`

`\prevrealpagenumber`

`\prevsubcountervalue [1.] [2.]`

- 1 NAME
- 2 NUMMER

`\prevsubpage`

`\prevsubpagenumber`

`\prevuserpage`

`\prevuserpagenumber`

`\prizpusobivepole [1.] [...,2.,...]`
OPT

- 1 NAME
- 2 inherits: \setupfieldbody

`\prizpusobvzhled [...1;...] [...,2.,...]`
OPT

- 1 NUMMER
- 2 vyska = max DIMENSION
radky = NUMMER

`\procent`

`\processaction [1.] [...,2>...]`

- 1 BEFEHL
- 2 APPLY

`\processallactionsinset [1.] [...,2>...]`

- 1 BEFEHL
- 2 APPLY

\processassignlist [...¹,...] \²..

- 1 TEXT
- 2 CSNAME

\processassignmentcommand [...¹...¹,...] \²..

- 1 KEY = VALUE
- 2 CSNAME

\processassignmentlist [...¹...¹,...] \²..

- 1 KEY = VALUE
- 2 CSNAME

\processbetween {...¹} \²..

- 1 NAME
- 2 CSNAME

\processbodyfontenvironmentlist \^{*}..

- * CSNAME

\processcolorcomponents {...^{*}}

- * COLOR

\processcommaccommand [...¹,...] \²..

- 1 BEFEHL
- 2 CSNAME

\processcommalist [...¹,...] \²..

- 1 BEFEHL
- 2 CSNAME

\processcommalistwithparameters [...¹,...] \²..

- 1 BEFEHL
- 2 CSNAME

\processcontent {...¹} \²..

- 1 NAME
- 2 CSNAME

\processfile {...^{*}}

- * FILE

\processfilemany {...^{*}}

- * FILE

\processfilenone {...^{*}}

- * FILE

<pre> \processfileonce {...} * FILE </pre>
<pre> \processfirstactioninset [...¹] [...,²...=>...] 1 BEFEHL 2 APPLY </pre>
<pre> \processisolatedchars {...} \²... 1 TEXT 2 CSNAME </pre>
<pre> \processisolatedwords {...} \²... 1 TEXT 2 CSNAME </pre>
<pre> \processlinetablebuffer [...[*]] OPT * BUFFER </pre>
<pre> \processlinetablefile {...} * FILE </pre>
<pre> \processlist {...¹} {...²} {...³} \⁴... 1 CHARACTER 2 CHARACTER 3 TEXT 4 CSNAME </pre>
<pre> \processMPbuffer [...,[*]...] OPT * NAME </pre>
<pre> \processMPfigurefile {...} * FILE </pre>
<pre> \processmonth {...¹} {...²} {...³} 1 NUMMER 2 NUMMER 3 BEFEHL </pre>
<pre> \processranges [...,¹...] \²... 1 NUMMER NUMMER:NUMMER 2 CSNAME </pre>
<pre> \processseparatedlist [...¹] [...²] {...³} 1 TEXT 2 TEXT 3 CSNAME BEFEHL </pre>

`\processtEXbuffer [...]`

OPT

* BUFFER

`\processtokens {1.} {2.} {3.} {4.} {5.}`

1 BEFEHL

2 BEFEHL

3 BEFEHL

4 BEFEHL

5 TEXT

`\processuntil \...`

* CSNAME

`\processxtablebuffer [...]`

OPT

* NAME

`\processyear {1.} {2.} {3.} {4.}`

1 NUMMER

2 BEFEHL

3 BEFEHL

4 BEFEHL

`\produkt [...]`

* FILE

`\produkt ...`

* FILE

`\profiledbox [1.] [...2...2...] {3.}`

OPT

OPT

1 zadny fixne striktni halffixed quarterfixed eightsfixed NAME

2 inherits: \setupprofile

3 CONTENT

`\profilegivenbox {1.} 2...`

OPT

1 zadny fixne striktni halffixed quarterfixed eightsfixed NAME

2 CSNAME NUMMER

`\program [...]`

* NAME

`\projekt [...]`

* FILE

`\projekt ...`

* FILE

<p><code>\prostredi [...]</code></p> <p>* FILE</p>
<p><code>\prostredi ...</code></p> <p>* FILE</p>
<p><code>\prvnipodstranka</code></p>
<p><code>\pseudoMixedCapped {...}</code></p> <p>* TEXT</p>
<p><code>\pseudoSmallCapped {...}</code></p> <p>* TEXT</p>
<p><code>\pseudoSmallcapped {...}</code></p> <p>* TEXT</p>
<p><code>\pseudosmallcapped {...}</code></p> <p>* TEXT</p>
<p><code>\purenumber {...}</code></p> <p>* NUMMER</p>
<p><code>\pusharrangedpages ... \poparrangedpages</code></p>
<p><code>\pushattribute *...</code></p> <p>* CSNAME</p>
<p><code>\pushbar [...] ... \popbar</code></p> <p>* NAME</p>
<p><code>\pushbarva [...] ... \popbarva</code></p> <p>* COLOR</p>
<p><code>\pushbutton [..¹] [..²]</code></p> <p>1 NAME</p> <p>2 REFERENCE</p>
<p><code>\pushcatcodetable ... \popcatcodetable</code></p>
<p><code>\pushendofline ... \popendofline</code></p>
<p><code>\pushindentation ... \popindentation</code></p>
<p><code>\pushMPdrawing ... \popMPdrawing</code></p>
<p><code>\pushmacro *...</code></p> <p>* CSNAME</p>

<code>\pushmathstyle ... \popmathstyle</code>
<code>\pushmode [...]</code> * NAME
<code>\pushoutputstream [...]</code> <small>OPT</small> * NAME
<code>\pushpath [...] ... \poppath</code> * PATH
<code>\pushpozadi [...] ... \poppozadi</code> * NAME
<code>\pushpunctuation ... \poppunctuation</code>
<code>\pushrandomseed ... \poprandomseed</code>
<code>\pushreferenceprefix {...} ... \popreferenceprefix</code> * + - TEXT
<code>\pushsystemmode {...}</code> * NAME
<code>\qqquad</code>
<code>\quad</code>
<code>\quads [...]</code> <small>OPT</small> * NUMMER
<code>\quitcommalist</code>
<code>\quitprevcommalist</code>
<code>\quittypescriptscanning</code>
<code>\ReadFile {...}</code> * FILE
<code>\Rimskecislice {...}</code> * NUMMER
<code>\radek {...}</code> * CONTENT
<code>\raggedbottom</code>
<code>\raggedcenter</code>

`\raggedleft`

`\raggedright`

`\raggedwidecenter`

`\raisebox 1{...} \2... 3{...}`

- 1 DIMENSION
- 2 CSNAME
- 3 CONTENT

`\randomizetext {...}`

- * TEXT

`\randomnumber 1{...} 2{...}`

- 1 NUMMER
- 2 NUMMER

`\rawcounter [1...] [2...]OPT`

- 1 NAME
- 2 NUMMER

`\rawcountervalue [...]`

- * NAME

`\rawdate [...;...]`

- * inherits: \aktualnidatum

`\rawdoifelseinset 1{...} {...,2...} 3{...} 4{...}`

- 1 CONTENT
- 2 CONTENT
- 4 TRUE
- 5 FALSE

`\rawdoifinset 1{...} {...,2...} 3{...}`

- 1 CONTENT
- 2 CONTENT
- 4 TRUE

`\rawdoifinsetelse 1{...} {...,2...} 3{...} 4{...}`

- 1 CONTENT
- 2 CONTENT
- 4 TRUE
- 5 FALSE

`\rawgetparameters [..1.] [..,..2..,..]`

- 1 TEXT
- 2 KEY = VALUE

`\rawprocessaction [..1.] [..,..2>..,..]`

- 1 BEFEHL
- 2 APPLY

`\rawprocesscommacommand [..,..1..] \..2..`

- 1 BEFEHL
- 2 CSNAME

`\rawprocesscommalist [..,..1..] \..2..`

- 1 BEFEHL
- 2 CSNAME

`\rawstructurelistuservariable {..*}`

- * KEY

`\rawsubcountervalue [..1.] [..2.]`

- 1 NAME
- 2 NUMMER

`\rbox ..1. {..2.}`

- OPT
- 1 TEXT
 - 2 CONTENT

`\readfile {..1.} {..2.} {..3.}`

- 1 FILE
- 2 TRUE
- 3 FALSE

`\readfixfile {..1.} {..2.} {..3.} {..4.}`

- 1 PATH
- 2 FILE
- 3 TRUE
- 4 FALSE

`\readjobfile {..1.} {..2.} {..3.}`

- 1 FILE
- 2 TRUE
- 3 FALSE

`\readlocfile {..1.} {..2.} {..3.}`

- 1 FILE
- 2 TRUE
- 3 FALSE

`\readsetfile {1.} {2.} {3.} {4.}`

- 1 PATH
- 2 FILE
- 3 TRUE
- 4 FALSE

`\readsysfile {1.} {2.} {3.}`

- 1 FILE
- 2 TRUE
- 3 FALSE

`\readtexfile {1.} {2.} {3.}`

- 1 FILE
- 2 TRUE
- 3 FALSE

`\readxmlfile {1.} {2.} {3.}`

- 1 FILE
- 2 TRUE
- 3 FALSE

`\realpagenumber`

`\realSmallCapped {*.}`

- * TEXT

`\realSmallcapped {*.}`

- * TEXT

`\realsmallcapped {*.}`

- * TEXT

`\recursedepth`

`\recurselevel`

`\recursestring`

`\redoconvertfont`

`\ref [1.] [2.]`

- 1 implicitni text titul cislo stranka realpage
- 2 REFERENCE

`\REFERENCEFORMAT {1.} {2.} [3.]`
 OPT OPT

- 1 TEXT
- 2 TEXT
- 3 REFERENCE

<pre>\referenceprefix</pre>
<pre>\registerattachment [...] [...²...]</pre> <p>1 NAME</p> <p>2 inherits: \setupattachment</p>
<pre>\registerctxluafile {...} {...}</pre> <p>1 FILE</p> <p>2 NUMMER</p>
<pre>\registerexternalfigure [...] [...²] [...³...]</pre> <p>1 FILE</p> <p>2 NAME</p> <p>3 inherits: \setupexternalfigure</p>
<pre>\registerfontclass {...}</pre> <p>* NAME</p>
<pre>\registerhyphenationexception [...] [...²]</pre> <p>1 SPRACHE</p> <p>2 TEXT</p>
<pre>\registerhyphenationpattern [...] [...²]</pre> <p>1 SPRACHE</p> <p>2 TEXT</p>
<pre>\registermenubuttons [...] [...²]</pre> <p>1 NAME</p> <p>2 TEXT</p>
<pre>\registersort [...] [...²]</pre> <p>1 SINGULAR</p> <p>2 NAME</p>
<pre>\registersynonym [...] [...²]</pre> <p>1 SINGULAR</p> <p>2 NAME</p>
<pre>\registerunit [...] [...²...]</pre> <p>1 prefix jednotka operator suffixe symbol packaged</p> <p>2 KEY = VALUE</p>
<pre>\REGISTER [...] [...²...]</pre> <p>1 TEXT PROCESSOR->TEXT</p> <p>2 INDEX</p> <p>instances:</p>

`\REGISTER [..1.] {..2.} [..+..3.+..]`

- OPT
1 TEXT PROCESSOR->TEXT
2 TEXT
3 INDEX

instances:

`\relatemarking [..1.] [..2.]`

- 1 BESCHRIFTUNG
2 BESCHRIFTUNG

`\relateparameterhandlers {..1.} {..2.} {..3.} {..4.}`

- 1 NAME
2 NAME
3 NAME
4 NAME

`\relaxvalueifundefined {..*.}`

- * NAME

`\remainingcharacters`

`\removebottomthings`

`\removedepth`

`\removefromcommalist {..1.} \..2.`

- 1 TEXT
2 CSNAME

`\removelastskip`

`\removelastspace`

`\removemarkedcontent [..*.]`

- * NAME

`\removepunctuation`

`\removesubstring ..1. \from ..2. \to \..3.`

- 1 TEXT
2 TEXT
3 CSNAME

`\removetoks ..1. \from \..2.`

- 1 BEFEHL
2 CSNAME

`\removeunwantedspaces`

<pre>\replacefeature [...]</pre> <p>* NAME</p>
<pre>\replacefeature {...}</pre> <p>* NAME</p>
<pre>\replaceincommalist \.^1. {.^2.}</pre> <p>1 CSNAME</p> <p>2 NUMMER</p>
<pre>\replaceword [.^1.] [.^2.] [.^3.]</pre> <p>1 NAME</p> <p>2 TEXT</p> <p>3 TEXT</p>
<pre>\rescan {...}</pre> <p>* CONTENT</p>
<pre>\rescanwithsetup {.^1.} {.^2.}</pre> <p>1 NAME</p> <p>2 CONTENT</p>
<pre>\resetallattributes</pre>
<pre>\resetandaddfeature [...]</pre> <p>* NAME</p>
<pre>\resetandaddfeature {...}</pre> <p>* NAME</p>
<pre>\resetbar</pre>
<pre>\resetbreakpoints</pre>
<pre>\resetbuffer [...]</pre> <p>* BUFFER</p>
<pre>\resetcollector [...]</pre> <p>* NAME</p>
<pre>\resetcounter [.^1.] [.^2.] OPT</pre> <p>1 NAME</p> <p>2 NUMMER</p>
<pre>\resetdigitsmanipulation</pre>
<pre>\resetdirection</pre>

<code>\resetfeature</code>
<code>\resetflag {...}</code> * NAME
<code>\resetfontcolorsheme</code>
<code>\resetfontfallback [...]</code> <small>[²...]</small> <small>OPT</small> 1 NAME 2 FONT
<code>\resetfontsolution</code>
<code>\resethyphenationfeatures</code>
<code>\resetcharacteralign</code>
<code>\resetcharacterkerning</code>
<code>\resetcharacterspacing</code>
<code>\resetcharacterstripping</code>
<code>\resetinjector [...]</code> * NAME
<code>\resetinteractionmenu [...]</code> * NAME
<code>\resetitaliccorrection</code>
<code>\resetlayer [...]</code> * NAME
<code>\resetlocalfloats</code>
<code>\resetMPdrawing</code>
<code>\resetMPenvironment</code>
<code>\resetMPinstance [...]</code> * NAME
<code>\resetmarker [...]</code> * NAME
<code>\resetmode {...}</code> * NAME

<code>\resetpagenumber</code>
<code>\resetparallel [...]¹ [...]² [...]</code> <small>OPT</small> 1 NAME 2 NAME vse
<code>\resetpath</code>
<code>\resetpenalties \...</code> * CSNAME
<code>\resetprofile</code>
<code>\resetreference [...]</code> * NAME
<code>\resetreplacement</code>
<code>\resetscript</code>
<code>\resetsetups [...]</code> * NAME
<code>\resetshownsynonyms [...]</code> * SINGULAR
<code>\resetsubpagenumber</code>
<code>\resetsymbolset</code>
<code>\resetssystemmode {...}</code> * NAME
<code>\resettimer</code>
<code>\resettrackers</code>
<code>\resettrialtypesetting</code>
<code>\resetusedsortings [...]</code> * SINGULAR
<code>\resetusedsynonyms [...]</code> * SINGULAR
<code>\resetuserpagenumber</code>
<code>\resetvalue {...}</code> * NAME

<code>\resetvisualizers</code>
<code>\resetznaceni [...]</code> * BESCHRIFTUNG
<code>\reshapebox {...}</code> * BEFEHL
<code>\resolvedglyphdirect {...} {...}</code> 1 FONT 2 TEXT
<code>\resolvedglyphstyled {...} {...}</code> 1 FONT 2 TEXT
<code>\restartcounter [...] [...²] [...³]</code> <small>OPT</small> 1 NAME 2 NUMMER 3 NUMMER
<code>\restorebox {...} {...}</code> 1 NAME 2 NAME
<code>\restorecatcodes</code>
<code>\restorecounter [...]</code> * NAME
<code>\restorecurrentattributes {...}</code> * NAME
<code>\restoreendofline</code>
<code>\restoreglobalbodyfont</code>
<code>\reusableMPgraphic {...} {...²...}</code> <small>OPT</small> 1 NAME 2 KEY = VALUE
<code>\reuseMPgraphic {...} {...²...}</code> <small>OPT</small> 1 NAME 2 KEY = VALUE
<code>\reuserandomseed</code>
<code>\revivefeature</code>

<p><code>\rfence {...}</code></p> <p>* CHARACTER</p>
<p><code>\rhbox {...}</code></p> <p>* CONTENT</p>
<p><code>\rightbottombox {...}</code></p> <p>* CONTENT</p>
<p><code>\rightbox {...}</code></p> <p>* CONTENT</p>
<p><code>\righthbox {...}</code></p> <p>* CONTENT</p>
<p><code>\rightLABELtext {...}</code></p> <p>* KEY</p> <p>instances:</p>
<p><code>\rightline {...}</code></p> <p>* CONTENT</p>
<p><code>\rightorleftpageaction {...} {...}</code></p> <p>1 BEFEHL</p> <p>2 BEFEHL</p>
<p><code>\rightskipadaption</code></p>
<p><code>\rightsubguillemot</code></p>
<p><code>\righttopleft</code></p>
<p><code>\righttopleftthbox ¹... {²...}</code> <small>OPT</small></p> <p>1 TEXT</p> <p>2 CONTENT</p>
<p><code>\righttopleftvbox ¹... {²...}</code> <small>OPT</small></p> <p>1 TEXT</p> <p>2 CONTENT</p>
<p><code>\righttopleftvtop ¹... {²...}</code> <small>OPT</small></p> <p>1 TEXT</p> <p>2 CONTENT</p>
<p><code>\righttopbox {...}</code></p> <p>* CONTENT</p>

`\rimskecislice {...}`

* NUMMER

`\rlap {...}`

* CONTENT

`\robustaddtocommalist {...} \.^2..`

1 TEXT

2 CSNAME

`\robustdoifelseinset {...,1...} {...,2...} {...3} {...4}`

2 CONTENT

3 CONTENT

5 TRUE

6 FALSE

`\robustdoifinsetelse {...,1...} {...,2...} {...3} {...4}`

2 CONTENT

3 CONTENT

5 TRUE

6 FALSE

`\robustpretocommalist {...} \.^2..`

1 TEXT

2 CSNAME

`\rollbutton [...,1...] 2... [...3]`

1 inherits: \setupbutton

2 TEXT

3 REFERENCE

`\rollbutton [...1] [...,2...]3 [...4]`
OPT OPT

1 NAME

2 inherits: \nastavinterakcnimenu

3 TEXT

4 REFERENCE

`\rovnice [...,1...]2...`
OPT

1 zhustene tight nastred ramecek inherits: \nastavzakladnifont

2 CONTENT

`\rozdelpvouchiobjekt [...,1...]2 {...} {...3}`
OPT

1 inherits: \nastavdeleniplvouchiobjektu

2 BEFEHL

3 CONTENT

`\roztazene [...1...2...] {...}`

1 inherits: \setupstretched

2 TEXT

`\rtop 1... {...}`

1 TEXT

2 CONTENT

`\rukopisne`

`\ruledhbox 1... {...}`

1 TEXT

2 CONTENT

`\ruledhpack 1... {...}`

1 TEXT

2 CONTENT

`\ruledmbox {...}`

* CONTENT

`\ruledtopv 1... {...}`

1 TEXT

2 CONTENT

`\ruledtpack 1... {...}`

1 TEXT

2 CONTENT

`\ruledvbox 1... {...}`

1 TEXT

2 CONTENT

`\ruledvpack 1... {...}`

1 TEXT

2 CONTENT

`\ruledvtop 1... {...}`

1 TEXT

2 CONTENT

`\runMPbuffer [...*...]`

* NAME

`\runninghbox {...}`

* CONTENT

\ScaledPointsToBigPoints {¹..} \²..

- 1 DIMENSION
- 2 CSNAME

\ScaledPointsToWholeBigPoints {¹..} \²..

- 1 DIMENSION
- 2 CSNAME

\SLOVA {^{*}..}

- * TEXT

\SLOVO {^{*}..}

- * TEXT

\Slova {^{*}..}

- * TEXT

\Slovo {^{*}..}

- * TEXT

\Smallcapped {^{*}..}

- * TEXT

\safechar {^{*}..}

- * NUMMER

\sans

\sansnormal

\sanstucne

\savebarva ... \restorebarva

\savebox {¹..} {²..} {³..}

- 1 NAME
- 2 NAME
- 3 CONTENT

\savebtxdataset [_{OPT}¹..] [_{OPT}²..] [_{OPT}³..,.,.,.]

- 1 NAME
- 2 FILE

- 3 dataset = NAME
- typ = bib lua xml
- soubor = FILE
- kriterium = vse text uvod odkaz aktualni zde predchozi lokalne komponenta SECTIONBLOCK:vse SECTIONBLOCK:odkaz SECTIONBLOCK:aktualni SECTIONBLOCK:predchozi

\savebuffer [...,*=...,...]

* seznam = NAME
soubor = FILE
prefix = ano ne

\savebuffer [...¹,...] [...².]

1 BUFFER
2 FILE

\savecounter [...]

* NAME

\savecurrentattributes {...}

* NAME

\savenormalmeaning *

* CSNAME

\savetaggedtwopassdata {...¹} {...²} {...³} {...⁴}

1 NAME
2 NUMMER
3 NAME
4 CONTENT

\savetwopassdata {...¹} {...²} {...³}

1 NAME
2 NUMMER
3 CONTENT

\sbox {...}

* CONTENT

\SCRIPT

instances:

\secondoffivearguments {...¹} {...²} {...³} {...⁴} {...⁵}

1 TEXT
2 TEXT
3 TEXT
4 TEXT
5 TEXT

\secondoffourarguments {...¹} {...²} {...³} {...⁴}

1 TEXT
2 TEXT
3 TEXT
4 TEXT

`\secondofsixarguments {1.} {2.} {3.} {4.} {5.} {6.}`

- 1 TEXT
- 2 TEXT
- 3 TEXT
- 4 TEXT
- 5 TEXT
- 6 TEXT

`\secondofthreearguments {1.} {2.} {3.}`

- 1 TEXT
- 2 TEXT
- 3 TEXT

`\secondofthreeunexpanded {1.} {2.} {3.}`

- 1 TEXT
- 2 TEXT
- 3 TEXT

`\secondoftwoarguments {1.} {2.}`

- 1 TEXT
- 2 TEXT

`\secondoftwounexpanded {1.} {2.}`

- 1 TEXT
- 2 TEXT

`\sedabarva [1.] {2.}`

- 1 COLOR
- 2 CONTENT

`\vizREGISTER [1.] [OPT..+2.+..] {3.}`

- 1 TEXT PROCESSOR->TEXT
- 2 INDEX
- 3 TEXT PROCESSOR->TEXT

instances:

`\SECTION [1...;...]OPT {2.}`

- 1 REFERENCE
- 2 TEXT

instances: chapter section subsection subsection subsection subsection subsection
title subject subsubject subsubject subsubject subsubject subsubject

`\SECTION [...,*=...]`

* titul = TEXT
zalozka = TEXT
znaceni = TEXT
seznam = TEXT
odkaz = REFERENCE
vlastnicislo = TEXT

instances: chapter section subsection subsection subsection subsection
title subject subsubject subsubject subsubject subsubject subsubject

`\SECTION [...1...] {...2} {...3}`

1 REFERENCE
2 NUMBER
3 TEXT

instances: chapter section subsection subsection subsection subsection
title subject subsubject subsubject subsubject subsubject subsubject

`\select {...1} {...2} {...3} {...4} {...5} {...6}`

1 NAME
2 CONTENT
3 CONTENT
4 CONTENT
5 CONTENT
6 CONTENT

`\serializecommalist [...,*=...]`

* BEFEHL

`\serializedcommalist`

`\serif`

`\serifbold`

`\serifnormal`

`\setbar [...]`

* NAME

`\setbigbodyfont`

`\setboxllx 1... {...2}`

1 CSNAME NUMBER
2 DIMENSION

`\setboxlly 1... {...2}`

1 CSNAME NUMBER
2 DIMENSION

`\setbreakpoints [...]`

* reset NAME

`\setbuffer [...] ... \endbuffer`

* NAME

`\setcapstrut`

`\setcatcodetable *`

* CSNAME

`\setcollector [1.] [...,2...OPT...] {3.}`

1 NAME

2 inherits: \setupcollector

3 CONTENT

`\setcolormodel1 [...]`

* black bw seda rgb cmyk vse zadny

`\setcounter [1.] [2.] [3.]`
OPT

1 NAME

2 NUMMER

3 NUMMER

`\setcounterown [1.] [2.] [3.]`
OPT

1 NAME

2 NUMMER

3 TEXT

`\setcurrentfontclass {.*}`

* NAME

`\setdataset [1.] [2.] [...,3...]`
OPT

1 NAME

2 NAME

3 KEY = VALUE

`\setdefaultpenalties`

`\setdigitsmanipulation [...]`

* reset NUMMER

`\setdirection [...]`

* NUMMER

`\setdocumentargument {1.} {2.}`

1 NAME

2 TEXT

`\setdocumentargumentdefault {...} {...}`

- 1 NAME
- 2 TEXT

`\setdocumentfilename {...} {...}`

- 1 NUMBER
- 2 TEXT

`\setdummyparameter {...} {...}`

- 1 KEY
- 2 BEFEHL

`\setelementexporttag [...] [...]2 [...]3`
OPT

- 1 NAME
- 2 export nature pdf
- 3 inline obrazovka mixed

`\setemeasure {...} {...}`

- 1 NAME
- 2 DIMENSION

`\setevalue {...} {...}`

- 1 NAME
- 2 CONTENT

`\setevariable {...} {...} {...}`

- 1 NAME
- 2 KEY
- 3 VALUE

`\setevariables [...] [...,2...,...]`

- 1 NAME
- 2 set = BEFEHL
reset = BEFEHL
KEY = VALUE

`\setfirstline [...]2`
OPT

- * NAME

`\setflag {...}`

- * NAME

`\setfont ...`

- * FONT

`\setfontcolorsheme [...]`

- * NAME

`\setfontfeature {...}`

* NAME

`\setfontsolution [...]`

* NAME

`\setfontstrut`

`\setfractions`

`\setgmeasure {...} {...}`

1 NAME

2 DIMENSION

`\setgvalue {...} {...}`

1 NAME

2 CONTENT

`\setgvariable {...} {...} {...}`

1 NAME

2 KEY

3 VALUE

`\setgvariables [...] [...2...]`

1 NAME

2 set = BEFEHL

reset = BEFEHL

KEY = VALUE

`\sethboxregister ... {...}`

1 CSNAME NUMBER

2 CONTENT

`\sethyphenatedurlafter {...}`

* TEXT

`\sethyphenatedurlbefore {...}`

* TEXT

`\sethyphenatedurlnormal {...}`

* TEXT

`\sethyphenationfeatures [...*...]`

* NAME reset

OPT

`\setcharacteralign {...} {...}`

1 NUMBER

2 TEXT number->TEXT text->TEXT

\setcharactercasing [...]

* reset SLOVO slovo Slovo Slova kapitalky Kapitalky zadny nahodny mixed camel kap Kap

\setcharactercleaning [...]

* reset 1

\setcharacterkerning [...]

* reset NAME

\setcharacterspacing [...]

* reset NAME

\setcharacterstripping [...]

* reset 1

\setcharstrut {...}

* TEXT

\setinitial [...]¹ [...,²...]²
OPT OPT

1 NAME

2 inherits: \setupinitial

\setinjector [...]¹ [...,²...] [...]³

1 NAME

2 NUMMER

3 BEFEHL

\setinteraction [...]

* skryte NAME

\setinterfacecommand {...}¹ {...}²

1 NAME

2 NAME

\setinterfaceconstant {...}¹ {...}²

1 NAME

2 NAME

\setinterfaceelements {...}¹ {...}²

1 NAME

2 NAME

\setinterfacemessage {...}¹ {...}² {...}³

1 NAME

2 titul NAME NUMMER

3 TEXT

`\setinterfacevariable {...} {...}`

- 1 NAME
- 2 NAME

`\setinternalrendering [...] [...] {...}`

- 1 NAME
- 2 auto embed
- 3 CONTENT

`\setitaliccorrection [...]`

- * reset 1 2

`\setJSreamble {...} {...}`

- 1 NAME
- 2 CONTENT

`\setlayer [...] [...]OPT [...]OPT [...]OPT {...}`

- 1 NAME
- 2 vlevo vpravo sude liche
- 3 inherits: \setuplayer
- 4 CONTENT

`\setlayerframed [...] [...]OPT [...]OPT [...]OPT {...}`

- 1 NAME
- 2 inherits: \setuplayer
- 3 inherits: \nastavoramovani
- 4 CONTENT

`\setlayerframed [...] [...]OPT {...}`

- 1 NAME
- 2 inherits: \setuplayerinherits: \nastavoramovani
- 3 CONTENT

`\setlayertext [...] [...]OPT [...]OPT {...}`

- 1 NAME
- 2 inherits: \setuplayer
- 3 zarovnani = inherits: \nastavzarovnani
sirka = DIMENSION
pismeno = STYLE BEFEHL
barva = COLOR
- 4 TEXT

`\setlinefiller [...]`

- * filler NAME

`\setlocalhsize [...]OPT`

- * [-+]DIMENSION

`\setMPlayer [.1.] [.2.] [.,.,.3.,.,.] {.4.}`
OPT

- 1 NAME
- 2 NAME
- 3 inherits: \setupplayer
- 4 CONTENT

`\setMPpositiongraphic {.1.} {.2.} {.,.,.3.,.,.}`
OPT

- 1 NAME
- 2 NAME
- 3 KEY = VALUE

`\setMPpositiongraphicrange {.1.} {.2.} {.3.} {.,.,.4.,.,.}`
OPT

- 1 NAME
- 2 NAME
- 3 NAME
- 4 KEY = VALUE

`\setMPtext {.1.} {.2.}`

- 1 NAME
- 2 TEXT

`\setMPvariable [.1.] [.,.2.]`

- 1 NAME
- 2 KEY = VALUE

`\setMPvariables [.1.] [.,.,.2.,.,.]`
OPT

- 1 NAME
- 2 KEY = VALUE

`\setmainbodyfont`

`\setmainparbuilder [.*.]`

- * implicitni oneline basic NAME

`\setmarker [.1.] [.2.]`

- 1 NAME
- 2 NUMMER

`\setmarking [.1.] {.2.}`

- 1 BESCHRIFTUNG
- 2 TEXT

`\setmathstyle {.,.,.*.,.,.}`

- * obrazovka text script scriptscript cramped uncramped normalni zhustene male velke NAME

`\setmeasure {1...} {2...}`

- 1 NAME
- 2 DIMENSION

`\setmessagetext {1...} {2...}`

- 1 NAME
- 2 NAME NUMBER

`\setmode {*...}`

- * NAME

`\setnostrut`

`\setnote [1...] [2...OPT;...] {3...}`

- 1 NAME
- 2 REFERENCE
- 3 TEXT

`\setnotetext [1...] [2...OPT;...] {3...}`

- 1 NAME
- 2 REFERENCE
- 3 TEXT

`\setnotetext [1...] [...2...]`

- 1 NAME
- 2 titul = TEXT
- zalozka = TEXT
- seznam = TEXT
- odkaz = REFERENCE

`\setnote [1...] [...2...]`

- 1 NAME
- 2 titul = TEXT
- zalozka = TEXT
- seznam = TEXT
- odkaz = REFERENCE

`\setobject {1...} {2...} \3... {4...}`

- 1 NAME
- 2 NAME
- 3 CSNAME
- 4 CONTENT

`\setoldstyle`

`\setpagegrid [...OPT...1...] {2...}`

- 1 c = NUMBER
- r = NUMBER
- volba = zadny
- 2 CONTENT

`\setpagereference {1..} {2..3..}`

- 1 NAME
- 2 REFERENCE

`\setpagestate [1..] [2..OPT]`

- 1 NAME
- 2 NAME NUMBER

`\setpagestaterealpageno {1..} {2..}`

- 1 NAME
- 2 NAME NUMBER

`\setpenalties \1.. {2..} {3..}`

- 1 CSNAME
- 2 NUMBER
- 3 NUMBER

`\setpercentdimen {1..} {2..}`

- 1 DIMENSION CSNAME
- 2 DIMENSION NUMBER

`\setposition {*..}`

- * NAME

`\setpositionbox {1..} \2.. {3..}`

- 1 NAME
- 2 CSNAME
- 3 CONTENT

`\setpositiondata {1..} {2..} {3..} {4..}`

- 1 NAME
- 2 DIMENSION
- 3 DIMENSION
- 4 DIMENSION

`\setpositiondataplus {1..} {2..} {3..} {4..} {5..6..}`

- 1 NAME
- 2 DIMENSION
- 3 DIMENSION
- 4 DIMENSION
- 5 TEXT

`\setpositiononly {*..}`

- * NAME

```
\setpositionplus {...1} {...2,...} \... {...4}
```

- 1 NAME
- 2 TEXT
- 3 CSNAME
- 4 CONTENT

```
\setpositionstrut {...}
```

- * NAME

```
\setprofile [...]
```

- * zadny fixne striktni halfixed quarterfixed eightsfixed NAME

```
\setrandomseed {...}
```

- * NUMMER

```
\setreference [...1,...] [...2...,...]
```

- 1 REFERENCE
- 2 KEY = VALUE

```
\setreferencedobject {...1} {...2} \... {...4}
```

- 1 NAME
- 2 NAME
- 3 CSNAME
- 4 CONTENT

```
\setregisterentry [...1] [...2...,...] [...3...,...] OPT
```

- 1 NAME
- 2 popisek = NAME
keys = TEXT PROCESSOR->TEXT
entries = TEXT PROCESSOR->TEXT
keys:1 = TEXT
keys:2 = TEXT
keys:3 = TEXT
entries:1 = TEXT
entries:2 = TEXT
entries:3 = TEXT
alternativa = TEXT
- 3 KEY = VALUE

```
\setreplacement [...]
```

- * reset NAME

```
\setrigidcolumnbalance ...
```

- * CSNAME NUMMER

```
\setrigidcolumnhsize {...1} {...2} {...3}
```

- 1 DIMENSION
- 2 DIMENSION
- 3 NUMMER

`\setscript [...]`

* hangul hanzi nihongo ethiopic thai test NAME

`\setsectionblock [...]` $[...,\dots^2,...]$
OPT

1 NAME

2 zalozka = TEXT

`\setsimplecolumnhsize [...,\dots^*,...]`

* n = NUMMER
sirka = DIMENSION
vzdalenost = DIMENSION
radky = NUMMER

`\setsmallbodyfont`

`\setsmallcaps`

`\setstackbox {...}` $\{...\}^2$ $\{...\}^3$

1 NAME

2 NAME

3 CONTENT

`\setstructurepageregister [...]` $[...,\dots^2,...]$ $[...,\dots^3,...]$
OPT

1 NAME

2 popisek = NAME
keys = TEXT PROCESSOR->TEXT
entries = TEXT PROCESSOR->TEXT
keys:1 = TEXT
keys:2 = TEXT
keys:3 = TEXT
entries:1 = TEXT
entries:2 = TEXT
entries:3 = TEXT
alternativa = TEXT

3 KEY = VALUE

`\setstrut`

`\setsuperiors`

`\setssystemmode {...}`

* NAME

`\settabular`

`\settaggedmetadata [...,\dots^*,...]`

* KEY = VALUE

`\setttextcontent [..] [..] [..] [..] [..]`

OPT OPT

- 1 vrsek zahlavi text upati spodek
- 2 text marginalie hrana
- 3 vlevo nastred vpravo
- 4 datum cislostranky BESCHRIFTUNG TEXT BEFEHL
- 5 datum cislostranky BESCHRIFTUNG TEXT BEFEHL

`\settightobject {...} {...} \... {...}`

- 1 NAME
- 2 NAME
- 3 CSNAME
- 4 CONTENT

`\settightreferencedobject {...} {...} \... {...}`

- 1 NAME
- 2 NAME
- 3 CSNAME
- 4 CONTENT

`\settightunreferencedobject {...} {...} \... {...}`

- 1 NAME
- 2 NAME
- 3 CSNAME
- 4 CONTENT

`\settrialtypesetting`

`\setuevalue {...} {...}`

- 1 NAME
- 2 CONTENT

`\setugvalue {...} {...}`

- 1 NAME
- 2 CONTENT

`\setunreferencedobject {...} {...} \... {...}`

- 1 NAME
- 2 NAME
- 3 CSNAME
- 4 CONTENT

`\setupattachment` [\dots^1, \dots] [\dots^2, \dots]
OPT

1 NAME

2 titul = TEXT
podtitulek = TEXT
autor = TEXT
soubor = FILE
jmeno = NAME
buffer = BUFFER
status = start stop
metoda = normalni skryte
symbol = Graph Paperclip Pushpin Default
sirka = prizpusobive DIMENSION
vyska = prizpusobive DIMENSION
hloubka = prizpusobive DIMENSION
barva = COLOR
textlayer = NAME
misto = levahrana pravahrana naokraji lev yokraj prav yokraj text vysoko zadny
vzdalenost = DIMENSION

`\setupbackend` [\dots^*, \dots]

* export = ano FILE
xhtml = FILE
soubor = FILE
intent = NAME
mezera = ano ne
xmpfile = FILE
formatovat = version implicitni NAME
uroven = NUMMER
volba = vzdy nikdy
profile = FILE

`\setupbar` [\dots^1, \dots] [\dots^2, \dots]
OPT

1 NAME

2 barva = COLOR
pokracovat = ano ne vse
prazdne = ano ne
jednotka = ex em pt in cm mm sp bp pc dd cc nc
order = popredi pozadi
tloustkalinky = DIMENSION
metoda = NUMMER
offset = NUMMER
dy = NUMMER
max = NUMMER
foregroundstyle = STYLE BEFEHL
foregroundcolor = COLOR
mp = NAME
vlevo = TEXT
vpravo = TEXT

`\setupbleeding` [\dots^*, \dots]

* sirka = DIMENSION
vyska = DIMENSION
offset = DIMENSION
hoffset = DIMENSION
voffset = DIMENSION
misto = t b l r bl lb br rb tl lt tr rt
natahnout = ano ne
stranka = ano ne

`\setupbookmark` [\dots^*, \dots]

* sila = ano ne
cislo = ano ne
numberseparatorset = NAME
numberconversionset = NAME
numberstarter = BEFEHL
numberstopper = BEFEHL
numbersegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:vse ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:* ABSCHNITT:vse
sectionblock = ano ne

`\setupbtx` [¹...] [_{OPT},...²...]

1 NAME

2 specification = implicitni apa aps NAME
dataset = implicitni NAME
prikaz = \...##1
vlevo = BEFEHL
vpravo = BEFEHL
authorconversion = normalni normalshort normalinverted invertedshort short
etallimit = NUMMER
etaldisplay = NUMMER
etaloption = posledni
predel = initials
interakce = start stop vse
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
authornum authoryear
sorttype = normalni reverse
compress = ano ne
implicitni = implicitni NAME
pismo = STYLE BEFEHL
barva = COLOR

`\setupbtxdataset` [¹...] [_{OPT},...²...]

1 NAME

2 language = SPRACHE

`\setupbtxlist` [¹...] [_{OPT},...²...]

1 NAME

2 inherits: \nastavseznam

`\setupbtxregister` [¹...] [_{OPT},...²...]

1 NAME

2 status = start stop
dataset = NAME
field = keyword range cislostranky autor
register = NAME
metoda = once
alternativa = normalshort invertedshort
pismo = STYLE BEFEHL
barva = COLOR

`\setupbtxrendering` [¹...] [_{OPT},...²...]

1 NAME

2 statustextu = start stop
pagestate = start stop
oddelovac = BEFEHL
kriterium = predchozi cite zde vse zadny
specification = NAME
titul = TEXT
pred = BEFEHL
po = BEFEHL
dataset = NAME
metoda = dataset sila lokalne globalne zadny
sorttype = short dataset seznam odkaz uzito implicitni cite rejstrik
opakovat = ano ne
group = NAME
cislovani = ano ne num rejstrik tag short stranka

`\setupbtx` [.*...]

* NAME

`\setupbutton [...1,...] [...2,...]`
OPT

1 NAME
2 status = start stop
stejnastranka = ano ne prazdne zadny normalni implicitni
pismo = STYLE BEFEHL
barva = COLOR
kontrastnibarva = COLOR
alternativa = skryte
inherits: \nastavoramovani

`\setupcollector [...1,...] [...2,...]`
OPT

1 NAME
2 rotace = vlevo vpravo uvnitr vnejsi NUMMER
roh = vlevo nastred vpravo vrsek spodek
x = DIMENSION
y = DIMENSION
hoffset = DIMENSION
voffset = DIMENSION
misto = vlevo nastred vpravo vrsek spodek radek l c r m t b g
status = start stop

`\setupcolumnspan [...*,...]`

* n = NUMMER
inherits: \nastavoramovani

`\setupcombination [...1,...] [...2,...]`
OPT

1 NAME
2 nx = NUMMER
ny = NUMMER
sirka = prizpusobive DIMENSION
vyska = prizpusobive DIMENSION
misto = vlevo nastred vpravo vrsek spodek
vzdalenost = DIMENSION
alternativa = popis text
zarovnani = inherits: \nastavzarovnani
pokracovat = ano ne
pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
pismo = STYLE BEFEHL
barva = COLOR

`\setupcounter [...1,...] [...2,...]`
OPT

1 NAME
2 start = NUMMER
counter = NAME
metoda = stranka
status = start stop
zpusob = bystranka byblock bytext byhlavicka byABSCHNITT
prefix = ano ne
prefixseparatorset = NAME
prefixconversion = NAME
prefixconversionset = NAME
prefixstarter = BEFEHL PROCESSOR->BEFEHL
prefixstopper = BEFEHL PROCESSOR->BEFEHL
prefixset = NAME
prefixsegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:vse ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:* ABSCHNITT:vse
numberorder = reverse
numberseparatorset = NAME
numberconversion = NAME
numberconversionset = NAME
numberstarter = BEFEHL PROCESSOR->BEFEHL
numberstopper = BEFEHL PROCESSOR->BEFEHL
numbersegments = NUMMER NUMMER:NUMMER NUMMER:* NUMMER:vse
typ = prvni predchozi dalsi posledni cislo
kriterium = striktni positiv vse
prefixconnector = BEFEHL PROCESSOR->BEFEHL

```
\setupdataset [...1...] [...2...]
                        OPT
```

```
1 NAME
2 prodleva = ano ne
```

```
\setupdelimitedtext [...1...] [...2...]
                        OPT
```

```
1 NAME
2 pred      = BEFEHL
   po       = BEFEHL
   language = lokalne globalne SPRACHE
   metoda   = font
   opakovat = ano ne
   misto    = text odstavec marginalie
   vlevo    = BEFEHL
   sredni   = BEFEHL
   vpravo   = BEFEHL
   nextleft = BEFEHL
   nextright = BEFEHL
   mezerapred = inherits: \preskoc
   mezeraza  = inherits: \preskoc
   levyokraj = ano ne standardni DIMENSION
   prav yokraj = ano ne standardni DIMENSION
   odsazovani = inherits: \nastavodsazovani
   odsadpristi = ano ne auto
   pismeno   = STYLE BEFEHL
   barva     = COLOR
   stlysymboly = STYLE BEFEHL
   barvasymbolu = COLOR
```

```
\setupdescription [...1...] [...2...]
                        OPT
```

```
1 NAME
2 titul      = ano ne
   uroven    = NUMMER
   text      = TEXT
   headcommand = \...##1
   pred      = BEFEHL
   po       = BEFEHL
   mezi      = BEFEHL
   alternativa = vlevo vpravo naokraj i vlevo i vpravo marginalie levyokraj prav yokraj innermargin outermargin
               semknuto visici vrsek prikaz NAME
   zarovnani = inherits: \nastavzarovnani
   headalign = inherits: \nastavzarovnani
   odsazovani = inherits: \nastavodsazovani
   obrazovka = ano ne
   odsadpristi = ano ne auto
   sirka     = prizpusobive siroky radek DIMENSION
   vzdalenost = zadny DIMENSION
   zaveseni  = prizpusobive siroky zadny marginalie NUMMER
   closesymbol = BEFEHL
   closecommand = \...##1
   expanzen  = ano ne xml
   vzor      = TEXT
   marginalie = ano ne standardni DIMENSION
   pismeno   = STYLE BEFEHL
   barva     = COLOR
   stylhlavicky = STYLE BEFEHL
   barvahlavicky = COLOR
```

```
\setupdirections [...*...]
                        OPT
```

```
* bidi      = zap vyp lokalne globalne
   metoda    = jedna dve implicitni
   fences    = ano ne
```

`\setupdocument [...,..*...,...]`

* pred = BEFEHL
po = BEFEHL
metadata:author = TEXT
metadata:title = TEXT
metadata:subject = TEXT
metadata:keywords = TEXT
KEY = VALUE

`\setupeffect [...,1...] [...,..2...,...]`
OPT

1 NAME
2 metoda = zadny prikaz
natahnout = NUMMER
tloustkalinky = NUMMER
alternativa = normalni uvnitr vnejsi obe skryte natahnout

`\setupenumeration [...,1...] [...,..2...,...]`
OPT

1 NAME
2 titul = ano ne
cislo = ano ne
ciselnyprikaz = \...##1
vzdalenosttitulek = DIMENSION
styltitulek = STYLE BEFEHL
barvatitulek = COLOR
titlecommand = \...##1
titleleft = BEFEHL
titleright = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
symbol = BEFEHL
starter = BEFEHL
predel = BEFEHL
propojeni = NAME
counter = NAME
uroven = NUMMER
text = TEXT
headcommand = \...##1
pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
alternativa = vlevo vpravo naokraji ivlevo ivpravo marginalie lev yokraj prav yokraj innermargin outermargin
semknuto visici vrsek prikaz NAME
zarovnani = inherits: \nastavzarovnani
headalign = inherits: \nastavzarovnani
odsazovani = inherits: \nastavodsazovani
obrazovka = ano ne
odsadpristi = ano ne auto
sirka = prizpusobive siroky radek DIMENSION
vzdalenost = zadny DIMENSION
zaveseni = prizpusobive siroky zadny marginalie NUMMER
closesymbol = BEFEHL
closecommand = \...##1
expanzen = ano ne xml
vzor = TEXT
marginalie = ano ne standardni DIMENSION
pismo = STYLE BEFEHL
barva = COLOR
stylhlavicky = STYLE BEFEHL
barvahlavicky = COLOR
inherits: \setupcounter

`\setupenv [...,..*...,...]`

* set = BEFEHL
reset = BEFEHL
KEY = VALUE

`\setupexport [...,.*,...]`

* zarovnani = flushleft nastred flushright normalni
zakladnifont = DIMENSION
sirka = DIMENSION
titul = TEXT
podtitulek = TEXT
autor = TEXT
alternativa = html div
properties = ano ne
hyphen = ano ne
cssfile = FILE
prvnistranka = FILE
poslednistrana = FILE

`\setupexternalfigure [...,1...] [...,.*2...,...]`
OPT

1 NAME
2 sirka = DIMENSION
vyska = DIMENSION
popisek = NAME
stranka = NUMMER
objekt = ano ne
prefix = TEXT
metoda = pdf mps jpg png jp2 jbig svg eps gif tif mov buffer tex cld auto
controls = ano ne
nahled = ano ne
mask = zadny
rozliseni = NUMMER
barva = COLOR
arguments = TEXT
opakovat = ano ne
faktor = prizpusobive siroky max auto implicitni
vfaktor = prizpusobive siroky max auto implicitni
sfaktor = prizpusobive siroky max auto implicitni
maxsirka = DIMENSION
maxvyska = DIMENSION
equalwidth = DIMENSION
equalheight = DIMENSION
meritko = NUMMER
xmeritko = NUMMER
ymeritko = NUMMER
s = NUMMER
sx = NUMMER
sy = NUMMER
radky = NUMMER
misto = lokalne globalne implicitni
adresar = PATH
volba = test ramecek prazdne
foregroundcolor = COLOR
reset = ano ne
pozadi = barevne popredi NAME
ramecek = zap vyp
barvapozadi = COLOR
zarovnani = inherits: \nastavzarovnani
xmax = NUMMER
ymax = NUMMER
ramecky = zap vyp
interakce = ano vse zadny odkaz layer zalozka
zakladnifont = DIMENSION
comment = BEFEHL TEXT
velikost = zadny media crop trim art
cache = PATH
resources = PATH
obrazovka = FILE
konverze = TEXT
order = LISTE
crossreference = ano ne NUMMER

`\setupexternalsoundtracks [...,.*,...]`

* volba = opakovat

`\setupfieldbody [...1,...] [...2,...]`
OPT

- 1 NAME
- 2 category = NAME
inherits: \setupfieldcategory

`\setupfieldcategory [...1,...] [...2,...]`
OPT

- 1 NAME
- 2 start = NUMMER
pismeno = STYLE BEFEHL
barva = COLOR
typ = radio pod text radek push check signature
values = TEXT
implicitni = TEXT
barvarameckupole = COLOR
barvapožadipole = COLOR
sirka = DIMENSION
vyska = DIMENSION
hloubka = DIMENSION
zarovnani = vlevo nastred vpravo flushleft center flushright
n = NUMMER
symbol = NAME
fieldlayer = NAME
volba = pouzeprocteni pozadovane chranene tridene nedostupne nocheck fixne soubor skryte tisknutelne auto

klikvnitř = REFERENCE
klikvne = REFERENCE
oblastuvnitř = REFERENCE
oblastvne = REFERENCE
klavesapo = REFERENCE
formatovat = REFERENCE
validovat = REFERENCE
pocitat = REFERENCE
focusin = REFERENCE
focusout = REFERENCE
openpage = REFERENCE
closepage = REFERENCE

`\setupfieldcontentframed [...1,...] [...2,...]`
OPT

- 1 NAME
- 2 inherits: \nastavoramovaniinherits: \setupfieldcategory

`\setupfieldlabelframed [...1,...] [...2,...]`
OPT

- 1 NAME
- 2 inherits: \nastavoramovani

`\setupfieldtotalframed [...1,...] [...2,...]`
OPT

- 1 NAME
- 2 pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
vzdalenost = DIMENSION
alternativa = reset popisek ramecek horizontalne vertikalne
inherits: \nastavoramovani

`\setupfiller [...1,...] [...2,...]`
OPT

1 NAME

2 lev yokraj = DIMENSION
prav yokraj = DIMENSION
vlevo = BEFEHL
vpravo = BEFEHL
alternativa = symbol natahnout linka mezera
metoda = lokalne globalne nastred široky
sirka = DIMENSION
vyska = DIMENSION
hloubka = DIMENSION
offset = DIMENSION
vzdalenost = DIMENSION
zarovnani = vlevo vpravo nastred flushleft flushright uvnitr vnejsi
symbol = BEFEHL
pismo = STYLE BEFEHL
barva = COLOR

`\setupfirstline [...1,...] [...2,...]`
OPT

1 NAME

2 n = NUMMER
alternativa = implicitni radek slovo
pismo = STYLE BEFEHL
barva = COLOR

`\setupfittingpage [...1,...] [...2,...]`
OPT

1 NAME

2 pagestate = start stop
prikaz = \...##1
marginalie = stranka
meritko = NUMMER
papir = auto default NAME
inherits: \nastavoramovani

`\setupfloatcaption [...1,...] [...2,...]`
OPT

1 NAME

2 suffix = BEFEHL
suffixseparator = BEFEHL
suffixstopper = BEFEHL
misto = vlevo vpravo nastred nizko vysoko mrizka prekryv uvnitr vnejsi innermargin outermargin lev yokraj prav yokraj lefthanging righthanging zaveseni vrsek spodek natahnout zadny implicitni
prikaz = \...##1
ciselnyprikaz = \...##1
textovyprikaz = \...##1
mezerapred = inherits: \preskoc
spaceinbetween = inherits: \preskoc
mezeraza = inherits: \preskoc
vzdalenost = DIMENSION
mezi = BEFEHL
pismo = STYLE BEFEHL
barva = COLOR
offsetvrsku = DIMENSION
offsetspodku = DIMENSION
cislo = ano ne zadny
group = TEXT
lev yokraj = DIMENSION
prav yokraj = DIMENSION
innermargin = DIMENSION
outermargin = DIMENSION
zarovnani = inherits: \nastavzarovnani
sirka = prizpusobive max DIMENSION
minsirka = prizpusobive DIMENSION
maxsirka = DIMENSION
inherits: \setupcounter

`\setupfontexpansion [...]1 [...]2...`

1 NAME
2 vector = NAME
faktor = NUMMER
natahnout = NUMMER
shrink = NUMMER
krok = NUMMER

`\setupfontprotrusion [...]1 [...]2...`

1 NAME
2 vector = NAME
faktor = NUMMER
vlevo = NUMMER
vpravo = NUMMER

`\setupfonts [...]*...`

* language = ne auto

`\setupfontsolution [...]1 [...]2...`
OPT

1 NAME
2 goodies = FILE
solution = NAME
less = NAME
more = NAME
metoda = preroll split normalni reverse nahodny
kriterium = NUMMER

`\setupforms [...]*...`

* metoda = XML HTML PDF
export = ano ne

`\setupformula [...]1 [...]2...`
OPT

1 NAME
2 misto = vlevo vpravo
zarovnani = vlevo nastred vpravo flushleft center flushright normalni
strut = ano ne
vzdalenost = DIMENSION
vlevo = BEFEHL
vpravo = BEFEHL
mezerapred = inherits: \preskoc
mezeraza = inherits: \preskoc
ciselnyprikaz = \...#1
barva = COLOR
stylcisla = STYLE BEFEHL
barvacisla = COLOR
volba = zhustene tight nastred ramecek inherits: \nastavzakladnifont
marginalie = ano ne standardni DIMENSION
levyokraj = DIMENSION
pravyokraj = DIMENSION
alternativa = NAME
odsadpristi = ano ne auto
mrizka = inherits: \snaptogrid
ramecek = cislo
inherits: \setupcounter

`\setupformulaframed [...]1 [...]2...`
OPT

1 NAME
2 inherits: \nastavoramovani

`\setupframedcontent` [\dots^1, \dots] [\dots^2, \dots]
OPT

1 NAME
2 vlevo = BEFEHL
vpravo = BEFEHL
leftoffset = DIMENSION
pravyyoffset = DIMENSION
offsetvrsku = DIMENSION
offsetspodku = DIMENSION
korekceradku = ano ne
inherits: \nastavoramovani

`\setupframedtext` [\dots^1, \dots] [\dots^2, \dots]
OPT

1 NAME
2 vlevo = BEFEHL
vpravo = BEFEHL
vnitrni = BEFEHL
misto = vlevo vpravo nastred zadny
korekcehloubky = zap vyp
zakladnifont = inherits: \nastavzakladnifont
odsazovani = inherits: \nastavodsazovani
pismo = STYLE BEFEHL
barva = COLOR
inherits: \nastavoramovani inherits: \setupplacement

`\setupglobalreferenceprefix` [\dots^*]

* + - TEXT

`\setupheadalternative` [\dots^1, \dots] [\dots^2, \dots]
OPT

1 NAME
2 alternativa = horizontalne vertikalne nekde
renderingsetup = NAME

`\setuphelp` [\dots^1, \dots] [\dots^2, \dots]
OPT

1 NAME
2 inherits: \nastavoramovani

`\setuphigh` [\dots^1, \dots] [\dots^2, \dots]
OPT

1 NAME
2 vzdalenost = DIMENSION
up = DIMENSION
pismo = STYLE BEFEHL
barva = COLOR

`\setuphighlight` [\dots^1, \dots] [\dots^2, \dots]
OPT

1 NAME
2 prikaz = ano ne
pismo = STYLE BEFEHL
barva = COLOR

`\setuphyphenation` [\dots^*, \dots]

* metoda = original tex implicitni hyphenate expanded traditional zadny

`\setupcharacterkerning` [¹...;...]_{OPT} [²...;...]

1 NAME
2 faktor = max NUMBER
sirka = DIMENSION
features = NAME
pismeno = STYLE BEFEHL
barva = COLOR

`\setupcharacterspacing` [¹...] [²...] [³...;...]_{OPT}

1 NAME
2 NUMMER
3 vlevo = NUMBER
vpravo = NUMBER
alternativa = 0 1

`\setupchemical` [¹...;...]_{OPT} [²...;...]

1 NAME
2 strut = inherits: \value-strut
sirka = prizpusobive zadny NUMBER
vyska = prizpusobive zadny NUMBER
vlevo = prizpusobive zadny NUMBER
vpravo = prizpusobive zadny NUMBER
vrsek = prizpusobive zadny NUMBER
spodek = prizpusobive zadny NUMBER
meritko = male stredni velke normalni NUMBER
rotace = NUMMER
symzarovnani = auto
osa = zap vyp
barvarecku = COLOR
tloustkalinky = DIMENSION
offset = DIMENSION
jednotka = DIMENSION
faktor = NUMMER
ramecek = zap vyp
barvalinky = COLOR
zakladnifont = inherits: \nastavzakladnifont
velikost = male stredni velke
pismeno = STYLE BEFEHL
barva = COLOR

`\setupchemicalframed` [¹...;...]_{OPT} [²...;...]

1 NAME
2 inherits: \nastavoramovani

`\setupindentedtext` [¹...;...]_{OPT} [²...;...]

1 NAME
2 pred = BEFEHL
po = BEFEHL
vzdalenost = DIMENSION
vzor = TEXT
text = TEXT
sirka = prizpusobive siroky DIMENSION
oddelovac = BEFEHL
pismeno = STYLE BEFEHL
barva = COLOR
stylhlavicky = STYLE BEFEHL
barvahlavicky = COLOR

`\setupinitial` [\dots^1, \dots] [\dots^2, \dots]
OPT

1 NAME
2 n = NUMMER
m = NUMMER
pred = BEFEHL
vzdalenost = DIMENSION
hoffset = DIMENSION
voffset = radek DIMENSION
pismo = STYLE BEFEHL
barva = COLOR
font = FONT
text = TEXT
misto = marginalie text
metoda = prvni posledni auto zadny

`\setupinsertion` [\dots^1, \dots] [\dots^2, \dots]
OPT

1 NAME
2 misto = stranka text sloupce firstcolumn lastcolumn

`\setupitaliccorrection` [\dots^*]

* text vzdy globalne zadny

`\setupitemgroup` [\dots^1] [\dots^2, \dots] [\dots^3, \dots] [\dots^4, \dots]
OPT OPT OPT

1 NAME
2 kazdy NUMMER
3 uvod nahodny pokrakovat zhustene autouvod široky text pred po zadnabila marginalie naokraj naokraj dotextu
uvolnene prizpusobive nofit odstavec spojeno semknuto predel rozbalene opakovat norepeat reverse sloupce jedna dve
tri ctyri pet six seven eight nine standardni NUMMER*siroky NUMMER*semknuto horizontalne NAME
4 pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
predhlavickou = BEFEHL
pohlavicce = BEFEHL
textvlevo = BEFEHL
textvpravo = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
faktor = NUMMER
krok = DIMENSION
sirka = DIMENSION
vzdalenost = DIMENSION
marginalie = ano ne standardni DIMENSION
levyokraj = ano ne standardni DIMENSION
pravyokraj = ano ne standardni DIMENSION
zarovnani = inherits: \nastavzarovnani
odsazovani = inherits: \nastavodsazovani
start = NUMMER
symzarovnani = vlevo nastred vpravo flushleft center flushright
symbol = NAME
n = NUMMER
odsadpristi = ano ne auto
vnitrni = BEFEHL
prikaz = CSNAME
polozky = NUMMER
maxsirka = DIMENSION
itemalign = vlevo vpravo nastred flushleft flushright uvnitr vnejsi
alignsymbol = ano ne
textdistance = male stredni velke zadny mezera DIMENSION
predelmista = ano ne
pismo = STYLE BEFEHL
barva = COLOR
stylhlavicky = STYLE BEFEHL
barvahlavicky = COLOR
stylsnacky = STYLE BEFEHL
barvaznacky = COLOR
stylsymboly = STYLE BEFEHL
barvasymbolu = COLOR
inherits: \setupcounter

`\setupitemgroup [...1,...] [...2,...]`

1 NAME NAME:NUMBER

2 pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
predhlavickou = BEFEHL
pohlavicce = BEFEHL
textvlevo = BEFEHL
textvpravo = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
faktor = NUMMER
krok = DIMENSION
sirka = DIMENSION
vzdalenost = DIMENSION
volba = uvod nahodny pokracovat zhustene autouvod siroky text pred po zadnabila marginalie naokraji
naokraji dotextu uvolnene prizpusobive nofit odstavec spojeno semknuto predel rozbalene opakovat
norepeat reverse sloupce jedna dve tri ctyri pet six seven eight nine standardni NUMMER*siroky
NUMMER*semknuto horizontalne NAME

marginalie = ano ne standardni DIMENSION
levyokraj = ano ne standardni DIMENSION
pravyokraj = ano ne standardni DIMENSION
zarovnani = inherits: \nastavzarovnani
odsazovani = inherits: \nastavodsazovani
start = NUMMER
symzarovnani = vlevo vpravo nastred flushleft center flushright
symbol = NAME
n = NUMMER
odsadpristi = ano ne auto
vnitrni = BEFEHL
prikaz = CSNAME
polozky = NUMMER
maxsirka = DIMENSION
itemalign = vlevo vpravo nastred flushleft flushright uvnitr vnejsi
alignsymbol = ano ne
textdistance = male stredni velke zadny mezera DIMENSION
predelmista = ano ne
pismeno = STYLE BEFEHL
barva = COLOR
stylhlavicky = STYLE BEFEHL
barvahlavicky = COLOR
stylnacky = STYLE BEFEHL
barvaznacky = COLOR
stylsymboly = STYLE BEFEHL
barvasymbolu = COLOR
inherits: \setupcounter

`\nastaveniITEMGROUP [...1,...] [...2,...] [...3,...]`

1 kazdy NUMBER

2 inherits: \setupitemgroup

3 inherits: \setupitemgroup

instances: itemize

`\setuplabel [...1...] [...2...]`

OPT

```
1 NAME
2 titul = ano ne
  cislo = ano ne
  ciselnyprikaz = \...##1
  vzdalenosttitulek = DIMENSION
  styltitulek = STYLE BEFEHL
  barvatitulek = COLOR
  titlecommand = \...##1
  titleleft = BEFEHL
  titleright = BEFEHL
  vlevo = BEFEHL
  vpravo = BEFEHL
  symbol = BEFEHL
  starter = BEFEHL
  predel = BEFEHL
  propojeni = NAME
  counter = NAME
  uroven = NUMMER
  text = TEXT
  headcommand = \...##1
  pred = BEFEHL
  po = BEFEHL
  mezi = BEFEHL
  alternativa = vlevo vpravo naokrajiv vlevo ivpravo marginalie lev yokraj prav yokraj innermargin outermargin
    semknuto visici vrsek prikaz dotextu NAME
  zarovnani = inherits: \nastavzarovnani
  headalign = inherits: \nastavzarovnani
  odsazovani = inherits: \nastavodsazovani
  obrazovka = ano ne
  odsadpristi = ano ne auto
  sirka = prizpusobive siroky radek DIMENSION
  vzdalenost = zadny DIMENSION
  zaveseni = prizpusobive siroky zadny marginalie NUMMER
  closesymbol = BEFEHL
  closecommand = \...##1
  expanzen = ano ne xml
  referenceprefix = + - TEXT
  vzor = TEXT
  marginalie = ano ne standardni DIMENSION
  pismo = STYLE BEFEHL
  barva = COLOR
  stylhlavicky = STYLE BEFEHL
  barvahlavicky = COLOR
  inherits: \setupcounter
```

`\setuplayer [...1...] [...2...]`

OPT

```
1 NAME
2 status = start stop pokracovat dalsi opakovat
  volba = test
  stranka = NUMMER
  sirka = DIMENSION
  vyska = DIMENSION
  region = NAME
  rotace = vlevo vpravo uvnitr vnejsi NUMMER
  position = ano ne prekryv
  hoffset = max DIMENSION
  voffset = max DIMENSION
  offset = DIMENSION
  dx = DIMENSION
  dy = DIMENSION
  sx = NUMMER
  sy = NUMMER
  x = DIMENSION
  y = DIMENSION
  roh = vlevo nastred vpravo vrsek spodek
  misto = mrizka vlevo nastred vpravo vrsek spodek radek l c r m t b g
  radek = NUMMER
  sloupec = NUMMER
  smer = normalni reverse
  oboustranne = ano ne
  metoda = prizpusobive prekryv
  opakovat = ano
  prednastaveni = lefttop righttop leftbottom rightbottom nastred middletop middlebottom middleleft middleright
    lefttopleft lefttopright NAME
```

`\setuplayeredtext [...1,...] [...2,...]`

OPT

- 1 NAME
- 2 pismo = STYLE BEFEHL
barva = COLOR
inherits: \nastavoramovani

`\setuplayouttext [...1.] [...2.] [...3,...]`

OPT

- 1 vrsek zahlavi text upati spodek
- 2 text marginalie hrana
- 3 status = start stop prazdne vysoko zadny normalni zadneznaceni NAME
pismo = STYLE BEFEHL
barva = COLOR
strut = ano ne
n = NUMMER
pred = BEFEHL
po = BEFEHL
stylvlevo = STYLE BEFEHL
stylvpravo = STYLE BEFEHL
barvavlevo = COLOR
barvavpravo = COLOR
sirka = DIMENSION
sirkavlevo = DIMENSION
sirkavpravo = DIMENSION

`\setuplinefiller [...1,...] [...2,...]`

OPT

- 1 NAME
- 2 misto = vlevo vpravo obe
rozsah = vlevo vpravo lokalne
mp = NAME
vyska = DIMENSION
hloubka = DIMENSION
vzdalenost = DIMENSION
threshold = DIMENSION
tloustkalinky = DIMENSION
pred = BEFEHL
po = BEFEHL
barva = COLOR
styltextu = STYLE BEFEHL
barvatextu = COLOR
zarovnani = inherits: \nastavzarovnani

`\setuplinefillers [...1,...] [...2,...]`

OPT

- 1 NAME
- 2 inherits: \setuplinefiller

`\setuplinenote [...1,...] [...2,...]`

OPT

- 1 NAME
- 2 compress = ano ne
compressmethod = separator predel mezera
compressseparator = BEFEHL
compressdistance = DIMENSION
inherits: \setupnote

`\setuplinetable` [¹...] [²...] [³...,...,...]

OPT OPT

1 r c
2 liche sude zahlavi NUMMER
3 radky = prizpusobive NUMMER
pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
natahnout = ano ne DIMENSION
maxsirka = prizpusobive DIMENSION
nvlevo = NUMMER
n = NUMMER
opakovat = ano ne
nx = NUMMER
sirka = DIMENSION
vyska = prizpusobive radek DIMENSION
vzdalenost = DIMENSION
levyoffset = DIMENSION
pravyoffset = DIMENSION
zarovnani = inherits: \nastavzarovnani
pozadi = barevne
barvapozadi = COLOR
xheight = max DIMENSION
xdepth = max DIMENSION
pismo = STYLE BEFEHL
barva = COLOR

`\setuplistalternative` [¹...,...] [²...,...,...]

OPT

1 NAME
2 pred = BEFEHL
po = BEFEHL
prikaz = \...##1##2##3
renderingsetup = NAME
sirka = DIMENSION
vzdalenost = DIMENSION
natahnout = DIMENSION
filler = BEFEHL

`\setuplistextra` [¹...,...] [²...,...,...]

OPT

1 NAME
2 pred = BEFEHL
po = BEFEHL

`\setuplocalfloats` [^{*}...,...]

* pred = BEFEHL
po = BEFEHL
mezi = BEFEHL

`\setuplocalinterlinespace` [¹...,...] [²...,...,...]

OPT

1 NAME
2 inherits: \nastavmeziradkovoumezeru

`\setuplocalinterlinespace` [^{*}...,...]

OPT

* zap vyp reset auto male stredni velke NUMMER DIMENSION

`\setuplocalinterlinespace` [^{*}...]

* NAME

`\setuplow [..1..] [..2..]`
OPT

1 NAME
2 vzdalenost = DIMENSION
down = DIMENSION
pismo = STYLE BEFEHL
barva = COLOR

`\setuplowhigh [..1..] [..2..]`
OPT

1 NAME
2 vzdalenost = DIMENSION
up = DIMENSION
down = DIMENSION
pismo = STYLE BEFEHL
barva = COLOR

`\setuplowmidhigh [..1..] [..2..]`
OPT

1 NAME
2 up = DIMENSION
down = DIMENSION
pismo = STYLE BEFEHL
barva = COLOR

`\setupMPgraphics [..*..]`

* barva = lokalne globalne
mpy = FILE

`\setupMPinstance [..1..] [..2..]`
OPT

1 NAME
2 formatovat = metafun mpost
initializations = ano ne
setups = NAME
styltextu = STYLE BEFEHL
barvatextu = COLOR
extensions = ano ne
metoda = binary decimal double scaled implicitni

`\setupMPpage [..*..]`

* inherits: \setupfittingpage

`\setupMPvariables [.1] [..2..]`
OPT

1 NAME
2 KEY = VALUE

`\setupmarginblock [..1..] [..2..]`
OPT

1 NAME
2 status = start stop
sirka = DIMENSION
pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
zarovnani = inherits: \nastavzarovnani
pismo = STYLE BEFEHL
barva = COLOR
vrsek = BEFEHL
spodek = BEFEHL
misto = vlevo vpravo nastred naokraj
vlevo = BEFEHL
vpravo = BEFEHL

`\setupmargindata` [\dots^1, \dots] [\dots^2, \dots]
OPT

1 NAME

2 strut = ano ne auto kap prizpusobive radek implicitni CHARACTER
prikaz = \...##1
sirka = DIMENSION
zarovnani = inherits: \nastavzarovnani
anchor = region text
misto = vlevo vpravo uvnitr vnejsi
metoda = vrsek radek prvni podlehloubky vyska
category = implicitni hrana
rozsah = lokalne globalne
volba = text odstavec
marginalie = lokalne normalni marginalie hrana
vzdalenost = DIMENSION
hoffset = DIMENSION
voffset = DIMENSION
dy = DIMENSION
bottomspace = DIMENSION
threshold = DIMENSION
radek = NUMMER
stack = ano pokracovat
pismo = STYLE BEFEHL
barva = COLOR

`\setupmarginframed` [\dots^1, \dots] [\dots^2, \dots]
OPT

1 NAME

2 inherits: \nastavoramovani

`\setupmarginrule` [\dots^1] [\dots^2, \dots]
OPT

1 NUMMER

2 inherits: \setupsidebar

`\setupmathalignment` [\dots^1, \dots] [\dots^2, \dots]
OPT

1 NAME

2 n = NUMMER
m = NUMMER
vzdalenost = DIMENSION
zarovnani = vlevo nastred vpravo normalni

`\setupmathcases` [\dots^1, \dots] [\dots^2, \dots]
OPT

1 NAME

2 vlevo = BEFEHL
vpravo = BEFEHL
strut = ano ne
pismo = STYLE BEFEHL
vzdalenost = DIMENSION
numberdistance = DIMENSION

`\setupmathematics` [\dots , \dots] [\dots , \dots]
OPT

1 NAME

2 `openup` = ano ne
`sadasymbolu` = NAME
`functionstyle` = STYLE BEFEHL
`compact` = ano ne
`zarovnani` = l2r r2l
`bidi` = ano ne
`sygreek` = normalni kurziva zadny
`lcgreek` = normalni kurziva zadny
`ucgreek` = normalni kurziva zadny
`italics` = 1 2 3 4 zadny reset
`autopunctuation` = ano ne vse
`setups` = NAME
`domain` = NAME reset
`styltextu` = STYLE BEFEHL
`barvatextu` = COLOR
`functioncolor` = COLOR
`integral` = limits nolimits autolimits displaylimits zadny
`stylealternative` = NAME
`implicitni` = normalni kurziva
`fraction` = ams ctx

`\setupmathfence` [\dots , \dots] [\dots , \dots]
OPT

1 NAME

2 `prikaz` = ano ne
`vlevo` = NUMMER
`stredni` = NUMMER
`vpravo` = NUMMER
`mathstyle` = obrazovka text script scriptscript cramped uncramped normalni zhustene male velke
`barva` = COLOR
`status` = auto
`faktor` = auto zadny cislo

`\setupmathfraction` [\dots , \dots] [\dots , \dots]
OPT

1 NAME

2 `vzdalenostvrsku` = DIMENSION
`vzdalenostspodku` = DIMENSION
`marginalie` = DIMENSION
`barva` = COLOR
`strut` = ano ne math tight
`alternativa` = uvnitr vnejsi obe
`linka` = ano ne auto
`vlevo` = NUMMER
`vpravo` = NUMMER
`tloustkalinky` = DIMENSION
`mathstyle` = STYLE BEFEHL
`vzdalenost` = ne zadny prekryv

`\setupmathframed` [\dots , \dots] [\dots , \dots]
OPT

1 NAME

2 `inherits:` \nastavoramovani

`\setupmathmatrix` [\dots , \dots] [\dots , \dots]
OPT

1 NAME

2 `vlevo` = BEFEHL
`vpravo` = BEFEHL
`strut` = ano ne NUMMER
`zarovnani` = vlevo nastred vpravo normalni
`pismeno` = STYLE BEFEHL
`vzdalenost` = DIMENSION
`misto` = vrsek spodek vysoko nizko nivy normalni

`\setupmathornament [...1,...] [...2,...]`
OPT

1 NAME
2 alternativa = mp
barva = COLOR
mpoffset = DIMENSION
mp = NAME

`\setupmathradical [...1,...] [...2,...]`
OPT

1 NAME
2 alternativa = implicitni normalni mp
barva = COLOR
mpoffset = DIMENSION
mp = NAME

`\setupmathstackers [...1,...] [...2,...]`
OPT

1 NAME
2 vlevo = BEFEHL
vpravo = BEFEHL
topcommand = \...##1
bottomcommand = \...##1
middlecommand = \...##1
mp = NAME
mpheight = DIMENSION
mpdepth = DIMENSION
mpoffset = DIMENSION
barva = COLOR
hoffset = DIMENSION
voffset = DIMENSION
minvyska = DIMENSION
mindepth = DIMENSION
mathclass = rel ord
offset = min max normalni
misto = vrsek spodek vysoko nizko nastred NUMMER
strut = ano ne
alternativa = normalni implicitni mp
minsirka = DIMENSION
vzdalenost = DIMENSION
moffset = DIMENSION
order = normalni reverse
mathlimits = ano ne

`\setupmathstyle [...*,...]`

* obrazovka text script scriptscript cramped uncramped normalni zhustene male velke NAME

`\setupmixedcolumns [...1,...] [...2,...]`
OPT

1 NAME
2 mrizka = inherits: \definegridsnapping
tloustkalinky = DIMENSION
metoda = otr box
pred = BEFEHL
po = BEFEHL
vzdalenost = DIMENSION
n = NUMMER
maxvyska = DIMENSION
maxsirka = DIMENSION
krok = DIMENSION
profile = NAME
zarovnani = inherits: \nastavzarovnani
setups = NAME
rovnovaha = ano ne
splitmethod = zadny fixne
alternativa = lokalne globalne
internalgrid = radek pulradku
oddelovac = linka
strut = ano ne
barva = COLOR
barvalinky = COLOR
smer = normalni reverse
inherits: \nastavoramovani

```
\setupmodule [...]1 [...]2 [...]
```

OPT

```
1 FILE
2 test = ano ne
   KEY = VALUE
```

```
\setupnotation [...]1 [...]2 [...]
```

OPT

```
1 NAME
2 titul = ano ne
  cislo = ano ne
  typ = note
  ciselny prikaz = \...##1
  vzdalenost titulek = DIMENSION
  styl titulek = STYLE BEFEHL
  barva titulek = COLOR
  titlecommand = \...##1
  titleleft = BEFEHL
  titleright = BEFEHL
  vlevo = BEFEHL
  vpravo = BEFEHL
  symbol = BEFEHL
  starter = BEFEHL
  predel = BEFEHL
  propojeni = NAME
  counter = NAME
  uroven = NUMMER
  text = TEXT
  headcommand = \...##1
  pred = BEFEHL
  po = BEFEHL
  mezi = BEFEHL
  alternativa = vlevo vpravo naokraj i vlevo i vpravo marginalie levokraj pravokraj innermargin outermargin
                 semknuto visici vrsek prikaz note NAME
  zarovnani = inherits: \nastavzarovnani
  headalign = inherits: \nastavzarovnani
  odsazovani = inherits: \nastavodsazovani
  obrazovka = ano ne
  odsadpristi = ano ne auto
  sirka = prizpusobive široky radek DIMENSION
  vzdalenost = zadny DIMENSION
  zaveseni = prizpusobive široky zadny marginalie NUMMER
  closesymbol = BEFEHL
  closecommand = \...##1
  expanzen = ano ne xml
  referenceprefix = + - TEXT
  vzor = TEXT
  marginalie = ano ne standardni DIMENSION
  pismeno = STYLE BEFEHL
  barva = COLOR
  styl hlavy = STYLE BEFEHL
  barva hlavy = COLOR
  inherits: \setupcounter
```

```
\setupnotations [...]1 [...]2 [...]
```

OPT

```
1 NAME
2 inherits: \setupnotation
```

`\setupnote [...,1...] [...,2...]`
OPT

1 NAME

2 interakce = ano ne cislo text vse
symbolcommand = \...##1
textovyprikaz = \...##1
indikator = ano ne
oddelovactextu = BEFEHL
sirka = DIMENSION
vyska = DIMENSION
vzdalenost = DIMENSION
rulecommand = BEFEHL
linka = zap vyp normalni vlevo vpravo prikaz odstavec
split = tolerantni striktni velmistriktni NUMMER
faktor = NUMMER
misto = text stranka vysoko spodek zadny sloupce firstcolumn lastcolumn
dalsi = BEFEHL
n = NUMMER
barvalinky = COLOR
tloustkalinky = DIMENSION
setups = NAME
meziradkovamezera = NAME
odstavec = ano ne
pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
rozsah = stranka
vzdalenostsloupcu = DIMENSION
pokracovat = ano ne
alternativa = mrizka fixne sloupce note zadny
kriterium = stranka
zakladnifont = inherits: \nastavzakladnifont
zarovnani = inherits: \nastavzarovnani
styltextu = STYLE BEFEHL
barvatextu = COLOR
anchor = dalsi
inherits: \nastavoramovani

`\setupnotes [...,1...] [...,2...]`
OPT

1 NAME

2 inherits: \setupnote

`\setupoffset [...,*...]`

* inherits: \setupoffsetbox

`\setupoffsetbox [...,*...]`

* x = DIMENSION
y = DIMENSION
levyoffset = DIMENSION
pravyoffset = DIMENSION
offsetvrsku = DIMENSION
offsetspodku = DIMENSION
metoda = fixne
sirka = DIMENSION
vyska = DIMENSION
hloubka = DIMENSION
misto = vlevo nastred vpravo vrsek spodek radek l c r m t b g

`\setupoutputroutine [...,1...] [...,2...]`
OPT

1 NAME

2 KEY = CSNAME

`\setupoutputroutine [...]`

* NAME

`\setuppagegrid [...1,...] [...2,...]`
OPT

1 NAME
2 n = NUMBER
nvlevo = NUMBER
nvpravo = NUMBER
sirka = DIMENSION auto
vzdalenost = DIMENSION
radky = NUMBER
maxsirka = DIMENSION
maxvyska = DIMENSION
smer = normalni reverse
stranka = inherits: \strana
inherits: \nastavoramovani

`\setuppagegridarea [...1,...] [...2,...]`
OPT

1 NAME
2 status = start stop opakovat
x = NUMBER
y = NUMBER
nx = NUMBER
ny = NUMBER
pismo = STYLE BEFEHL
barva = COLOR
clipoffset = DIMENSION
pravyyoffset = DIMENSION
inherits: \nastavoramovani

`\setuppagegridareatext [...1] [...2]`

1 NAME
2 TEXT

`\setuppagegridlines [...1] [...2] [...3] [...4]`

1 NAME
2 NUMMER
3 NUMMER
4 NUMMER

`\setuppagegridspan [...1,...] [...2,...]`
OPT

1 NAME
2 n = NUMBER
pismo = STYLE BEFEHL
barva = COLOR
pred = BEFEHL
po = BEFEHL
inherits: \nastavoramovani

`\setuppagegridstart [...1] [...2] [...3] [...4]`

1 NAME
2 NUMMER
3 NUMMER
4 NUMMER

`\setuppagechecker [...1,...] [...2,...]`
OPT

1 NAME
2 radky = NUMBER
offset = DIMENSION
metoda = 0 1 2 3
pred = BEFEHL
po = BEFEHL
mezi = BEFEHL

`\setuppageinjection [...,1...] [...,2...,...]`

1 NAME

2 status = predchozi dalsi NUMMER
prodleva = ano ne
alternativa = obrazek buffer setups zadny NAME
stranka = inherits: \strana
pagestate = start stop
n = NUMMER
inherits: \nastavoramovani

`\setuppageinjectionalternative [...,1...] [...,2...,...]`

1 NAME

2 renderingsetup = NAME

`\setuppageshift [...,1] [...,2] [...,3]`

1 stranka papir

2 NAME

3 NAME

`\setuppagestate [...,1...] [...,2...,...]`

1 NAME

2 prodleva = ano ne

`\setuppairedbox [...,1...] [...,2...,...]`

1 NAME

2 pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
misto = vlevo nastred vpravo vrsek spodek vysoko nizko
n = NUMMER
vzdalenost = DIMENSION
zakladnifont = inherits: \nastavzakladnifont
sirka = DIMENSION
vyska = DIMENSION
maxsirka = DIMENSION
maxvyska = DIMENSION
zarovnani = inherits: \nastavzarovnani
pismo = STYLE BEFEHL
barva = COLOR

`\nastaveniPAIREDBOX [...,*...,...]`

* inherits: \setuppairedbox

instances:

`\setuppaper [...,*...,...]`

* inherits: \nastavvelikostpapiru

`\setupparagraph [...,1...] [...,2...,...]`

1 NAME

2 pismo = STYLE BEFEHL
barva = COLOR
zarovnani = inherits: \nastavzarovnani
setups = NAME

`\setupparagraphintro [...1,...] [...2,...]`

1 reset kazdy prvni dalsi
2 BEFEHL

`\setupparallel [...1,...] [...2,...] [...3,...]`

1 NAME
2 NAME
3 setups = NAME
start = NUMMER
n = NUMMER
kriterium = vse

`\setupperiods [...*,...]`

* n = NUMMER
sirka = DIMENSION prizpusobive
vzdalenost = DIMENSION
symbol = BEFEHL

`\setupplacement [...1,...] [...2,...]`
OPT

1 NAME
2 pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
mrizka = inherits: \snaptogrid
korekceradku = zap vyp
korekcehloubky = zap vyp
marginalie = ano ne standardni

`\setuppositionbar [...*,...]`

* pismeno = STYLE BEFEHL
barva = COLOR
n = NUMMER
min = NUMMER
max = NUMMER
text = TEXT
sirka = DIMENSION
vyska = DIMENSION
hloubka = DIMENSION

`\setupprocessor [...1,...] [...2,...]`
OPT

1 NAME
2 status = start stop
vlevo = BEFEHL
vpravo = BEFEHL
prikaz = \...##1
pismeno = STYLE BEFEHL
barva = COLOR

`\setupprofile [...1,...] [...2,...]`
OPT

1 NAME
2 vyska = DIMENSION
hloubka = DIMENSION
vzdalenost = DIMENSION
faktor = NUMMER
radky = NUMMER
metoda = striktni fixne zadny

`\setupquotation [...*,...]`

* inherits: \setupdelimitedtext

`\setuprealpagenumber [...,*...]`

* inherits: \setupcounter

`\setupreferenceformat [...,1...] [...,2...]`
OPT

1 NAME
2 popisek = * NAME
vlevo = BEFEHL
vpravo = BEFEHL
typ = implicitni text titul cislo stranka realpage
setups = NAME
autocase = ano ne
text = TEXT
pismo = STYLE BEFEHL
barva = COLOR

`\setupreferenceprefix [...]`

* + - TEXT

`\setupreferencestructureprefix [...,1...] [...,2...] [...,3...]`
OPT OPT

1 NAME ABSCHNITT
2 implicitni
3 prefix = ano ne
prefixseparatorset = NAME
prefixconversion = NAME
prefixconversionset = NAME
prefixstarter = BEFEHL PROCESSOR->BEFEHL
prefixstopper = BEFEHL PROCESSOR->BEFEHL
prefixset = NAME
prefixsegments = NUMBER NUMBER:NUMMER NUMMER:* NUMMER:vse ABSCHNITT ABSCHNITT:ABSCHNITT ABSCHNITT:* ABSCHNITT:vse
numberconversion = NAME
numberconversionset = NAME
numberstarter = BEFEHL PROCESSOR->BEFEHL
numberstopper = BEFEHL PROCESSOR->BEFEHL
numbersegments = NUMBER NUMBER:NUMMER NUMMER:* NUMMER:vse
numberseparatorset = NAME
prefixconnector = BEFEHL PROCESSOR->BEFEHL

`\setupregisters [...,1...] [...,2...]`
OPT

1 NAME NAME:NUMMER
2 inherits: \nastavrejstrik

`\setupregisters [...,1...] [...,2...] [...,3...]`
OPT OPT

1 NAME
2 NUMMER
3 inherits: \nastavrejstrik

`\setuprenderingwindow [...,1...] [...,2...]`
OPT

1 NAME
2 akceotevrenistranky = REFERENCE
akcezavrenistranky = REFERENCE
inherits: \nastavoramovani

`\setups [...,*...]`

* NAME

`\setupscale` [\dots^1, \dots] [\dots^2, \dots]

OPT

1 NAME

2 meritko = NUMBER
xmeritko = NUMBER
ymeritko = NUMBER
sirka = DIMENSION
vyska = DIMENSION
hloubka = ano ne
radky = NUMBER
faktor = prizpusobive siroky max auto implicitni
vfaktor = prizpusobive siroky max auto implicitni
sfaktor = prizpusobive siroky max auto implicitni
maxsirka = DIMENSION
maxvyska = DIMENSION
s = NUMBER
sx = NUMBER
sy = NUMBER
equalwidth = DIMENSION
equalheight = DIMENSION
mrizka = ano prizpusobive vyska podlehloubky pulradku

`\setupscript` [\dots^1, \dots] [\dots^2, \dots]

OPT

1 NAME

2 metoda = hangul hanzi nihongo ethiopic thai test
prednastaveni = NAME
features = auto

`\setupscripts` [\dots^1, \dots] [\dots^2, \dots]

OPT

1 NAME

2 inherits: \setupscript

`\setupselector` [\dots^1] [\dots^2, \dots]

1 NAME

2 n = NUMBER
m = NUMBER

`\setupshift` [\dots^1, \dots] [\dots^2, \dots]

OPT

1 NAME

2 pokracovat = ano ne
jednotka = ex em pt in cm mm sp bp pc dd cc nc
metoda = NUMBER
dy = NUMBER
zarovnani = inherits: \nastavzarovnani
pismeno = STYLE BEFEHL
barva = COLOR

`\setupsidebar` [\dots^1, \dots] [\dots^2, \dots]

OPT

1 NAME

2 tloustkalinky = DIMENSION
barvalinky = COLOR
alternativa = NUMBER
offsetvrsku = DIMENSION
offsetspodku = DIMENSION
vzdalenost = DIMENSION
vzdalenostlevehookraje = DIMENSION
uroven = NUMBER

`\setupspellchecking` [\dots^*]

* status = start stop
metoda = 1 2 3
seznam = NAME

`\setupstartstop [...1,...] [...2,...]`
OPT

1 NAME
2 pred = BEFEHL
po = BEFEHL
mezi = BEFEHL
setups = NAME
vlevo = BEFEHL
vpravo = BEFEHL
pismo = STYLE BEFEHL
barva = COLOR

`\setupstretched [...*,...]`

* inherits: \setupcharacterkerning

`\setupstruts [...]`
OPT

* ano ne auto kap prizpusobive radek implicitni CHARACTER

`\setupstyle [...1,...] [...2,...]`
OPT

1 NAME
2 metoda = prikaz
pismo = STYLE BEFEHL
barva = COLOR

`\setupsbformula [...1,...] [...2,...]`
OPT

1 NAME
2 odsadpristi = ano ne auto

`\setups {...*,...}`

* NAME

`\setupTABLE [...1,...] [...2,...] [...3,...]`
OPT OPT

1 r c x y row column prvni posledni start zhlavi kazdy liche sude jedna NUMMER -NUMMER
2 prvni least kazdy dve liche sude NUMMER -NUMMER
3 extras = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
barvahlavicky = COLOR
stylhlavicky = STYLE BEFEHL
vzdalenostlevehookraje = DIMENSION
vzdalenostpravehookraje = DIMENSION
vzdalenostsloupcu = DIMENSION
maxsirka = DIMENSION
setups = NAME
sirkatextu = DIMENSION lokalne
split = ano ne opakovat auto
zhlavi = opakovat
volba = natahnout tight
pred = BEFEHL
po = BEFEHL
stejnastranka = pred po obe
spaceinbetween = inherits: \preskoc
splitoffset = DIMENSION
aligncharacter = ano ne
alignmentcharacter = TEXT number->TEXT text->TEXT
vzdalenost = DIMENSION
barva = COLOR
pismo = math STYLE BEFEHL
inherits: \nastavoramovani

`\setupTEXpage [...*,...]`

* inherits: \setupfittingpage

`\setuptabulation` [\dots^1, \dots] [\dots^2, \dots]
OPT

1 NAME

2 formatovat = TEMPLATE zadny
pred = BEFEHL
po = BEFEHL
vzdalenost = male stredni velke zadny prazdny podlehloubky mrizka DIMENSION
zarovnani = vlevo nastred vpravo dimension
linka = radek normalni
barvalinky = COLOR
tloustkalinky = DIMENSION
zakladnifont = inherits: \nastavzakladnifont
odsazovani = ano ne
split = ano ne opakovat auto
jednotka = DIMENSION
marginalie = DIMENSION
vnitrni = BEFEHL
EQ = BEFEHL
zahlavi = ano opakovat text
ramecek = zap vyp
titul = TEXT
keepetogether = ano ne

`\setuptagging` [\dots^*, \dots]

* status = start stop
metoda = auto

`\setuptextbackground` [\dots^1, \dots] [\dots^2, \dots]
OPT

1 NAME

2 status = start stop
misto = text odstavec zadny
alternativa = NUMMER
mp = NAME
metoda = NAME
pozadi = barevne
barvapoziadi = COLOR
roh = pravouhly zaobleny
uroven = NUMMER
offsetpozadi = DIMENSION
pred = BEFEHL
po = BEFEHL
zarovnani = inherits: \nastavzarovnani
pomlcka = NUMMER
polomer = DIMENSION
ramecek = zap vyp
barvaramecku = COLOR
tloustkalinky = DIMENSION
voffset = DIMENSION
offsetramecku = DIMENSION
levyoffset = ano ne standardni DIMENSION
pravyoffset = ano ne standardni DIMENSION
offsetvrsku = male stredni velke radek DIMENSION
offsetspodku = male stredni velke radek DIMENSION
pismo = STYLE BEFEHL
barva = COLOR

`\setuptextflow` [\dots^1, \dots] [\dots^2, \dots]
OPT

1 NAME

2 sirka = DIMENSION
pismo = STYLE BEFEHL
barva = COLOR

`\setuptooltip` [\dots^1, \dots] [\dots^2, \dots]
OPT

1 NAME

2 misto = vlevo nastred vpravo
inherits: \nastavoramovani

`\setupunit [...,1...] [...,2...]`
OPT

1 NAME
2 metoda = 1 2 3 4 5 6
language = SPRACHE
alternativa = text matematika
order = reverse normalni
oddelovac = male stredni velke normalni zadny NAME
mezera = male stredni velke normalni zadny NAME
pismo = STYLE BEFEHL
barva = COLOR

`\setupuserpagenumber [...,*...]`

* viewerprefix = TEXT
status = start stop zadny drzet prazdne
inherits: \setupcounter

`\setupversion [...]`

* koncept soubor docasne finalni NAME

`\setupviewerlayer [...,*...]`

* titul = TEXT
status = start stop
export = ano ne
tisknutelne = ano ne
rozsah = lokalne globalne
metoda = zadny prikaz

`\setupvspacing [...,*...]`
OPT

* inherits: \vspacing

`\setupwithargument {...} {...}`

1 NAME
2 CONTENT

`\setupwithargumentswapped {...} {...}`

1 CONTENT
2 NAME

`\setupxml [...,*...]`

* implicitni = skryte zadny text
compress = ano ne

`\setupxtable [...,1...] [...,2...]`
OPT

1 NAME
2 sirkatextu = DIMENSION lokalne
zakladnifont = inherits: \nastavzakladnifont
spaceinbetween = inherits: \preskoc
volba = tight max natahnout sirka vyska fixne
vyskatextu = DIMENSION
maxsirka = DIMENSION
vzdalenostsloupcu = DIMENSION
vzdalenostlevehookraje = DIMENSION
vzdalenostpravehookraje = DIMENSION
zahlavi = opakovat
upati = opakovat
tloustkalinky = DIMENSION
split = ano ne opakovat auto
splitoffset = DIMENSION
stejnastranka = pred po obe
vzdalenost = DIMENSION
inherits: \nastavoramovani

`\setuvalue {...} {...}`

- 1 NAME
- 2 CONTENT

`\setuxvalue {...} {...}`

- 1 NAME
- 2 CONTENT

`\setvalue {...} {...}`

- 1 NAME
- 2 CONTENT

`\setvariable {...} {...} {...}`

- 1 NAME
- 2 KEY
- 3 VALUE

`\setvariables [...]1 [...,...2...,...]`

- 1 NAME
- 2 `set = BEFEHL`
`reset = BEFEHL`
`KEY = VALUE`

`\setvboxregister ...1 {...}`

- 1 CSNAME NUMBER
- 2 CONTENT

`\setvisualizerfont [...]*`
OPT

- * FONT

`\setvtopregister ...1 {...}`

- 1 CSNAME NUMBER
- 2 CONTENT

`\setwidthof ...1 \to ...2`

- 1 TEXT
- 2 CSNAME

`\setxmeasure {...} {...}`

- 1 NAME
- 2 DIMENSION

`\setxvalue {...} {...}`

- 1 NAME
- 2 CONTENT

`\setxvariable {1.} {2.} {3.}`

- 1 NAME
- 2 KEY
- 3 VALUE

`\setxvariables [1.] [2.,...2.,...]`

- 1 NAME
- 2 set = BEFEHL
- reset = BEFEHL
- KEY = VALUE

`\sfrac {1.} {2.}`

- 1 CONTENT
- 2 CONTENT

`\shapedhbox {*.}`

- * CONTENT

`\SHIFT {*.}`

- * CONTENT

instances:

`\showallmakeup`

`\showattributes`

`\showboxes`

`\showbtxdatasetauthors [*.,...*.,...]`
OPT

- * specification = NAME
- dataset = NAME
- field = address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME

`\showbtxdatasetauthors [*.]`
OPT

- * NAME

`\showbtxdatasetcompleteness [*.,...*.,...]`
OPT

- * specification = NAME
- dataset = NAME
- field = address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher school series titul opis volume rok yearfiled NAME

`\showbtxdatasetcompleteness [*.]`
OPT

- * NAME

\showbtxdatasetfields [...,..^{*}...,...]
OPT

* specification = NAME
dataset = NAME
field = address assignee autor booktitle kapitola den dayfiled edition editor howpublished institution
journal language mesic monthfiled nationality note cislo jedna dve organization pages publisher
school series titul opis volume rok yearfiled NAME

\showbtxdatasetfields [...]
OPT

* NAME

\showbtxfields [...,..^{*}...,...]
OPT

* rotace = NUMMER
specification = NAME

\showbtxfields [...]
OPT

* NAME

\showbtxhashedauthors [...]
OPT

* TEXT

\showbtxtables [...]
OPT

* TEXT

\showcolorbar [...]

* COLOR

\showcolorcomponents [...]

* COLOR

\showcolorset [...]

* COLOR

\showcolorstruts

\showcounter [...]

* NAME

\showdirectives

\showdirsmargin

\showedebuginfo

\showexperiments

\showfont [...]¹ [...,..²...,...]
OPT

1 FONT

2 NUMMER

\showfontdata

`\showfontkerns`

`\showfontparameters`

`\showfontstrip [...*...]`

* inherits: \nastavzakladnifont

`\showfontstyle [...1;...OPT] [...2;...OPT] [...3;...OPT] [...4;...OPT]`

1 inherits: \nastavzakladnifont

2 rm ss tt mm hw cg

3 tf bf it sl bi bs

4 vse NUMMER

`\showglyphs`

`\showgridsnapping`

`\showhelp {.1.} [.2.]`

1 TEXT

2 REFERENCE

`\showhyphenationtrace [...1.] [...2.]OPT`

1 SPRACHE

2 TEXT

`\showhyphens {...}`

* TEXT

`\showchardata {...}`

* TEXT

`\showcharratio {...}`

* TEXT

`\showinjector [...*...]OPT`

* NAME

`\showjustification`

`\showkerning {...}`

* TEXT

`\showlayoutcomponents`

`\showligature {...}`

* TEXT

```
\showligatures [...]
```

```
* FONT
```

```
\showlogcategories
```

```
\showmargins
```

```
\showmessage {...} {...} {...,3...}
```

```
1 NAME
```

```
2 NAME NUMBER
```

```
3 TEXT
```

```
\showminimalbaseline
```

```
\shownextbox \1... {2...}
```

```
1 CSNAME
```

```
2 CONTENT
```

```
\showotfcomposition {...} {...} {...3}
```

```
1 FONT
```

```
2 -1 1 +1 12r r2l
```

```
3 TEXT
```

```
\showparentchain \1... {2...}
```

```
1 CSNAME
```

```
2 NAME
```

```
\showsetupsdefinition [...]
```

```
* NAME
```

```
\showtimer {...}
```

```
* TEXT
```

```
\showtokens [...]
```

```
* NAME
```

```
\showtrackers
```

```
\showvalue {...}
```

```
* NAME
```

```
\showvariable {...} {...}
```

```
1 NAME
```

```
2 KEY
```

`\showwarning {1...} {2...} {3...,...}`

- 1 NAME
- 2 NAME NUMBER
- 3 TEXT

`\schovejbloky [...,1...] [...,2...]`
OPT

- 1 NAME
- 2 + -

`\simplealignedbox {1...} {2...} {3...}`

- 1 DIMENSION
- 2 vlevo vpravo nastred flushleft flushright uvnitr vnejsi
- 3 CONTENT

`\simplealignedboxplus {1...} {2...} {3...} {4...}`

- 1 DIMENSION
- 2 vlevo vpravo nastred flushleft flushright uvnitr vnejsi
- 3 TEXT
- 4 CONTENT

`\simplealignedspreadbox {1...} {2...} {3...}`

- 1 DIMENSION
- 2 vlevo vpravo nastred flushleft flushright uvnitr vnejsi
- 3 CONTENT

`\simplegroupedcommand {1...} {2...}`

- 1 BEFEHL
- 2 BEFEHL

`\simplereversealignedbox {1...} {2...} {3...}`

- 1 DIMENSION
- 2 vlevo vpravo nastred flushleft flushright uvnitr vnejsi
- 3 CONTENT

`\simplereversealignedboxplus {1...} {2...} {3...} {4...}`

- 1 DIMENSION
- 2 vlevo vpravo nastred flushleft flushright uvnitr vnejsi
- 3 TEXT
- 4 CONTENT

`\singalcharacteralign {1...} {2...}`

- 1 NUMMER
- 2 NUMMER

`\singlebond`

`\sixthofsixarguments {1..} {2..} {3..} {4..} {5..} {6..}`

1 TEXT
2 TEXT
3 TEXT
4 TEXT
5 TEXT
6 TEXT

`\sklonene`

`\sklonenetucne`

`\slicepages [1..] [OPT..2..OPT..3..OPT..]`

1 FILE
2 offset = DIMENSION
hoffset = DIMENSION
voffset = DIMENSION
sirka = DIMENSION
vyska = DIMENSION
n = NUMMER
3 offset = DIMENSION
hoffset = DIMENSION
voffset = DIMENSION
sirka = DIMENSION
vyska = DIMENSION
n = NUMMER

`\sloupec [OPT..;..]`

* inherits: \columnbreak

`\slovenianNumerals {*..}`

* NUMMER

`\sloveniannumerals {*..}`

* NUMMER

`\slovo {*..}`

* TEXT

`\slovovpravo [OPT1..] {2..}`

1 vpravo DIMENSION
2 CONTENT

`\smallbodyfont`

`\smallcappedcharacters {*..}`

* NUMMER

`\smallcappedromannumerals {*..}`

* NUMMER

`\smaller`

<code>\smallskip</code>
<code>\smash [..¹] {..²}</code> <small>OPT</small> 1 w h d t b 2 CONTENT
<code>\smashbox ...</code> * CSNAME NUMBER
<code>\smashboxed ...</code> * CSNAME NUMBER
<code>\smashedhbox ..¹ {..²}</code> <small>OPT</small> 1 TEXT 2 CONTENT
<code>\smashedvbox ..¹ {..²}</code> <small>OPT</small> 1 TEXT 2 CONTENT
<code>\snaptogrid [..¹] \..² {..³}</code> <small>OPT</small> 1 normalni standardni ano striktni tolerantni vrsek spodek obe široky prizpusobive prvni posledni vysoko jedna nizko zadny radek strut box min max nastred NAME 2 CSNAME 3 CONTENT
<code>\snaptogrid [..¹,..²] \..³ {..⁴}</code> <small>OPT</small> 1 inherits: \definegridsnapping 2 CSNAME 3 CONTENT
<code>\someheadnumber [..¹] [..²]</code> 1 ABSCHNITT 2 predchozi aktualni dalsi prvni posledni
<code>\somekindoftab [..¹,..²,..³,..⁴]</code> <small>OPT</small> * alternativa = horizontalne vertikalne sirka = DIMENSION vyska = DIMENSION n = NUMMER m = NUMMER
<code>\somalocalfloat</code>
<code>\somenamedheadnumber {..¹} {..²}</code> 1 ABSCHNITT 2 predchozi aktualni dalsi prvni posledni

`\someplace {...} {...} {...} {...} {...} [...]`

- 1 TEXT
- 2 TEXT
- 3 TEXT
- 4 TEXT
- 5 TEXT
- 6 REFERENCE

`\SORTING [...]OPT {...}`

- 1 NAME
- 2 CONTENT

instances:

`\spanishNumerals {...}`

- * NUMBER

`\spanishnumerals {...}`

- * NUMBER

`\speech [...]OPT {...}`

- 1 SPRACHE
- 2 CONTENT

`\splitatasterisk ... \2... \3...`

- 1 TEXT
- 2 CSNAME
- 3 CSNAME

`\splitatcolon ... \2... \3...`

- 1 TEXT
- 2 CSNAME
- 3 CSNAME

`\splitatcolons ... \2... \3...`

- 1 TEXT
- 2 CSNAME
- 3 CSNAME

`\splitatcomma ... \2... \3...`

- 1 TEXT
- 2 CSNAME
- 3 CSNAME

`\splitdfrac {...} {...}`

- 1 CONTENT
- 2 CONTENT

<p><code>\splitfilename {...}</code></p> <p>* FILE</p>
<p><code>\splitfrac {...} {...}</code></p> <p>1 CONTENT</p> <p>2 CONTENT</p>
<p><code>\splitoffbase</code></p>
<p><code>\splitofffull</code></p>
<p><code>\splitoffkind</code></p>
<p><code>\splitoffname</code></p>
<p><code>\splitoffpath</code></p>
<p><code>\splitoffroot</code></p>
<p><code>\splitofftokens ... \from ... \to ...</code></p> <p>1 TEXT</p> <p>2 TEXT</p> <p>3 CSNAME</p>
<p><code>\splitofftype</code></p>
<p><code>\splitstring ... \at ... \to ... \and ...</code></p> <p>1 TEXT</p> <p>2 TEXT</p> <p>3 CSNAME</p> <p>4 CSNAME</p>
<p><code>\spreadhbox ...</code></p> <p>* CSNAME NUMMER</p>
<p><code>\sqrt [...] {...}</code></p> <p><small>OPT</small></p> <p>1 TEXT</p> <p>2 CONTENT</p>
<p><code>\stackrel {...} {...}</code></p> <p>1 CONTENT</p> <p>2 CONTENT</p>
<p><code>\stanovcislodpisu [...]</code></p> <p>* ABSCHNITT</p>

`\stanovcharakteristickuseznamu [...,1...] [...,2...,...]`
OPT

- 1 LISTE
- 2 inherits: \nastavseznam

`\startalignment [...,*...] ... \stopalignment`

- * inherits: \nastavzarovnani

`\startallmodes [...,*...] ... \stopallmodes`

- * NAME

`\startaside [...1] [...,2...] ... \stopaside`
OPT OPT

- 1 SPRACHE
- 2 inherits: \startzuzeni

`\startattachment [...1] [...,2...,...] ... \stopattachment`
OPT OPT

- 1 NAME
- 2 inherits: \setupattachment

`\startATTACHMENT [...1] [...,2...,...] ... \stopATTACHMENT`
OPT OPT

- 1 NAME
- 2 inherits: \setupattachment

instances: attachment

`\startbar [...] ... \stopbar`

- * NAME

`\startbarva [...] ... \stopbarva`

- * COLOR

`\startbitmapimage [...,*...,...] ... \stopbitmapimage`

- * barva = rgb cmyk seda
- * sirka = DIMENSION
- * vyska = DIMENSION
- * x = NUMMER
- * y = NUMMER

`\startblockquote [...1] [...,2...] ... \stopblockquote`
OPT OPT

- 1 SPRACHE
- 2 inherits: \startzuzeni

`\startbtxrenderingdefinitions [...] ... \stopbtxrenderingdefinitions`

- * NAME

`\startbuffer [...*] ... \stopbuffer`
OPT

- * NAME

`\startBUFFER ... \stopBUFFER`

instances: skryt

`\startcatcodetable * ... \stopcatcodetable`

* CSNAME

`\startcenteraligned ... \stopcenteraligned`

`\startcitace [1...] [2...;...] ... \stopcitace`
OPT OPT

1 SPRACHE

2 inherits: \startzuzeni

`\startcitovat [*...] ... \stopcitovat`
OPT

* SPRACHE

`\startcollect ... \stopcollect`

`\startcollecting ... \stopcollecting`

`\startcolorintent [*...] ... \stopcolorintent`

* knockout overprint zadny

`\startcoloronly [*...] ... \stopcoloronly`

* COLOR

`\startcolorset [*...] ... \stopcolorset`

* NAME

`\startcolumnspan [...;...*...;...] ... \stopcolumnspan`
OPT

* inherits: \setupcolumnspan

`\startcombination [1...] [2...;...] ... \stopcombination`
OPT OPT

1 NAME

2 inherits: \setupcombination

`\startcombination [1...] [2...] ... \stopcombination`
OPT OPT

1 NAME

2 N*M

`\startcontextcode ... \stopcontextcode`

`\startcontextdefinitioncode ... \stopcontextdefinitioncode`

`\startctxfunction ... \stopctxfunction`

* NAME

`\startctxfunctiondefinition ... \stopctxfunctiondefinition`

* NAME

`\startcurrentcolor ... \stopcurrentcolor`

`\startcurrentlistentrywrapper ... \stopcurrentlistentrywrapper`

`\startdelimited [...]1 [...]2 [...]3,...] ... \stopdelimited`

- 1 NAME
- 2 SPRACHE
- 3 inherits: \startzuzeni

`\startdelimitedtext [...]1 [...]2 [...]3,...] ... \stopdelimitedtext`

- 1 NAME
- 2 SPRACHE
- 3 inherits: \startzuzeni

`\startDELIMITEDTEXT [...]1 [...]2,...] ... \stopDELIMITEDTEXT`

- 1 SPRACHE
- 2 inherits: \startzuzeni

instances: citace citovat blockquote speech aside

`\startdisplaymath ... \stopdisplaymath`

`\startdmath ... \stopdmath`

`\startdocument [...]*,...] ... \stopdocument`

- * inherits: \setupdocument

`\starteffect [...]* ... \stopeffect`

- * NAME

`\startEFFECT ... \stopEFFECT`

`\startelement {...}1 [...]2,...] ... \stopelement`

- 1 NAME
- 2 KEY = VALUE

`\startembeddedxtable [...]*,...] ... \stopembeddedxtable`

- * inherits: \setupxtable

`\startembeddedxtable [...]* ... \stopembeddedxtable`

- * NAME

`\startexceptions [...]* ... \stopexceptions`

- * SPRACHE

`\startexpanded ... \stopexpanded`

`\startexpandedcollect ... \stopexpandedcollect`

`\startextendedcatcodetable *... ... \stopextendedcatcodetable`

- * CSNAME

<pre> \startexternalfigurecollection [...] ... \stopexternalfigurecollection * NAME </pre>
<pre> \startfittingpage [..¹] [...,..²...,...] ... \stopfittingpage OPT 1 NAME 2 inherits: \setupfittingpage </pre>
<pre> \startFITTINGPAGE [...,..[*]...,...] ... \stopFITTINGPAGE OPT * inherits: \setupfittingpage instances: TEXpage MPpage </pre>
<pre> \startfloatcombination [...,..[*]...,...] ... \stopfloatcombination OPT * inherits: \setupcombination </pre>
<pre> \startfloatcombination [...] ... \stopfloatcombination OPT * N*M NAME </pre>
<pre> \startPLVOUCIOBJEKTtext [...,..¹...,...] [...,..²...,...] {...³} ... \stopPLVOUCIOBJEKTtext OPT OPT 1 split vzdy vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraji lev yokraj prav yokraj levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek pulradku mrizka vysoko nizko prizpusobive 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka zahlavi upati nekde effective 2 REFERENCE 3 TEXT </pre>
<pre> \startfont [...] ... \stopfont OPT * FONT </pre>
<pre> \startfontclass [...] ... \stopfontclass * kazdy NAME </pre>
<pre> \startfontsolution [...] ... \stopfontsolution * NAME </pre>
<pre> \startframedcontent [...] ... \stopframedcontent OPT * NAME vyp </pre>
<pre> \startgridsnapping [...] ... \stopgridsnapping OPT * normalni standardni ano striktni tolerantni vrsek spodek obe siroky prizpusobive prvni posledni vysoko jedna nizko zadny radek strut box min max nastred NAME </pre>
<pre> \startgridsnapping [...,..[*]...,...] ... \stopgridsnapping OPT * inherits: \definegridsnapping </pre>
<pre> \starthboxestohbox ... \stophboxestohbox </pre>
<pre> \starthboxregister ..* ... \stophboxregister * CSNAME NUMBER </pre>

`\startHELP [...]` ... `\stopHELP`

OPT

* REFERENCE

instances: textnapovedy

`\starthighlight [...]` ... `\stophighlight`

* NAME

`\startthyphenation [...,*...]` ... `\stopthyphenation`

* original tex implicitni hyphenate expanded traditional zadny

`\startcharacteralign [...]` ... `\stopcharacteralign`

OPT

* TEXT number->TEXT text->TEXT

`\startcheckedfences` ... `\stopcheckedfences`

`\startchemical [...1]` [OPT,...²...]OPT ... `\stopchemical`

1 NAME

2 inherits: \setupchemical

`\startimath` ... `\stopimath`

`\startindentedtext [...]` ... `\stopindentedtext`

* NAME

`\startINDENTEDTEXT` ... `\stopINDENTEDTEXT`

`\startinterakce [...]` ... `\stopinterakce`

* skryte NAME

`\startinteraktivnimenu [...]` ... `\stopinteraktivnimenu`

* NAME

`\startinterface` ... `\stopinterface`

* vse SPRACHE

`\startintertext` ... `\stopintertext`

`\startitemgroup [...]` [OPT,...²...]OPT [OPT,...³...]OPT ... `\stopitemgroup`

1 NAME

2 inherits: \setupitemgroup

3 inherits: \setupitemgroup

`\startITEMGROUP [...1]` [OPT,...²...]OPT ... `\stopITEMGROUP`

1 inherits: \setupitemgroup

2 inherits: \setupitemgroup

instances: itemize

`\startJScode 1... 2... 3... \stopJScode`

- 1 NAME
- 2 uses
- 3 NAME

`\startJSreamble 1... 2... 3... \stopJSreamble`

- 1 NAME
- 2 uzito
- 3 now later

`\startjdina [...] \stopjdina`

- * REFERENCE

`\startknockout ... \stopknockout`

`\startkomentar [1...] [2...,...2...,...] ... \stopkomentar`
OPT OPT

- 1 TEXT
- 2 inherits: \nastavkomentar

`\startkomentarstranky ... \stopkomentarstranky`

`\startKOMENTAR [1...] [2...,...2...,...] ... \stopKOMENTAR`
OPT OPT

- 1 TEXT
- 2 inherits: \nastavkomentar

`instances: komentar`

`\startkomponenta [...] \stopkomponenta`

- * FILE *

`\startkomponenta ... \stopkomponenta`

- * FILE *

`\startkonectabulky [...] \stopkonectabulky`

- * NAME

`\startlayout [...] \stoplayout`

- * NAME

`\startlinealignment [...] \stoplinealignment`

- * vlevo nastred vpravo max

`\startlinecorrection [...]*...] \stoplinecorrection`
OPT

- * prazdny inherits: \preskoc

`\startlinefiller [1...] [2...,...2...,...] ... \stoplinefiller`
OPT

- 1 filler NAME
- 2 inherits: \setuplinefiller

`\startLINENOTE [...]{...}`

1 REFERENCE

2 TEXT

instances:

`\startlinenumbering [...]1 [...,2...,...] ... \stoplinenumbering`

1 NAME

2 pokračovat = ano ne
start = NUMBER
krok = NUMBER
metoda = stranka prvni dalsi

`\startlinenumbering [...]1 [...]2 ... \stoplinenumbering`

1 NAME

2 pokračovat NUMBER

`\startlinetable ... \stoplinetable`

`\startlinetablebody ... \stoplinetablebody`

`\startlinetablecell [...,*...,...] ... \stoplinetablecell`

* inherits: \setuplinetable

`\startlinetablehead ... \stoplinetablehead`

`\startlocalfootnotes ... \stoplocalfootnotes`

`\startlocalheadsetup ... \stoplocalheadsetup`

`\startlocallinecorrection [...,*...,...] ... \stoplocallinecorrection`

* prazdny inherits: \preskoc

`\startlocalnotes [...,*...,...] ... \stoplocalnotes`

* NAME

`\startlocalsetups [...]1 [...]2 ... \stoplocalsetups`

1 mrizka

2 NAME

`\startlocalsetups \stoplocalsetups`

* NAME

`\startlua ... \stoplua`

`\startluacode ... \stopluacode`

`\startluaparameterset [...]* ... \stopluaparameterset`

* NAME

<pre> \startluasetups [...] [.] ... \stopluasetups OPT 1 mrizka 2 NAME </pre>
<pre> \startluasetups .* ... \stopluasetups * NAME </pre>
<pre> \startMPclip {...} ... \stopMPclip * NAME </pre>
<pre> \startMPcode {...} ... \stopMPcode OPT * NAME </pre>
<pre> \startMPdefinitions {...} ... \stopMPdefinitions OPT * NAME </pre>
<pre> \startMPdrawing [...] ... \stopMPdrawing OPT * - </pre>
<pre> \startMPenvironment [...] ... \stopMPenvironment OPT * reset globale + </pre>
<pre> \startMPextensions {...,*...} ... \stopMPextensions OPT * NAME </pre>
<pre> \startMPinclusions [...] {...} ... \stopMPinclusions OPT OPT 1 + 2 NAME </pre>
<pre> \startMPinitializations ... \stopMPinitializations </pre>
<pre> \startMPpage [...,*...,...] ... \stopMPpage OPT * inherits: \setupfittingpage </pre>
<pre> \startMPpositiongraphic {...} {...,*...} ... \stopMPpositiongraphic OPT 1 NAME 2 KEY </pre>
<pre> \startMPpositionmethod {...} ... \stopMPpositionmethod * NAME </pre>
<pre> \startMPrun {...} ... \stopMPrun OPT * NAME </pre>
<pre> \startmarginalnilinka [...] ... \stopmarginalnilinka OPT * NUMMER </pre>

```
\startmarginlinka [...,..*...,...] ... \stopmarginlinka
* inherits: \setupmarginrule
```

```
\startmarginblock [...,..*...] ... \stopmarginblock
* NAME
```

```
\startmarkedcontent [...,..*...] ... \stopmarkedcontent
* reset vse NAME
```

```
\startMATHALIGNMENT [...,..*...,...] ... \stopMATHALIGNMENT
* inherits: \setupmathalignment
instances:
```

```
\startMATHCASES [...,..*...,...] ... \stopMATHCASES
* inherits: \setupmathcases
instances:
```

```
\startMATHMATRIX [...,..*...,...] ... \stopMATHMATRIX
* inherits: \setupmathmatrix
instances:
```

```
\startmathmode ... \stopmathmode
```

```
\startmathstyle [...,..*...] ... \stopmathstyle
* obrazovka text script scriptscript cramped uncramped normalni zhustene male velke NAME
```

```
\startmatrices [...,..*...,...] ... \stopmatrices
* inherits: \setupmathmatrix
```

```
\startmaxaligned ... \stopmaxaligned
```

```
\startmdformula [...,..*...] ... \stopmdformula
* zhustene tight nastred ramecek inherits: \nastavzakladnifont
```

```
\startmiddlealigned ... \stopmiddlealigned
```

```
\startmixedcolumns [...,..1...] [...,..2...,...] ... \stopmixedcolumns
1 NAME
2 inherits: \setupmixedcolumns
```

```
\startMIXEDCOLUMNS [...,..*...,...] ... \stopMIXEDCOLUMNS
* inherits: \setupmixedcolumns
instances:
```

```
\startmode [...,..*...] ... \stopmode
* NAME
```

`\startmodeset [...1,...] {...2} ... \stopmodeset`

- 1 NAME implicitni
- 2 CONTENT

`\startmodule [...*] ... \stopmodule`

- * FILE

`\startmoduletestsection ... \stopmoduletestsection`

`\startmodule ...* ... \stopmodule`

- * FILE

`\startmpformula [...*,...] ... \stopmpformula`
OPT

- * zhustene tight nastred ramecek inherits: \nastavzakladnifont

`\startnadpis [...1,...] {...2} ... \stopnadpis`
OPT

- 1 REFERENCE
- 2 TEXT

`\startnamedsection [...1] [...2,...2,...] [...3,...3,...] ... \stopnamedsection`
OPT OPT

- 1 ABSCHNITT
- 2 titul = TEXT
zalozka = TEXT
znaceni = TEXT
seznam = TEXT
odkaz = REFERENCE
vlastnicislo = TEXT
- 3 KEY = VALUE

`\startnamedsubformulas [...1,...] {...2} ... \stopnamedsubformulas`
OPT

- 1 + - REFERENCE
- 2 TEXT

`\startnaproti ... \stopnaproti`

`\startnarrower [...*,...] ... \stopnarrower`
OPT

- * [-+]vlevo [-+]nastred [-+]vpravo NUMMER*vlevo NUMMER*nastred NUMMER*vpravo reset

`\startNARROWER [...*,...] ... \stopNARROWER`
OPT

- * [-+]vlevo [-+]nastred [-+]vpravo NUMMER*vlevo NUMMER*nastred NUMMER*vpravo reset

`\startnegativ ... \stopnegativ`

`\startnicelyfilledbox [...*,...*,...] ... \stopnicelyfilledbox`
OPT

- * sirka = DIMENSION
- vyska = DIMENSION
- offset = DIMENSION
- strut = ano ne

`\startnointerference ... \stopnointerference`

`\startnotallmodes [...,*...] ... \stopnotallmodes`

* NAME

`\startnotext ... \stopnotext`

`\startnotmode [...,*...] ... \stopnotmode`

* NAME

`\startobrazek [1...] [2] [...,3...,...] ... \stopobrazek`
OPT

1 NAME

2 FILE

3 inherits: \externiobraz

`\startodlozit [*...] ... \stopodlozit`
OPT

* [-+]NUMBER

`\startodstavec [1...] [...,2...,...] ... \stopodstavec`
OPT OPT

1 NAME

2 inherits: \setupparagraph

`\startoramovani [1...] [...,2...,...] ... \stoporamovani`
OPT OPT

1 NAME

2 inherits: \nastavoramovani

`\startoramovanytext [1...] [...,2...,...] ... \stoporamovanytext`
OPT OPT

1 vlevo vpravo nastred zadny

2 inherits: \setupframedtext

`\startORAMOVANYTEXT [1...] [...,2...,...] ... \stopORAMOVANYTEXT`
OPT OPT

1 vlevo vpravo nastred zadny

2 inherits: \setupframedtext

instances: oramovanytext

`\startoutputstream [...*] ... \stopoutputstream`

* NAME

`\startoverprint ... \stopoverprint`

`\startpagefigure [1...] [...,2...,...] ... \stoppagefigure`
OPT

1 FILE

2 inherits: \setupexternalfigure

`\startpagegrid [1...] [...,2...,...] ... \stoppagegrid`
OPT OPT

1 NAME

2 inherits: \setuppagegrid

<pre> \startpagegridspan [...]¹ [...]²... \stoppagegridspan OPT 1 NAME 2 inherits: \setuppagegridspan </pre>
<pre> \startPAGEGRID [...][*]... \stopPAGEGRID OPT * inherits: \setuppagegrid </pre>
<pre> \startpagelayout [...][*] ... \stoppagelayout * stranka levastranka pravastranka </pre>
<pre> \startpar [...]¹ [...]²... \stoppar OPT OPT 1 NAME 2 inherits: \setupparagraph </pre>
<pre> \startparagraphs [...][*] ... \stopparagraphs * NAME </pre>
<pre> \startparagraphscell ... \stopparagraphscell </pre>
<pre> \startPARAGRAPHS ... \stopPARAGRAPHS </pre>
<pre> \startPARALLEL ... \stopPARALLEL </pre>
<pre> \startparbuilder [...][*] ... \stopparbuilder * implicitni oneline basic NAME </pre>
<pre> \startumistiFLOAT [...]¹ [...]²... \stopumistiFLOAT OPT OPT 1 titul = TEXT zalozka = TEXT znaceni = TEXT seznam = TEXT misto = split vzdy vlevo vpravo uvnitr vnejsi zpenamezera cutspace ivlevo ivpravo naokraj levokraj pravokraj levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek pulradku mrizka vysoko nizko prizpusobive 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka zahlavi upati nekde effective odkaz = REFERENCE 2 KEY = VALUE instances: chemical figure table intermezzo graphic </pre>
<pre> \startumistifigure [...]¹ [...]²... \stopumistifigure OPT OPT 1 titul = TEXT zalozka = TEXT znaceni = TEXT seznam = TEXT misto = split vzdy vlevo vpravo uvnitr vnejsi zpenamezera cutspace ivlevo ivpravo naokraj levokraj pravokraj levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky [-+]radek pulradku mrizka vysoko nizko prizpusobive 90 180 270 nonumber zadny lokalne zde sila marginalie [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka zahlavi upati nekde effective odkaz = REFERENCE 2 KEY = VALUE </pre>

```

\startumistigraphic [...1...OPT] [...2...OPT] ... \stopumistigraphic

1 titul = TEXT
  zalozka = TEXT
  znaceni = TEXT
  seznam = TEXT
  misto = split vzdy vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraj levokraj pravokraj
          levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky
          [-+]radek pulradku mrizka vysoko nizko prizpusobive 90 180 270 nonumber zadny lokalne zde sila marginalie
          [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka
          zahlavi upati nekde effective
  odkaz = REFERENCE

2 KEY = VALUE

```

```

\startumisticchemical [...1...OPT] [...2...OPT] ... \stopumisticchemical

1 titul = TEXT
  zalozka = TEXT
  znaceni = TEXT
  seznam = TEXT
  misto = split vzdy vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraj levokraj pravokraj
          levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky
          [-+]radek pulradku mrizka vysoko nizko prizpusobive 90 180 270 nonumber zadny lokalne zde sila marginalie
          [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka
          zahlavi upati nekde effective
  odkaz = REFERENCE

2 KEY = VALUE

```

```

\startumistiintermezzo [...1...OPT] [...2...OPT] ... \stopumistiintermezzo

1 titul = TEXT
  zalozka = TEXT
  znaceni = TEXT
  seznam = TEXT
  misto = split vzdy vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraj levokraj pravokraj
          levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky
          [-+]radek pulradku mrizka vysoko nizko prizpusobive 90 180 270 nonumber zadny lokalne zde sila marginalie
          [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka
          zahlavi upati nekde effective
  odkaz = REFERENCE

2 KEY = VALUE

```

```

\startumistitable [...1...OPT] [...2...OPT] ... \stopumistitable

1 titul = TEXT
  zalozka = TEXT
  znaceni = TEXT
  seznam = TEXT
  misto = split vzdy vlevo vpravo uvnitr vnejsi zpetnamezera cutspace ivlevo ivpravo naokraj levokraj pravokraj
          levahrana pravahrana innermargin outermargin inneredge outeredge text naproti reset vyska podlehloubky
          [-+]radek pulradku mrizka vysoko nizko prizpusobive 90 180 270 nonumber zadny lokalne zde sila marginalie
          [-+]zaveseni visici vysoko obe nastred offset vrsek spodek auto stranka levastranka pravastranka
          zahlavi upati nekde effective
  odkaz = REFERENCE

2 KEY = VALUE

```

```

\startplacepairedbox [...1] [...2...OPT] ... \stopplacepairedbox

1 NAME

2 inherits: \setuppairedbox

```

```

\startumistiPAIREDBOX [...*...OPT] ... \stopumistiPAIREDBOX

* inherits: \setuppairedbox

instances:

```

```

\startpolozka [...*...OPT] ... \stoppolozka

* REFERENCE

```

`\startPOPIS [...,*...]` ... `\stopPOPIS`

OPT

* `titul` = TEXT
* `zalozka` = TEXT
* `seznam` = TEXT
* `odkaz` = REFERENCE

`\startPOPIS [...,1...]` `{...}` ... `\stopPOPIS`

OPT

OPT

1 REFERENCE

2 TEXT

`\startpositioning [...,1...]` `[...,*...]` ... `\stoppositioning`

OPT

OPT

1 NAME

2 `inherits: \nastavumistovani`

`\startpositionoverlay {...}` ... `\stoppositionoverlay`

* NAME

`\startpositiv` ... `\stoppositiv`

`\startpozadi [...,*...]` ... `\stoppozadi`

OPT

* `inherits: \nastavpozadi`

`\startPOZADI [...,*...]` ... `\stopPOZADI`

OPT

* `inherits: \nastavpozadi`

`instances: pozadi`

`\startNOTE [...,*...]` ... `\stopNOTE`

OPT

* REFERENCE

`instances:`

`\startNOTE [...,*...]` ... `\stopNOTE`

OPT

* `titul` = TEXT
* `zalozka` = TEXT
* `seznam` = TEXT
* `odkaz` = REFERENCE

`instances:`

`\startprekryv` ... `\stopprekryv`

`\startprocessassignmentcommand [...,*...]` ... `\stopprocessassignmentcommand`

* KEY = VALUE

`\startprocessassignmentlist [...,*...]` ... `\stopprocessassignmentlist`

* KEY = VALUE

`\startprocesscommaccommand [...,*...]` ... `\stopprocesscommaccommand`

* BEFEHL

```
\startprocesscommalist [...*...] ... \stopprocesscommalist
```

```
* BEFEHL
```

```
\startprodukt [...] ... \stopprodukt
```

```
* FILE *
```

```
\startprodukt ... .. \stopprodukt
```

```
* FILE *
```

```
\startprojekt [...] ... \stopprojekt
```

```
* FILE *
```

```
\startprojekt ... .. \stopprojekt
```

```
* FILE *
```

```
\startprostredi [...] ... \stopprostredi
```

```
* FILE *
```

```
\startprostredi ... .. \stopprostredi
```

```
* FILE *
```

```
\startprotectedcolors ... \stopprotectedcolors
```

```
\startpublikace [1...] [OPT...,...2...,...]OPT ... \stoppublikace
```

```
1 NAME
```

```
2 tag      = REFERENCE  
  category = TEXT  
  k        = REFERENCE  
  t        = TEXT
```

```
\startradek [...]
```

```
* REFERENCE
```

```
\startLINES [...,...*...,...]OPT ... \stopLINES
```

```
* inherits: \nastavradky
```

```
instances:
```

```
\startrandomized ... \stoprandomized
```

```
\startrawsetups [1...] [OPT...,...]2 ... \stoprawsetups
```

```
1 mrizka
```

```
2 NAME
```

```
\startrawsetups ... .. \stoprawsetups
```

```
* NAME
```

```
\startreadingfile ... \stopreadingfile
```



```

\startsectionlevel [...1...] [...2...] [...3...] ... \stopsectionlevel
                        OPT          OPT          OPT
1  NAME
2  titul      = TEXT
   zalozka   = TEXT
   znaceni   = TEXT
   seznam    = TEXT
   odkaz     = REFERENCE
   vlastnicislo = TEXT
3  KEY = VALUE

```

```

\startSECTION [...1...] [...2...] ... \stopSECTION
                OPT          OPT
1  titul      = TEXT
   zalozka   = TEXT
   znaceni   = TEXT
   seznam    = TEXT
   odkaz     = REFERENCE
   vlastnicislo = TEXT
2  KEY = VALUE

```

instances: chapter section subsection subsubsection subsubsubsection subsubsubsubsection
title subject subsubject subsubsubject subsubsubsubject subsubsubsubsubject

```

\startchapter [...1...] [...2...] ... \stopchapter
                OPT          OPT
1  titul      = TEXT
   zalozka   = TEXT
   znaceni   = TEXT
   seznam    = TEXT
   odkaz     = REFERENCE
   vlastnicislo = TEXT
2  KEY = VALUE

```

```

\startsection [...1...] [...2...] ... \stopsection
                OPT          OPT
1  titul      = TEXT
   zalozka   = TEXT
   znaceni   = TEXT
   seznam    = TEXT
   odkaz     = REFERENCE
   vlastnicislo = TEXT
2  KEY = VALUE

```

```

\startsubject [...1...] [...2...] ... \stopsubject
                OPT          OPT
1  titul      = TEXT
   zalozka   = TEXT
   znaceni   = TEXT
   seznam    = TEXT
   odkaz     = REFERENCE
   vlastnicislo = TEXT
2  KEY = VALUE

```

```

\startsubsection [...1...] [...2...] ... \stopsubsection
                  OPT          OPT
1  titul      = TEXT
   zalozka   = TEXT
   znaceni   = TEXT
   seznam    = TEXT
   odkaz     = REFERENCE
   vlastnicislo = TEXT
2  KEY = VALUE

```

`\startsubsubject [...,\frac{1}{OPT}...,\dots] [...,\frac{2}{OPT}...,\dots] ... \stopsubsubject`

1 titul = TEXT
zalozka = TEXT
znaceni = TEXT
seznam = TEXT
odkaz = REFERENCE
vlastnicislo = TEXT

2 KEY = VALUE

`\startsubsubsection [...,\frac{1}{OPT}...,\dots] [...,\frac{2}{OPT}...,\dots] ... \stopsubsubsection`

1 titul = TEXT
zalozka = TEXT
znaceni = TEXT
seznam = TEXT
odkaz = REFERENCE
vlastnicislo = TEXT

2 KEY = VALUE

`\startsubsubsubject [...,\frac{1}{OPT}...,\dots] [...,\frac{2}{OPT}...,\dots] ... \stopsubsubsubject`

1 titul = TEXT
zalozka = TEXT
znaceni = TEXT
seznam = TEXT
odkaz = REFERENCE
vlastnicislo = TEXT

2 KEY = VALUE

`\startsubsubsubsection [...,\frac{1}{OPT}...,\dots] [...,\frac{2}{OPT}...,\dots] ... \stopsubsubsubsection`

1 titul = TEXT
zalozka = TEXT
znaceni = TEXT
seznam = TEXT
odkaz = REFERENCE
vlastnicislo = TEXT

2 KEY = VALUE

`\startsubsubsubsubject [...,\frac{1}{OPT}...,\dots] [...,\frac{2}{OPT}...,\dots] ... \stopsubsubsubsubject`

1 titul = TEXT
zalozka = TEXT
znaceni = TEXT
seznam = TEXT
odkaz = REFERENCE
vlastnicislo = TEXT

2 KEY = VALUE

`\startsubsubsubsubsection [...,\frac{1}{OPT}...,\dots] [...,\frac{2}{OPT}...,\dots] ... \stopsubsubsubsubsection`

1 titul = TEXT
zalozka = TEXT
znaceni = TEXT
seznam = TEXT
odkaz = REFERENCE
vlastnicislo = TEXT

2 KEY = VALUE

`\startsubsubsubsubsubject [...,\frac{1}{OPT}...,\dots] [...,\frac{2}{OPT}...,\dots] ... \stopsubsubsubsubsubject`

1 titul = TEXT
zalozka = TEXT
znaceni = TEXT
seznam = TEXT
odkaz = REFERENCE
vlastnicislo = TEXT

2 KEY = VALUE

```

\starttitle [...1...] [...2...] ... \stoptitle
                OPT          OPT
1  titul      = TEXT
   zalozka   = TEXT
   znaceni   = TEXT
   seznam    = TEXT
   odkaz     = REFERENCE
   vlastnicislo = TEXT
2  KEY = VALUE

```

```

\startitemize [...1...] [...2...] ... \stopitemize
                OPT          OPT
1  inherits: \setupitemgroup
2  inherits: \setupitemgroup

```

```

\startsetups [...1] [...2] ... \stopsetups
                OPT
1  mrizka
2  NAME

```

```

\startsetups .. ... \stopsetups
*  NAME

```

```

\startshift [...*] ... \stopshift
*  NAME

```

```

\startsidebar [...1] [...2...] ... \stopsidebar
                OPT          OPT
1  NAME
2  inherits: \setupsidebar

```

```

\startsimplecolumns [...*...] ... \stopsimplecolumns
                OPT
*  inherits: \setsimplecolumnhsize

```

```

\startskryt ... \stopskryt

```

```

\startsloupc [...*...] ... \stopsloupc
                OPT
*  inherits: \nastavsloupc

```

```

\startspecialitem [...1] [...2...] ... \stopspecialitem
                OPT          OPT
1  polozka
2  REFERENCE

```

```

\startspecialitem [...*] ... \stopspecialitem
*  pod pol

```

```

\startspecialitem [...1] {...2} ... \stopspecialitem
1  sym rozsah mar
2  TEXT

```

```

\startspeech [...*...] ... \stopspeech
                OPT
*  inherits: \startzuzeni

```

`\startspformula [...*;...] ... \stopspformula`
OPT
* zhustene tight nastred ramecek inherits: \nastavzakladnifont

`\startspread ... \stopspread`

`\start [...*] ... \stop`
OPT
* NAME

`\startSTARTSTOP ... \stopSTARTSTOP`

`\startstaticMPfigure {...*} ... \stopstaticMPfigure`
* NAME

`\startstaticMPgraphic {...1} {...2;...3} ... \stopstaticMPgraphic`
OPT
1 NAME
2 KEY

`\STARTSTOP {...*}`
* CONTENT

`\startstrictinspectnextcharacter ... \stopstrictinspectnextcharacter`

`\startstructurepageregister [...1] [...2] [...3;...4;...] [...4;...5;...6;...7;...8;...9;...10] ... \stopstructurepageregister`
OPT
1 NAME
2 NAME
3 popisek = NAME
keys = TEXT PROCESSOR->TEXT
entries = TEXT PROCESSOR->TEXT
keys:1 = TEXT
keys:2 = TEXT
keys:3 = TEXT
entries:1 = TEXT
entries:2 = TEXT
entries:3 = TEXT
alternativa = TEXT
4 KEY = VALUE

`\startstyle [...*;...*;...] ... \stopstyle`
* inherits: \setupstyle

`\startstyle [...*] ... \stopstyle`
* NAME FONT

`\startSTYLE ... \stopSTYLE`

`\startsubformulas [...*;...] ... \stopsubformulas`
OPT
* + - REFERENCE

```

\startsubjectlevel [...]1 [...]2 [...]3 ... \stopsubjectlevel
                        OPT      OPT      OPT
1  NAME
2  titul      = TEXT
   zalozka   = TEXT
   znaceni   = TEXT
   seznam    = TEXT
   odkaz     = REFERENCE
   vlastnicislo = TEXT
3  KEY = VALUE

```

```

\startsubsentence ... \stopsubsentence

```

```

\startsubstack ... \stopsubstack

```

```

\startsymbolset [...] ... \stopsymbolset

```

```

* NAME

```

```

\startTABLE [...]* ... \stopTABLE
                OPT

```

```

* inherits: \setupTABLE

```

```

\startTABLEbody [...]* ... \stopTABLEbody
                OPT

```

```

* inherits: \setupTABLE

```

```

\startTABLEfoot [...]* ... \stopTABLEfoot
                OPT

```

```

* inherits: \setupTABLE

```

```

\startTABLEhead [...]* ... \stopTABLEhead
                OPT

```

```

* inherits: \setupTABLE

```

```

\startTABLEnext [...]* ... \stopTABLEnext
                OPT

```

```

* inherits: \setupTABLE

```

```

\startTEXpage [...]* ... \stopTEXpage
                OPT

```

```

* inherits: \setupfittingpage

```

```

\starttabelator [/.1/] [...]2 ... \stoptabelator
                OPT      OPT

```

```

1  TEMPLATE

```

```

2  inherits: \nastvtabelaci

```

```

\startTABULATE [...]1 [...]2 ... \stopTABULATE
                OPT      OPT

```

```

1  NAME

```

```

2  inherits: \nastvtabelaci

```

```

instances:

```

```

\starttabulatehead [...]* ... \stoptabulatehead
                OPT

```

```

* NAME

```

```

\starttabulatetail [...]* ... \stoptabulatetail
                OPT

```

```

* NAME

```

`\startTABULATION [1...] [OPT...,OPT...2...,...] ... \stopTABULATION`

- 1 NAME
- 2 inherits: \setuptabulation

`\starttabulka [|1...|] [OPT...,OPT...2...,...] ... \stoptabulka`

- 1 TEMPLATE
- 2 inherits: \nastavtabulky

`\starttabulka [1...] [OPT...,OPT...2...,...] ... \stoptabulka`

- 1 NAME
- 2 inherits: \nastavtabulky

`\starttabulky [|*...|] ... \stoptabulky`

- * TEMPLATE

`\starttabulky [*...] ... \stoptabulky`

- * NAME

`\starttexcode ... \stoptexcode`

`\starttexdefinition 1... 2... 3... 4... 5... 6... ... \stoptexdefinition`
OPT OPT OPT OPT OPT

- 1 spaces nospaces
- 2 globalne
- 3 unexpanded
- 4 expanded
- 5 NAME
- 6 TEMPLATE

`\starttext ... \stoptext`

`\starttextbackground [1...] [OPT...,OPT...2...,...] ... \stoptextbackground`

- 1 NAME
- 2 inherits: \setuptextbackground

`\starttextbackgroundmanual ... \stoptextbackgroundmanual`

`\startTEXTBACKGROUND [OPT...,OPT...*...,...] ... \stopTEXTBACKGROUND`

- * inherits: \setuptextbackground

`\starttextcolor [*...] ... \stoptextcolor`

- * COLOR

`\starttextcolorintent ... \stoptextcolorintent`

`\starttextflow [*...] ... \stoptextflow`

- * NAME

`\starttextnapovedy [...]` ... `\stoptextnapovedy`

OPT

* REFERENCE

`\starttextovalinka {...}` ... `\stoptextovalinka`

* TEXT

`\startLABELtext [...]` ... `\stopLABELtext`

OPT

1 SPRACHE

2 KEY

instances:

`\starttokens [...]` ... `\stoptokens`

* NAME

`\starttransparent [...]` ... `\stoptransparent`

* COLOR

`\starttypescript [...,1...]` ... `\stoptypescript`

OPT

OPT

OPT

1 serif sans mono math handwriting calligraphy

2 NAME

3 size jmeno

`\starttypescriptcollection [...]` ... `\stoptypescriptcollection`

* NAME

`\startTYPING [...,*...]` ... `\stopTYPING`

OPT

* inherits: \nastavopis

instances:

`\startTYPING [...,*...]` ... `\stopTYPING`

OPT

* pokračovat

instances:

`\startumistirovnici [...,*...]` ... `\stopumistirovnici`

OPT

* titul = TEXT

suffix = TEXT

odkaz = + - REFERENCE

`\startumistirovnici [...,*...]` ... `\stopumistirovnici`

OPT

* + - REFERENCE

`\startuniqueMPgraphic {...}` ... `\stopuniqueMPgraphic`

OPT

1 NAME

2 KEY

`\startuniqueMPpagegraphic {...} {...2;...} ... \stopuniqueMPpagegraphic`
OPT

- 1 NAME
- 2 KEY

`\startusableMPgraphic {...} {...2;...} ... \stopusableMPgraphic`
OPT

- 1 NAME
- 2 KEY

`\startuseMPgraphic {...} {...2;...} ... \stopuseMPgraphic`
OPT

- 1 NAME
- 2 KEY

`\startusemathstyleparameter \.* ... \stopusemathstyleparameter`

- * CSNAME

`\startusingbtxspefication [...*] ... \stopusingbtxspefication`

- * NAME

`\startuzky [...1] [...2;...] ... \stopuzky`
OPT OPT

- 1 NAME
- 2 inherits: \nastavzuzeni

`\startuzky [...1;...] [...2;...] ... \stopuzky`
OPT OPT

- 1 inherits: \nastavzuzeni
- 2 [-+]vlevo [-+]nastred [-+]vpravo NUMBER*vlevo NUMBER*nastred NUMBER*vpravo reset

`\startuzky [...1] [...2;...] ... \stopuzky`
OPT OPT

- 1 NAME
- 2 [-+]vlevo [-+]nastred [-+]vpravo NUMBER*vlevo NUMBER*nastred NUMBER*vpravo reset

`\startvboxregister ... \stopvboxregister`

- * CSNAME NUMBER

`\startvboxtohbox ... \stopvboxtohbox`

`\startvboxtohboxseparator ... \stopvboxtohboxseparator`

`\startviewerlayer [...*] ... \stopviewerlayer`

- * NAME

`\startVIEWERLAYER ... \stopVIEWERLAYER`

`\startvtopregister ... \stopvtopregister`

- * CSNAME NUMBER

`\startVYCET [...,.*...,...] ... \stopVYCET`

OPT

* titul = TEXT
zalozka = TEXT
seznam = TEXT
odkaz = REFERENCE

`\startVYCET [...,1...,...] {...2} ... \stopVYCET`

OPT OPT

1 REFERENCE
2 TEXT

`\startxcell [...,1] [...,.*...,...] ... \stopxcell`

OPT OPT

1 NAME
2 nx = NUMMER
ny = NUMMER
nc = NUMMER
nr = NUMMER
inherits: \setupxtable

`\startxcellgroup [...,1] [...,.*...,...] ... \stopxcellgroup`

OPT OPT

1 NAME
2 inherits: \setupxtable

`\startxgroup [...,1] [...,.*...,...] ... \stopxgroup`

OPT OPT

1 NAME
2 inherits: \setupxtable

`\startxmldisplayverbatim [...*] ... \stopxmldisplayverbatim`

* NAME

`\startxmllineverbatim [...*] ... \stopxmllineverbatim`

* NAME

`\startxmlraw ... \stopxmlraw`

`\startxmlsetups [...,1] [...,2] ... \stopxmlsetups`

OPT

1 mrizka
2 NAME

`\startxmlsetups .* ... \stopxmlsetups`

* NAME

`\startxrow [...,1] [...,.*...,...] ... \stopxrow`

OPT OPT

1 NAME
2 inherits: \setupxtable

`\startxrowgroup [...,1] [...,.*...,...] ... \stopxrowgroup`

OPT OPT

1 NAME
2 inherits: \setupxtable

`\startxtable [...,.*...,...] ... \stopxtable`

OPT

* inherits: \setupxtable

<pre> \startxtablebody [...,\x{...}] ... \stopxtablebody * inherits: \setupxtable </pre>
<pre> \startxtablebody [...] ... \stopxtablebody * NAME </pre>
<pre> \startxtablefoot [...,\x{...}] ... \stopxtablefoot * inherits: \setupxtable </pre>
<pre> \startxtablefoot [...] ... \stopxtablefoot * NAME </pre>
<pre> \startxtablehead [...,\x{...}] ... \stopxtablehead * inherits: \setupxtable </pre>
<pre> \startxtablehead [...] ... \stopxtablehead * NAME </pre>
<pre> \startxtablenext [...,\x{...}] ... \stopxtablenext * inherits: \setupxtable </pre>
<pre> \startxtablenext [...] ... \stopxtablenext * NAME </pre>
<pre> \startXTABLE [...,\x{...}] ... \stopXTABLE * inherits: \setupxtable </pre>
<pre> \startxtable [...] ... \stopxtable * NAME </pre>
<pre> \startzahlavitabulky [...] ... \stopzahlavitabulky * NAME </pre>
<pre> \startzarovnanonastred ... \stopzarovnanonastred </pre>
<pre> \startzarovnanovlevo ... \stopzarovnanovlevo </pre>
<pre> \startzarovnanovpravo ... \stopzarovnanovpravo </pre>
<pre> \startzhustene [...] ... \stopzhustene * prazdny </pre>
<pre> \startzlom [...] [...,\x{...}] ... \stopzlom 1 NAME 2 inherits: \nastavupravu </pre>

`\startMAKEUPzlom [...,..*...,...] ... \stopMAKEUPzlom`

OPT

* inherits: \nastavupravu

instances:

`\stopLINENOTE [...]`

* REFERENCE

instances:

`\stopradek [...]`

* REFERENCE

`\stopregister [...1] [...2]`

1 NAME

2 NAME

`\stopstructurepageregister [...1] [...2]`

1 NAME

2 NAME

`\strana [...,..*...]`

OPT

* inherits: \pagebreak

`\strictdoifelsenextoptional {...1} {...2}`

1 TRUE

2 FALSE

`\strictdoifnextoptionalelse {...1} {...2}`

1 TRUE

2 FALSE

`\stripcharacter ...1 \from ...2 \to ...3`

1 CHARACTER

2 TEXT

3 CSNAME

`\strippedcsname *...`

* CSNAME

`\strippedcsname ...`

* TEXT

`\stripspaces \from ...1 \to ...2`

1 TEXT

2 CSNAME

<pre>\structurelistuservariable {...} * KEY</pre>
<pre>\structurenumber</pre>
<pre>\structuretitle</pre>
<pre>\structureuservariable {...} * KEY</pre>
<pre>\structurevariable {...} * KEY</pre>
<pre>\strut</pre>
<pre>\strutdp</pre>
<pre>\strutht</pre>
<pre>\struthtdp</pre>
<pre>\struttedbox {...} * CONTENT</pre>
<pre>\strutwd</pre>
<pre>\style [...¹...²...] {...} 1 inherits: \setupstyle 2 TEXT</pre>
<pre>\styleinstance [...] * NAME</pre>
<pre>\style [¹...] {...} 1 NAME FONT 2 TEXT</pre>
<pre>\STYLE {...} * TEXT</pre>
<pre>\subpagenumber</pre>
<pre>\subsentence {...} * CONTENT</pre>
<pre>\substituteincommalist {...} {...} \³... 1 TEXT 2 TEXT 3 CSNAME</pre>

`\subtractfeature [...]`

* NAME

`\subtractfeature {...}`

* NAME

`\swapcounts \1... \2...`

1 CSNAME

2 CSNAME

`\swapdimens \1... \2...`

1 CSNAME

2 CSNAME

`\swapface`

`\swapmacros \1... \2...`

1 CSNAME

2 CSNAME

`\swaptypface`

`\switchstyleonly [...]`

* rm ss tt hw cg antikva serif pravidelne sans bezserifu podpora opis strojopis mono rukopisne kaligraficke

`\switchstyleonly *...`

* CSNAME

`\switchtocolour [...]`

* COLOR

`\switchtointerlinespace [...,1...] [...,2...]`
OPT

1 NAME

2 inherits: \nastavmeziradkovoumezeru

`\switchtointerlinespace [...,*...]`
OPT

* zap vyp reset auto male stredni velke NUMMER DIMENSION

`\switchtointerlinespace [...]`

* NAME

`\symbol [1...] [2...]`
OPT

1 NAME

2 NAME

`\symbolreference [...]`

* REFERENCE

\symbol {...}

* NAME

\synchronizeblank

\synchronizeindenting

\synchronizemarking [¹...] [²...] [³...]
OPT

- 1 BESCHRIFTUNG
- 2 NUMMER
- 3 drzet

\synchronizeoutputstreams [...]*[...]

* NAME

\synchronizestrut {...}

* ano ne auto kap prizpusobive radek implicitni CHARACTER

\synchronizewhitespace

\SYNONYM [¹...] {...} {...}
OPT

- 1 NAME
- 2 TEXT
- 3 CONTENT

instances:

\systemlog {...} {...} {...}

- 1 FILE
- 2 TEXT
- 3 TEXT

\systemlogfirst {...} {...} {...}

- 1 FILE
- 2 TEXT
- 3 TEXT

\systemloglast {...} {...} {...}

- 1 FILE
- 2 TEXT
- 3 TEXT

\systemsetups {...}

* NAME

\TABLE

\TaBlE

<code>\TEX</code>
<code>\TeX</code>
<code>\TheNormalizedFontSize</code>
<code>\TransparencyHack</code>
<code>\tabulateautoline</code>
<code>\tabulateautorule</code>
<code>\tabulateline</code>
<code>\tabulaterule</code>
<code>\taggedctxcommand {.*}</code> * BEFEHL
<code>\taggedlabeltexts {.^1.} {.^2.} {.^3.}</code> 1 NAME 2 NAME 3 CONTENT
<code>\tbinom {.^1.} {.^2.}</code> 1 CONTENT 2 CONTENT
<code>\tbox {.*}</code> * CONTENT
<code>\tecka {.*}</code> * CHARACTER
<code>\tecky [.*]</code> <small>OPT</small> * NUMMER
<code>\tecky [.,.,.*.,.,.]</code> <small>OPT</small> * inherits: \setupperiods
<code>\tenkalinka</code>
<code>\tenkelinky [.,.,.*.,.,.]</code> <small>OPT</small> * inherits: \nastavtenkelinky
<code>\tequal {.^1.} {.^2.}</code> <small>OPT</small> <small>OPT</small> 1 TEXT 2 TEXT

`\testandsplitstring 1... \at 2... \to \3... \and \4...`

- 1 TEXT
- 2 TEXT
- 3 CSNAME
- 4 CSNAME

`\testcolumn [1...] [2...]`
OPT

- 1 NUMBER
- 2 DIMENSION

`\testfeature {1...} {2...;...}`

- 1 NUMBER
- 2 CONTENT

`\testfeatureonce {1...} {2...;...}`

- 1 NUMBER
- 2 CONTENT

`\testpage [1...] [2...]`
OPT

- 1 NUMBER
- 2 DIMENSION

`\testpageonly [1...] [2...]`
OPT

- 1 NUMBER
- 2 DIMENSION

`\testpagesync [1...] [2...]`
OPT

- 1 NUMBER
- 2 DIMENSION

`\testtokens [*...]`

- * NAME

`\tex {*...}`

- * CONTENT

`\texdefinition {*...}`

- * NAME

`\texsetup {*...}`

- * NAME

`\TEXTBACKGROUND {*...}`

- * CONTENT

`\textcitation [...1...][...2]`

OPT

1 odkaz = REFERENCE
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx

2 REFERENCE

`\textcitation [...1...][...2]`

OPT

1 implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear

2 REFERENCE

`\textcitation [...1...][...2...]`

1 odkaz = REFERENCE
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx

2 KEY = VALUE

`\textcite [...1...][...2...]`

OPT

1 odkaz = REFERENCE
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx

2 REFERENCE

`\textcite [...1...][...2...]`

OPT

1 implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears authornum authoryear

2 REFERENCE

`\textcite [...1...][...2...]`

1 odkaz = REFERENCE
alternativa = implicitni category entry short stranka num textnum rok rejstrik tag keywords autor authoryears
authornum authoryear
pred = BEFEHL
po = BEFEHL
vlevo = BEFEHL
vpravo = BEFEHL
inherits: \setupbtx

2 KEY = VALUE

`\textcontrolspace`

`\textflowcollector {...}`

* NAME

`\textmath {...}`

* CONTENT

`\textminus`

`\textnapovedy [1...] {2...} {3...}`

- 1 REFERENCE
- 2 TEXT
- 3 TEXT

`\textormathchar {...}`

- * NUMBER

`\textovalinka [1...] {2...}`

- 1 vrsek nastred spodek
- 2 TEXT

`\textplus`

`\LABELtext {...}`

- * KEY

instances:

`\textvisiblespace`

`\tfrac {1...} {2...}`

- 1 CONTENT
- 2 CONTENT

`\thainumerals {...}`

- * NUMBER

`\thefirstcharacter {...}`

- * TEXT

`\thenormalizedbodyfontsize {...}`

- * DIMENSION

`\theremainingcharacters {...}`

- * TEXT

`\thickspace`

`\thinspace`

`\thirdoffivearguments {1...} {2...} {3...} {4...} {5...}`

- 1 TEXT
- 2 TEXT
- 3 TEXT
- 4 TEXT
- 5 TEXT

`\thirddoffourarguments {1.} {2.} {3.} {4.}`

- 1 TEXT
- 2 TEXT
- 3 TEXT
- 4 TEXT

`\thirddofsixarguments {1.} {2.} {3.} {4.} {5.} {6.}`

- 1 TEXT
- 2 TEXT
- 3 TEXT
- 4 TEXT
- 5 TEXT
- 6 TEXT

`\thirddofthreearguments {1.} {2.} {3.}`

- 1 TEXT
- 2 TEXT
- 3 TEXT

`\thirddofthreeunexpanded {1.} {2.} {3.}`

- 1 TEXT
- 2 TEXT
- 3 TEXT

`\thookleftarrow {1.} {2.}`
OPT OPT

- 1 TEXT
- 2 TEXT

`\thookrightarrow {1.} {2.}`
OPT OPT

- 1 TEXT
- 2 TEXT

`\threedigitrounding {*.}`

- * NUMBER

`\tibetannumerals {*.}`

- * NUMBER

`\tightlayer [*.]`

- * NAME

`\tilde {*.}`

- * CHARACTER

`\tinyfont`

`\tLeftarrow` $\{\dots\}^1 \{\dots\}^2$
 OPT OPT

- 1 TEXT
- 2 TEXT

`\tLeftrightarrow` $\{\dots\}^1 \{\dots\}^2$
 OPT OPT

- 1 TEXT
- 2 TEXT

`\tlacitko` $[\dots]^1 \{\dots\}^2 [\dots]^3$
 OPT

- 1 inherits: \setupbutton
- 2 TEXT
- 3 REFERENCE

`\tlacitkomenu` $[\dots]^1 \{\dots\}^2 \{\dots\}^3$

- 1 inherits: \setupbutton
- 2 TEXT
- 3 REFERENCE

`\tlacitkomenu` $[\dots]^1 [\dots]^2 \{\dots\}^3 \{\dots\}^4$
 OPT

- 1 NAME
- 2 inherits: \nastavinterakcnimenu
- 3 TEXT
- 4 REFERENCE

`\BUTTON` $[\dots]^1 \{\dots\}^2 [\dots]^3$
 OPT

- 1 inherits: \setupbutton
- 2 TEXT
- 3 REFERENCE

instances: button

`\tlap` $\{\dots\}^*$

- * CONTENT

`\tleftarrow` $\{\dots\}^1 \{\dots\}^2$
 OPT OPT

- 1 TEXT
- 2 TEXT

`\tleftharpoondown` $\{\dots\}^1 \{\dots\}^2$
 OPT OPT

- 1 TEXT
- 2 TEXT

`\tleftharpoonup` $\{\dots\}^1 \{\dots\}^2$
 OPT OPT

- 1 TEXT
- 2 TEXT

`\tleftrightarrow` $\{...\}^1 \{...\}^2$
 OPT OPT

1 TEXT

2 TEXT

`\tleftrightharpoons` $\{...\}^1 \{...\}^2$
 OPT OPT

1 TEXT

2 TEXT

`\tloustkacary`

`\tmapsto` $\{...\}^1 \{...\}^2$
 OPT OPT

1 TEXT

2 TEXT

`\tochar` $\{...\}$

* NAME

`\tolinenote` $[...]$

* REFERENCE

`\topbox` $\{...\}$

* CONTENT

`\topleftbox` $\{...\}$

* CONTENT

`\toplinebox` $\{...\}$

* CONTENT

`\toprightbox` $\{...\}$

* CONTENT

`\topskippedbox` $\{...\}$

* CONTENT

`\tRrightarrow` $\{...\}^1 \{...\}^2$
 OPT OPT

1 TEXT

2 TEXT

`\tracecatcodetables`

`\tracedfontname` $\{...\}$

* FONT

`\traceoutputroutines`

`\tracepositions`

`\transparencyparts {...}`

* COLOR

`\transparent [1] {...}`

1 COLOR

2 CONTENT

`\tref {...} {...} [...]`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

3 REFERENCE

`\trel {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\trightarrow {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\trightharpoondown {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\trightharpoonup {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\trightleftharpoons {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\trightoverleftarrow {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\triplebond`

`\truefilename {...}`

* FILE

`\truefontname {...}`

* FONT

`\ttragedright`

`\ttriplerel {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\twoheadleftarrow {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\twoheadrightarrow {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\tucne`

`\tucnekurzivni`

`\tucnesklonene`

`\tvr damezera`

`\tvrdemezery`

`\twodigitrounding {...}`

* NUMBER

`\tx`

`\txx`

`\typebuffer [...1...;...] [...2.........]`
 _{OPT} _{OPT}

1 BUFFER

2 inherits: \nastavopis

`\opisBUFFER [...*.........]`
 _{OPT}

* inherits: \nastavopis

`\typedefinedbuffer [...1...] [...2.........]`
 _{OPT}

1 BUFFER

2 inherits: \nastavopis

`\typeface`

`\typescriptone`

`\typescriptprefix {...}`

* NAME

`\typescriptthree`

`\typescripttwo`

`\typesetbuffer` [¹...] [²...,...²...,...]

1 * BUFFER

2 inherits: \setupeexternalfigure

`\typesetfile` [¹...] [²...] [³...,...³...,...]

1 NAME FILE

2 FILE TEXT

3 inherits: \setupeexternalfigure

`\uconvertnumber` {¹...} {²...}

1 inherits: \konvertujcislo

2 NUMMER

`\uedcatcodecommand` \¹... ²... {³...}

1 CSNAME

2 CHARACTER NUMBER

3 BEFEHL

`\ukazbarvu` [^{*}...]

* COLOR

`\ukazmrizku` [^{*}...,...]

* reset spodek vrsek zadny vse radky ramecek nonumber vpravo vlevo vnejsi sloupce

`\ukaznastaveni` [^{*}...,...]

* pt bp cm mm dd cc pc nd nc sp in

`\ukazpaletu` [¹...] [²...,...]

1 NAME

2 horizontalne vertikalne cislo hodnota jmeno

`\ukazpodpery`

`\ukazpostredizakladnihofontu` [^{*}...,...]

* inherits: \nastavzakladnifont

`\ukazramecek` [¹...,...¹] [²...,...²]

1 vrsek zahlavi text upati spodek

2 levahrana levyokraj text pravyokraj pravahrana

`\ukazsadasymbolu` [^{*}...]

* NAME

`\ukazskupinubarev` [¹...] [²...,...]

1 NAME

2 horizontalne vertikalne cislo hodnota jmeno

`\ukazupravu [...]`

OPT

* zlom vse boxes glyph fontkern hbox vbox vtop kern glue penalty strut whatsit simple simplehbox simplevbox simplevtop user math kurziva origin reset

`\ukazvytisk [...1...] [...2...] [...3...] [...]`

OPT

OPT

OPT

1 inherits: \nastavvelikostpapiru

2 inherits: \nastavvelikostpapiru

3 inherits: \nastavvzhled

`\ukazvzhled [...*...]`

OPT

* pt bp cm mm dd cc pc nd nc sp in

`\ukazzakladnifont [...*...]`

* inherits: \nastavzakladnifont

`\umistikombinovanyseznam [...1...] [...2...] [...]`

OPT

1 LISTE

2 inherits: \nastavseznam

`\umistiCOMBINEDLIST [...*...] [...]`

OPT

* inherits: \nastavseznam

instances:

`\umistilokalnipoznamkypodcarou [...*...] [...]`

OPT

* inherits: \setupnote

`\umistinadsebe {...1} {...2}`

1 CONTENT

2 CONTENT

`\umistinamrizku [...1...] {...2}`

OPT

1 normalni standardni ano striktni tolerantni vrsek spodek obe siroky prizpusobive prvni posledni vysoko jedna nizko zadny radek strut box min max nastred NAME

2 CONTENT

`\umistinamrizku [...1...] {...2}`

OPT

1 inherits: \definegridsnapping

2 CONTENT

`\umistipodrovnici [...*...]`

OPT

* + - REFERENCE

`\umistipoznamkypodcarou [...*...] [...]`

OPT

* inherits: \setupnote

`\umistirejstrik [...1...] [...2...] [...]`

OPT

1 NAME

2 inherits: \nastavrejstrik

`\umistiREGISTER [...,..*...,...]`
OPT

* inherits: \nastavrejstrik

instances:

`\umistirovnici [...,..*...]`
OPT

* + - REFERENCE

`\umistiseznam [...,1...] [...,..2...,...]`
OPT

1 LISTE

2 inherits: \nastavseznam

`\umistivedlesebe {...} {...}`

1 CONTENT

2 CONTENT

`\umistizalozky [...,1...] [...,2...] [...,..3...,...]`
OPT OPT OPT

1 ABSCHNITT LISTE

2 ABSCHNITT LISTE

3 inherits: \setupbookmark

`\undefinevalue {...}`

* NAME

`\undepthed {...}`

* CONTENT

`\underbartext {...} {...}`

1 TEXT

2 TEXT

`\underbrace {...}`

* TEXT

`\underbracetext {...} {...}`

1 TEXT

2 TEXT

`\underbracket {...}`

* TEXT

`\underbrackettext {...} {...}`

1 TEXT

2 TEXT

`\underdash {...}`

* CONTENT

`\underdashes {...}`

* CONTENT

`\underdot {...}`

* CONTENT

`\underdotes {...}`

* CONTENT

`\underleftarrow {...}`

* TEXT

`\underleftharpoondown {...}`

* TEXT

`\underleftharpoonup {...}`

* TEXT

`\underleftrightarrow {...}`

* TEXT

`\underparent {...}`

* TEXT

`\underparenttext {...} {...}`

1 TEXT

2 TEXT

`\underrandom {...}`

* CONTENT

`\underrandoms {...}`

* CONTENT

`\underrightarrow {...}`

* TEXT

`\underrightharpoondown {...}`

* TEXT

`\underrightharpoonup {...}`

* TEXT

`\underset {...} {...}`

1 TEXT

2 TEXT

<pre>\underline {...} * CONTENT</pre>
<pre>\underline {...} * CONTENT</pre>
<pre>\undertoheadleftarrow {...} * TEXT</pre>
<pre>\undertoheadrightarrow {...} * TEXT</pre>
<pre>\undoassign [...¹] [...²...] 1 TEXT 2 KEY = VALUE</pre>
<pre>\unframed [...,¹...²...] {...} _{OPT} 1 inherits: \nastavoramovani 2 CONTENT</pre>
<pre>\unhhbox ...¹ \with {...²} 1 CSNAME NUMBER 2 BEFEHL</pre>
<pre>\unihex {...} * NUMMER</pre>
<pre>\uniqueMPgraphic {...} {...,²...} _{OPT} 1 NAME 2 KEY = VALUE</pre>
<pre>\uniqueMPpagegraphic {...} {...,²...} _{OPT} 1 NAME 2 KEY = VALUE</pre>
<pre>\unprotect ... \protect</pre>
<pre>\unprotected ...[*] \par * CONTENT</pre>
<pre>\unregisterhyphenationpattern [...¹] [...²...] _{OPT} 1 SPRACHE 2 TEXT</pre>
<pre>\unspaceafter \...¹ {...²} 1 CSNAME 2 TEXT</pre>

`\unspaceargument 1... \to 2...`

- 1 TEXT
- 2 CSNAME

`\unspaced {...}`

- * TEXT

`\unspacestring 1... \to 2...`

- 1 TEXT
- 2 CSNAME

`\untexargument 1{...} \to 2...`

- 1 TEXT
- 2 CSNAME

`\untexcommand 1{...} \to 2...`

- 1 CSNAME
- 2 CSNAME

`\uppercased {...}`

- * TEXT

`\uppercasestring 1... \to 2...`

- 1 TEXT
- 2 CSNAME

`\upperlefthdoubleninequote`

`\upperlefthdoublesixquote`

`\upperleftsingleninequote`

`\upperleftsinglesixquote`

`\upperrighthdoubleninequote`

`\upperrighthdoublesixquote`

`\upperrightsingleninequote`

`\upperrightsinglesixquote`

`\urcicharakteristikurejstriku [1...] [2...,...2...,...]`
OPT

- 1 NAME
- 2 language = implicitni DIN_5007-1 DIN_5007-2 Duden de-DE de-CH de-AT ru-iso9 ocs-scن SPRACHE
metoda = implicitni pred po prvni posledni ch mm zm pm mc zc pc uc
numberorder = cisla
compress = ano ne vse
kriterium = lokalne text aktualni predchozi vse ABSCHNITT

<pre>\url [...]</pre> <pre>* NAME</pre>
<pre>\usealignparameter \...</pre> <pre>* CSNAME</pre>
<pre>\useblankparameter \...</pre> <pre>* CSNAME</pre>
<pre>\usebodyfont [...,*,...]</pre> <pre>* inherits: \nastavzakladnifont</pre>
<pre>\usebodyfontparameter \...</pre> <pre>* CSNAME</pre>
<pre>\usebtxdataset [...¹] [...²] [...³...³...]</pre> <pre> OPT OPT</pre> <pre>1 NAME</pre> <pre>2 FILE</pre> <pre>3 specification = NAME</pre>
<pre>\usebtxdefinitions [...]</pre> <pre>* FILE</pre>
<pre>\usecolors [...]</pre> <pre>* FILE</pre>
<pre>\usecomponent [...]</pre> <pre>* FILE</pre>
<pre>\usedummycolorparameter {...}</pre> <pre>* KEY</pre>
<pre>\usedummystyleandcolor {...} {...}</pre> <pre>1 KEY</pre> <pre>2 KEY</pre>
<pre>\usedummystyleparameter {...}</pre> <pre>* KEY</pre>
<pre>\useenvironment [...]</pre> <pre>* FILE</pre>
<pre>\useexternalrendering [...¹] [...²] [...³] [...⁴]</pre> <pre>1 NAME</pre> <pre>2 NAME</pre> <pre>3 FILE</pre> <pre>4 auto embed</pre>

`\usefigurebase [...]`

* reset FILE

`\usefile [...]1 [...]2 [...]3`
OPT

1 NAME

2 FILE

3 TEXT

`\usegridparameter *..`

* CSNAME

`\useindentingparameter *..`

* CSNAME

`\useindentnextparameter *..`

* CSNAME

`\useinterlinespaceparameter *..`

* CSNAME

`\uselanguageparameter *..`

* CSNAME

`\useluamodule [...]`

* FILE

`\useMPenvironmentbuffer [...]`

* NAME

`\useMPgraphic {...}1 {...,2...}`
OPT

1 NAME

2 KEY = VALUE

`\useMPlibrary [...]`

* FILE

`\useMPrun {...}1 {...}2`

1 NAME

2 NUMMER

`\useMPvariables [...]1 [...]2,...`

1 NAME

2 KEY

`\usemathstyleparameter *..`

* CSNAME

`\useproduct [...]`

* FILE

`\useprofileparameter *..`

* CSNAME

`\useproject [...]`

* FILE

`\userferenceparameter *..`

* CSNAME

`\userpagenumber`

`\usesetupparameter *..`

* CSNAME

`\usestaticMPfigure [...,1...OPT...] [...2]`

1 inherits: \setupscale

2 NAME

`\usesubpath [...,*...]`

* PATH

`\usetexmodule [...1] [...2,...] [...,3...OPT,...]`

1 m p s x t

2 FILE

3 KEY = VALUE

`\usetypescript [...1] [...2] [...3]`

1 serif sans mono math handwriting calligraphy casual vse

2 NAME fallback implicitni dtp simple

3 size jmeno

`\usetypescriptfile [...]`

* reset FILE

`\usezipfile [...1] [...2]OPT`

1 FILE

2 FILE

`\utfchar {...}`

* NUMMER

`\utflower {...}`

* TEXT

\utfupper {...}

* TEXT

\utilityregisterlength

\uzijadresar [...*,...]

* PATH

\uzijbloky [...¹,...] [...²,...] [...³,...³,...]

1 NAME

2 + -

3 kriterium = text ABSCHNITT

\uzijexternidokument [...¹] [...²] [...³]

1 NAME

2 FILE

3 TEXT

\uzijexterniobraz [...¹] [...²] [...³] [...⁴,...⁴,...]

1 NAME

2 FILE

3 NAME

4 inherits: \setupexternalfigure

\uzijexternizvuk [...¹] [...²]

1 NAME

2 FILE

\uzijJSscripts [...¹] [...²,...]

1 FILE

2 NAME

\uzijmodul [...¹] [...²,...] [...³,...³,...]

1 m p s x t

2 FILE

3 KEY = VALUE

\uzijsymbol [...*...]

* FILE

\uzijURL [...¹] [...²] [...³] [...⁴]

1 NAME

2 URL

3 FILE

4 TEXT

`\uzijurl [...1] [...2] [...3] [...4]`

OPT OPT

- 1 NAME
- 2 URL
- 3 FILE
- 4 TEXT

`\VerboseNumber {...}`

- * NUMMER

`\VSEDNIDEN {...}`

- * NUMMER

`\vboxreference [...1;...2]{...}`

- 1 REFERENCE
- 2 CONTENT

`\vec {...}`

- * CHARACTER

`\velke ...`

- * CHARACTER

`\verbatim {...}`

- * CONTENT

`\verbatimstring {...}`

- * CONTENT

`\verbosnumber {...}`

- * NUMMER

`\verticalgrowingbar [...*;...*]`

- * inherits: \setuppositionbar

`\verticalpositionbar [...*;...*]`

- * inherits: \setuppositionbar

`\veryraggedcenter`

`\veryraggedleft`

`\veryraggedright`

`\verze [...*]`

- * koncept soubor docasne finalni NAME

`\vglue ...`

- * DIMENSION

<pre>\viewerlayer [...]{...} 1 NAME 2 CONTENT</pre>
<pre>\vl [...] OPT * NUMMER</pre>
<pre>\vlasovalinka</pre>
<pre>\vlevo ... * CHARACTER</pre>
<pre>\vphantom {...} * CONTENT</pre>
<pre>\vpos {...}{...} 1 NAME 2 CONTENT</pre>
<pre>\vpravo ... * CHARACTER</pre>
<pre>\vradku {...}[...] OPT</pre> <p>1 TEXT 2 REFERENCE</p>
<pre>\vsedniden {...} * NUMMER</pre>
<pre>\vsmash {...} * CONTENT</pre>
<pre>\vsmashbox ... * CSNAME NUMMER</pre>
<pre>\vsmashed {...} * CONTENT</pre>
<pre>\vspace [...][...] OPT OPT</pre> <p>1 NAME 2 NAME</p>
<pre>\vspacing [...*...] OPT</pre> <p>* nastaveni stejnastranka max sila enable zablokovat zadnabila zpet prekryv vzdy weak strong implicitni pred mezi po fixne prizpusobive zadny male stredni velke radek pulradku quarterline rovnice bily vyska podlehloubky standardni NUMMER*male NUMMER*stredni NUMMER*velke NUMMER*radek NUMMER*pulradku NUMMER*quarterline NUMMER*rovnice NUMMER*bily NUMMER*vyska NUMMER*podlehloubky category:NUMMER order:NUMMER penalty:NUMMER DIMENSION NAME</p>

`\withoutpt {...}`

* DIMENSION

`\words {...}`

* TEXT

`\wordtonumber {...} {...}`

1 jedna dve tri ctyri pet

2 TEXT

`\writedatalist [...]1 [...,...2...,...]OPT [...,...3...,...]`

1 LISTE

2 inherits: \nastavseznam

3 KEY = VALUE

`\writestatus {...} {...}`

1 TEXT

2 TEXT

`\XETEX`

`\XeTeX`

`\xdefconvertedargument \1... {...}`

1 CSNAME

2 TEXT

`\xequal {...}OPT {...}OPT`

1 TEXT

2 TEXT

`\xfrac {...} {...}`

1 CONTENT

2 CONTENT

`\xhookleftarrow {...}OPT {...}OPT`

1 TEXT

2 TEXT

`\xhookrightarrow {...}OPT {...}OPT`

1 TEXT

2 TEXT

`\xLeftarrow {...}OPT {...}OPT`

1 TEXT

2 TEXT

`\xLeftrightarrow {1...} {2...}`

- 1 TEXT
- 2 TEXT

`\xleftarrow {1...} {2...}`

- 1 TEXT
- 2 TEXT

`\xleftharpoondown {1...} {2...}`

- 1 TEXT
- 2 TEXT

`\xleftharpoonup {1...} {2...}`

- 1 TEXT
- 2 TEXT

`\xleftrightharpoonarrow {1...} {2...}`

- 1 TEXT
- 2 TEXT

`\xleftrightharpoons {1...} {2...}`

- 1 TEXT
- 2 TEXT

`\xmapsto {1...} {2...}`

- 1 TEXT
- 2 TEXT

`\xmladdindex {...}`

- * NODE

`\xmlafterdocumentsetup {1...} {2...} {3...}`

- 1 NAME
- 2 SETUP
- 3 SETUP

`\xmlafterssetup {1...} {2...}`

- 1 SETUP
- 2 SETUP

`\xmlall {1...} {2...}`

- 1 NODE
- 2 LPATH

`\xmlappenddocumentsetup {1...} {2...}`

- 1 NAME
- 2 SETUP

`\xmlappendsetup {...}`

* SETUP

`\xmlapplyselectors {...}`

* NODE

`\xmlatt {...} {...}`

1 NODE

2 NAME

`\xmlattdef {...} {...} {...}`

1 NODE

2 NAME

3 TEXT

`\xmlattribute {...} {...} {...}`

1 NODE

2 LPATH

3 NAME

`\xmlattributedef {...} {...} {...} {...}`

1 NODE

2 LPATH

3 NAME

4 TEXT

`\xmlbadinclusions {...}`

* NODE

`\xmlbeforedocumentsetup {...} {...} {...}`

1 NAME

2 SETUP

3 SETUP

`\xmlbeforesetup {...} {...}`

1 SETUP

2 SETUP

`\xmlcommand {...} {...} {...}`

1 NODE

2 LPATH

3 XMLSETUP

`\xmlconcat {...} {...} {...}`

1 NODE

2 LPATH

3 TEXT

`\xmlconcatrange {1.} {2.} {3.} {4.} {5.}`

- 1 NODE
- 2 LPATH
- 3 TEXT
- 4 FIRST
- 5 LAST

`\xmlcontext {1.} {2.}`

- 1 NODE
- 2 LPATH

`\xmlcount {*.}`

- * NODE

`\xmldefaulttotext {*.}`

- * NODE

`\xmldirectives {*.}`

- * NODE

`\xmldirectivesafter {*.}`

- * NODE

`\xmldirectivesbefore {*.}`

- * NODE

`\xmldisplayverbatim {*.}`

- * NODE

`\xmldoif {1.} {2.} {3.}`

- 1 NODE
- 2 LPATH
- 3 TRUE

`\xmldoifelse {1.} {2.} {3.} {4.}`

- 1 NODE
- 2 LPATH
- 3 TRUE
- 4 FALSE

`\xmldoifelseempty {1.} {2.} {3.} {4.}`

- 1 NODE
- 2 LPATH
- 3 TRUE
- 4 FALSE

`\xmldoifselfempty {..} {..} {..}`

- 1 NODE
- 2 TRUE
- 3 FALSE

`\xmldoifsetext {..} {..} {..} {..}`

- 1 NODE
- 2 LPATH
- 3 TRUE
- 4 FALSE

`\xmldoifelsevalue {..} {..} {..} {..}`

- 1 CATEGORY
- 2 NAME
- 3 TRUE
- 4 FALSE

`\xmldoifnot {..} {..} {..}`

- 1 NODE
- 2 LPATH
- 3 TRUE

`\xmldoifnotselfempty {..} {..}`

- 1 NODE
- 2 TRUE

`\xmldoifnottext {..} {..} {..}`

- 1 NODE
- 2 LPATH
- 3 TRUE

`\xmldoifselfempty {..} {..}`

- 1 NODE
- 2 TRUE

`\xmldoiftext {..} {..} {..}`

- 1 NODE
- 2 LPATH
- 3 TRUE

`\xmlelement {..} {..}`

- 1 NODE
- 2 NUMMER

`\xmlfilter {..} {..}`

- 1 NODE
- 2 LPATH

`\xmlfirst {...} {...}`

- 1 NODE
- 2 LPATH

`\xmlflush {...}`

- * NODE

`\xmlflushcontext {...}`

- * NODE

`\xmlflushdocumentsetups {...} {...}`

- 1 NAME
- 2 SETUP

`\xmlflushlinewise {...}`

- * NODE

`\xmlflushpure {...}`

- * NODE

`\xmlflushspacewise {...}`

- * NODE

`\xmlflushtext {...}`

- * NODE

`\xmlchainatt {...} {...}`

- 1 NODE
- 2 NAME

`\xmlchainattdef {...} {...} {...}`

- 1 NODE
- 2 NAME
- 3 TEXT

`\xmlchecknamespace {...} {...}`

- 1 NODE
- 2 NAME

`\xmlinclude {...} {...} {...}`

- 1 NODE
- 2 LPATH
- 3 NAME

`\xmlinclusion {...}`

- * NODE

\xmlinclusions {...}

* NODE

\xmlinfo {...}

* NODE

\xmlinjector {...}

* NAME

\xmlinlineverbatim {...}

* NODE

\xmlinstalldirective {...} {...}

1 NAME

2 CSNAME

\xmllast {...} {...}

1 NODE

2 LPATH

\xmllastatt

\xmllastmatch

\xmlloadbuffer {...} {...} {...}

1 BUFFER

2 NAME

3 XMLSETUP

\xmlloaddata {...} {...} {...}

1 NAME

2 TEXT

3 XMLSETUP

\xmlloaddirectives {...}

* FILE

\xmlloadfile {...} {...} {...}

1 NAME

2 FILE

3 XMLSETUP

\xmlloadonly {...} {...} {...}

1 NAME

2 FILE

3 XMLSETUP

\xmlmain {...}

* NAME

\xmlmapvalue {...} {...} {...}

1 CATEGORY

2 NAME

3 TEXT

\xmlname {...}

* NODE

\xmlnamespace {...}

* NODE

\xmlnonspace {...} {...}

1 NODE

2 LPATH

\xmlpath {...}

* NODE

\xmlpos {...}

* NODE

\xmlposition {...} {...} {...}

1 NODE

2 LPATH

3 NUMMER

\xmlprependdocumentsetup {...} {...}

1 NAME

2 SETUP

\xmlprependsetup {...}

* SETUP

\xmlprettyprint {...} {...}

1 NODE

2 NAME

\xmlprocessbuffer {...} {...} {...}

1 BUFFER

2 NAME

3 XMLSETUP

\xmlprocessdata {...} {...} {...}

- 1 NAME
- 2 TEXT
- 3 XMLSETUP

\xmlprocessfile {...} {...} {...}

- 1 NAME
- 2 FILE
- 3 XMLSETUP

\xmlpure {...} {...}

- 1 NODE
- 2 LPATH

\xmlraw {...}

- * NODE

\xmlrefatt {...} {...}

- 1 NODE
- 2 NAME

\xmlregistereddokumentsetups {...} {...}

- 1 NAME
- 2 SETUP

\xmlregisteredsetups

\xmlregisterns {...} {...}

- 1 NAME
- 2 URL

\xmlremapname {...} {...} {...} {...}

- 1 NODE
- 2 LPATH
- 3 NAME
- 4 NAME

\xmlremapnamespace {...} {...} {...}

- 1 NODE
- 2 NAME
- 3 NAME

\xmlremovedokumentsetup {...} {...}

- 1 NAME
- 2 SETUP

\xmlremovesetup {...}

* SETUP

\xmlresetdocumentsetups {...}

* NAME

\xmlresetinjectors

\xmlresetsetups {...}

* NAME

\xmlsave {...} {...}

1 NODE

2 FILE

\xmlsetentity {...} {...}

1 NAME

2 TEXT

\xmlsetfunction {...} {...} {...}

1 NODE

2 LPATH

3 LUAFUNCTION

\xmlsetinjectors [...]*...]

* NAME

\xmlsetsetup {...} {...} {...}

1 NAME

2 LPATH

3 SETUP

\xmlsetup {...} {...}

1 NODE

2 SETUP

\xmlshow {...}

* NODE

\xmlsnippet {...} {...}

1 NODE

2 NUMMER

\xmlstrip {...} {...}

1 NODE

2 LPATH

`\xmlstripnolines {1.} {2.}`

- 1 NODE
- 2 LPATH

`\xmlstripped {1.} {2.}`

- 1 NODE
- 2 LPATH

`\xmlstrippednolines {1.} {2.}`

- 1 NODE
- 2 LPATH

`\xmltag {*.}`

- * NODE

`\xmlexportentity {1.} {2.}`

- 1 NAME
- 2 TEXT

`\xmltext {1.} {2.}`

- 1 NODE
- 2 LPATH

`\xmltobuffer {1.} {2.} {3.}`

- 1 NODE
- 2 LPATH
- 3 BUFFER

`\xmltobufferverbose {1.} {2.} {3.}`

- 1 NODE
- 2 LPATH
- 3 BUFFER

`\xmltofile {1.} {2.} {3.}`

- 1 NODE
- 2 LPATH
- 3 FILE

`\xmlvalue {1.} {2.} {3.}`

- 1 CATEGORY
- 2 NAME
- 3 TEXT

`\xmlverbatim {*.}`

- * NODE

`\xrightarrow {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\xrel {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\xrightarrow {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\xrightarrow[...]{...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\xrightarrow[...]{...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\xleftrightarrow {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\xleftrightarrow[...]{...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\xsplitstring \... {...}`

1 CSNAME

2 TEXT

`\xtriplelrel {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\xtwoheadleftarrow {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\xtwoheadrightarrow {...} {...}`
 _{OPT} _{OPT}

1 TEXT

2 TEXT

`\xxfrac {...} {...}`

1 CONTENT

2 CONTENT

<p>\xypos {...}</p> <p>* NAME</p>
<p>\Znak {...}</p> <p>* NUMMER</p>
<p>\Znaky {...}</p> <p>* NUMMER</p>
<p>\zadnamezera</p>
<p>\zadnehorniadolniradky</p>
<p>\zadnezahlaviaupati</p>
<p>\zachovejbloky [...;¹...] [...;²...] <small>OPT</small></p> <p>1 NAME</p> <p>2 + -</p>
<p>\zalozka [...]¹ {...}² <small>OPT</small></p> <p>1 ABSCHNITT LISTE</p> <p>2 TEXT</p>
<p>\zapidoseznam [...]¹ [...;²...]³ {...}⁴ {...} <small>OPT</small></p> <p>1 LISTE</p> <p>2 inherits: \nastavseznam</p> <p>3 NUMMER</p> <p>4 TEXT</p>
<p>\zapismeziseznam [...]¹ [...;²...]³ {...} <small>OPT</small></p> <p>1 LISTE</p> <p>2 inherits: \nastavseznam</p> <p>3 BEFEHL</p>
<p>\zaramovani [...;¹...]² {...} <small>OPT</small></p> <p>1 inherits: \nastavoramovani</p> <p>2 CONTENT</p>
<p>\zarovnanonastred {...}</p> <p>* CONTENT</p>
<p>\zarovnanovlevo {...}</p> <p>* CONTENT</p>
<p>\zarovnanovpravo {...}</p> <p>* CONTENT</p>

`\zasobnikpoli [...]1 [...]2,...] [...]3,...]`

- 1 NAME
- 2 NAME
- 3 inherits: \setupfieldcategory

`\ziskejbuffer [...]`

- * BUFFER

`\ziskatBUFFER`

`\ziskejznaceni [...]1 [...]2 [...]3`

- 1 BESCHRIFTUNG
- 2 stranka NAME
- 3 prvni posledni aktualni predchozi dalsi vrsek spodek implicitni obe vse first:nocheck last:nocheck previous:nocheck next:nocheck top:nocheck bottom:nocheck

`\FRACTION {...}1 {...}2`

- 1 CONTENT
- 2 CONTENT

instances: xfrac xxfrac frac sfrac dfrac binom dbinom tbinom

`\znaceni (...)1,...) (...)2,...) [...]3`

- 1 POSITION
- 2 POSITION
- 3 REFERENCE

`\znak {...}`

- * NUMMER

`\znaky {...}`

- * NUMMER

`\zpracujbloky [...]1,...) [...]2,...) [...]3,...]`

- 1 NAME
- 2 + -
- 3 kriterium = text ABSCHNITT

`\zrcadlit {...}`

- * CONTENT

`\zref [...]`

- * REFERENCE

`\zvysit *..`

- * CSNAME

```
\zvysit cd:parentheses-1
```

```
* CSNAME NUMMER
```




PRAGMA ADE
Ridderstraat 27
8061GH Hasselt NL
www.pragma-ade.com